62.67

# HENRY KOHANKIE & SON

30 Miles East of Cleveland on Rt. 20

Painesville, Ohio Phone: Elmwood 4-4100



FALL, 1954 SPRING, 1955

**EVERGREENS** 

**SHRUBS** 

TREES

HERBACEOUS PERENNIALS ROSES



## PRICE LIST

W E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

## Henry Kohankie & Son

Route 20, One Mile East of Painesville
PAINESVILLE, OHIO

### PLEASE READ CAREFULLY

#### CONDITIONS OF SALE

**Prices** do not include packing. A charge for the cost of the boxes and material used in baling will be made.

**Stock** specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities — We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery — We are in a position to arrange bulk deliveries of large orders by truck and the charges approximate railroad freight rates.

#### CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines 5-161
Herbaceous Material (including Rock and Alpine Plants) 162-200
Fruit Garden Material 201
Large Specimen Material
Plants for Special Purposes 211-212
Schedule of B&B Charges 213

#### PLANT CLASSIFICATIONS

Coniferous Evergreens	202-203
Broad-leaved Evergreens	203
Deciduous Shade Trees	203-204
Deciduous Small Trees	205-206
Deciduous Shrubs	206-210
Vines	210-211

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

## DECIDUOUS AND EVERGREEN TREES, SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

maturity.			
	1-4 Each		25 & up Each
Abelia chinensis. Chinese Abelia. 5'			
15 to 18 in., 4 in. pots	3.00	\$2.50	
grandiflora. Glossy Abelia. 3'			
12 to 15 in., 4 in. pots	1.75	1.60	1.50
15 to 18 in., 4 in. pots	2.00	1.85	1.75
18 to 24 inB&B	2.75	2.50	
schumanni. Schumann Abelia. 5'			
12 to 18 in., 4 in. pots	2.50	2.00	
Abies alba. Silver Fir. 50'			
3 ftB&B	12.50		
4 ftB&B	15.00		
alba pyramidalis. Sentinel Fir.	50 <b>'</b>		
18 in B&B	7.50		
2 ftB&B	10.00		
balsamea. Balsam Fir. 50'			
2 ftB&B	10.00		
3 ftB&B	12.50		
4 ftB&B	15.00		
5 ftB&B	20.00		
6 ftB&B			
cephalonica. Greek Fir. 60'			

2 ft. B&B 10.00 3 ft. B&B 12.50

					1-4	5.94	25 & up
n 1.					Each		Each
AD	ies						
		White F					
						7.50	
						10.00	
	For lai	rger sizes	to 14 it.,	add \$	7.50 pe	er foot	
		violacea.				70'	
	8 It.			B&B	45.00		
		omi Fir.		D.O.D.	10.50	10.00	
	3 ft.					10.00	
	4 ft.					12.50	
	5 ft.						
	6 ft.						
	7 ft.						
	8 ft.			B&B	37.50		
	1		~				
		s. Nikko I		D O D	10.50		
					15.00		
	0 10.			Dab	01.00		
	lasiocarpa	arizonic:	a Conk be	anle Eli	· 50'		
	0 20.			Dab .	20.00		
	nordmann	iana. No	rdmann F	ir. 7	5'		
	procera g						
	2½ f	t		B&B	15.00		

#### Abies

veitchi. Veitch Fir. 80'		
2 ft		
3 ft		
4 ft		
110		
Acanthopanax henryi. Henry Acanthopanax.	10'	
3 to 4 ft		
4 to 5 ft	1.70	
5 to 6 ft		
3 to 6 it		
ricinifolium (see Kalopanax pictus).		
sieboldianus (pentaphyllum). Five-leaved	Aralia.	10'
2 to 3 ft		
3 to 4 ft	.85	.80
4 to 5 ft	1.35	1.10
5 to 6 ft	1.60	
Acer buergerianum. Trident Maple. 40'		
4 to 5 ft		
campestre. Hedge Maple. 25'		
3 to 4 ft	2.50	2.25
4 to 5 ft		
5 to 6 ft 4.00		
dasycarpum, (see saccharinum)		
ginnala. Amur Maple. 12'		
3 to 4 ft 1.75	1.50	1.25
4 to 5 ft	1.75	1.50
5 to 6 ft	2.50	2.25
6 to 8 ft	3.25	3.00
8 to 10 ft 5.00	4.25	4.00
glabrum. Rocky Mountain Maple. 25'		
3 to 4 ft 5.00		
4 to 5 ft 6.00		1
griseum. Paperbark Maple. 25'		-11 14
3 to 4 ft		
4 to 5 ft 5.00		
0.00		

	1-4	5-24	25 & uj
Acer	Each		Each
japonicum aureum. Goldenmoon	Maple.	15'	
2 to 3 ftB&B			
8 to 10 ftB&B	35.00		
japonicum filicifolium. Fernleaf A	Vanle 1	0'	
2 to 3 ftB&B			
3 to 4 ftB&B			
negundo. Box Elder. 60'			
6 to 8 ft	2.75	2.25	2.00
8 to 10 ft.		2.75	2.50
1¼ to 1½ in.		4.00	3.50
1½ to 1¾ in	6.00	5.50	5.00
13/4 to 2 in		7.50	7.00
2 to 2½ in		10.00	
2½ to 3 in		12.50	
niguism Disch Mante ool			
nigrum. Black Maple. 80' 8 to 10 ft	7.50	6.00	
1½ to 1½ in		6.00 7.50	
1½ to 1¾ in.			
	12.00	10.00	
palmatum. Japanese Maple. 15'			
2 to 3 ftB&B			
	7.50		
4 to 5 ftB&B			
5 to 6 ftB&B	12.50		
palmatum atropurpureum.			
Bloodleaf Japanese Maple. 10'			
2 to 3 ftB&B		10.00	
3 to 4 ftB&B			
4 to 5 ft			
5 to 6 ft., heavy B&B			
6 to 8 ft., heavyB&B 8 to 10 ft., heavyB&B			
palmatum atropurpureum dissect			
Purple Threadleaf Japanese M	-		
18 to 24 inB&B	15.00		
palmatum elegans. 10"			
3 to 4 ftB&B	17.50		
pennsylvanicum. Striped Maple.			
4 to 5 ft	5.00		
5 to 6 ft	6.00		

Acer					1-4 Each	5-24 Each	25 & up Each
platanoid	les. 1	Vorway	Maple.	75'	Bach	Each	Each
	to 8				5.00	4.75	4.50
	to 10				6.50	6.25	6.00
- · -					9.00	8.00	7.50
		3/4 in			12.00	10.00	9.50
	to 2				15.00	13.00	12.00
					20.00	17.00	16.00
	to 3				27.50	25.00	22.50
					40.00	35.00	
	to 4				50.00	45.00	
_						60.00	
platanoio	des co	olumna:	re. Colu	mnar	Norway	y Mapl	e. 75°
6	to 8	ft.			10.00	9.00	
8	to 10	ft.			12.50		
11/4	to 1	½ in			15.00		
platanoi	dos al	obosum	Glob	No.	man Ma	ınla	
_			ndards		•	ipie.	
·						0.01	
platanoid 8	to 10		eri. Sch		· <i>Мар</i> ие 8.50	7.50	
11/4					12.50	10.00	
11/2					15.00	10.00	
	to 2				18.00		
	_				22.50		
_	to 3				25.00		
pseudopl			netree M		60'	0.50	
8	to 10				7.50	6.50	
11/4					8.50		
1½					12.50		
	to 2				15.00		
	to 3				21.30		
rubrum.		_					
	to 8				5.50	5.00	
	to 10				7.50	6.50	
11/4					9.00	8.00	
11/2					12.00	10.00	
	to 2				15.00	13.00	
		,			20.00	17.00	
	to 3				27.50	25.00	
					40.00	35.00	
31/2							
4	to 5	in.			65.00		

					1-4 Each	5-24 Each	25 & up Each
Acer					134611	Hacii	Bach
rubrum	column	are.	Column	Red	Maple.	75'	
6	to 8	ft.			10.00		
8	to 10	ft.			12.50		
11/4	to 1½	in.			15.00		
11/2	to 13/4	in.			18.50		
13/4	to 2	in.			22.50		
2	to 2½	in.			27.50		
sacchari			Maple.				
6	to 8					2.00	1.75
8	to 10					3.00	2.50
11/4	to 1½					4.25	3.75
11/2						5.50	5.00
13/4	to 2					7.00	6.25
2	to 2½					10.00	9.50
21/2	to 3					15.00	12.50
3						22.50	
4	to 4½	in.			35.00		
	num py						
	amidal S		_		4 00		
6	to 8				4.00	3.50	
8	to 10				5.00	4.50	
11/4	to 1½				6.00	5.50	
717	to 13/4				7.50	7.00	
- / <b>-</b>	to 2				10.00		
$\frac{2}{2^{1/2}}$							
	to 3						
3							
4			• • • • • • •		35.00		
	num wie				75'		
	to 8						
8	to 10						
	to 1½						
11/2							
	to 2						•
2	to 2½				17.50		
saccharu			Taple. 7				
6	to 8					4.75	4.50
8	to 10		• • • • • • •			6.25	6.00
						8.00	7.50
						10.00	9.50
13/4	to 2		• • • • • • • •			13.00	
2	to 2½	ın			20.00	17.00	

	1-4 Each		25 & up Each
Acer			
saccharum — Continued			
	27.50	25.00	
	40.00	35.00	
and the second s	50.00	45.00	
	65.00	60.00	
	75.00		
sieboldianum. Siebold Maple. 25'	7.50	0.50	
4 to 5 ft	7.50 $10.00$	6.50	
	12.50		
spicatum. Mountain Maple. 20'	12.00		
	0.50		
2 to 3 ft	2.50		
3 to 4 ft	3.50		
tataricum. Tatarian Maple. 20'	0.50	0.05	2.00
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.25	3.00
8 to 10 ft	5.00	4.25	4.00
Actinidia anguta Dayman Astinidia 201			
Actinidia arguta. Bower Actinidia. 20' 2 year	1.00	.85	.75
3 year	1.50	1.25	.10
5 year	1.50	1.20	
Aesculus carnea. Red Horsechestnut.	<i>ι</i> ο'		
	15.00		
glabra. Ohio Buckeye. 25'			
	5.00	4.50	
8 to 10 ft	6.00	5.50	1
1¼ to 1½ in		0.00	,
	12.50		
	17.50		
hippocastanum. Horsechestnut. 70'			
6 to 8 ft	5.00	4.25	
8 to 10 ft	6.00	5.25	
1¼ to 1½ in	7.50	6.50	
1½ to 1¾ in	8.50	7.50	
13/4 to 2 in	12.50	10.00	9.00
2 to 2½ in	18.00	15.00	13.50
2½ to 3 in	22.50	20.00	
3 to 3½ in	30.00	25.00	
	40.00	<b>3</b> 5.00	
4 to 5 in	60.00		

Aesculus hippocastanum baumanni.	1-4 Each	5-24 Each	25 & up Each
Baumann Horsechestnut. 50'			
6 to 8 ft	12.50		
8 to 10 ft	15.00		
2½ to 3 in	35.00		
3 to 3½ in	45.00		
3½ to 4 in	55.00		
4 to 4½ in			i
octandra. Yellow Buckeye. 60'			
6 to 8 ft	5.00	4.25	
8 to 10 ft	6.00	5.25	
1¼ to 1½ in	7.50	6.50	
1½ to 1¾ in	8.50	7.50	7.00
13/4 to 2 in	12.50	10.00	9.00
2 to 2½ in	18.00	15.00	13.50
2½ to 3 in	22.50	20.00	18.00
3 to 3½ in	30.00	25.00	
3½ to 4 in	40.00	35.00	
4 to 5 in	60.00		
parviflora. Bottlebrush Buckeye.			
15 to 18 inB&B	6.00		
18 to 24 inB&B	7.50		
Ailanthus altissima (glandulosa).			
Tree of Heaven. 50'			
6 to 8 ft	5.00	4.25	4.00
8 to 10 ft	6.00	5.25	5.00
10 to 12 ft	7.50	6.50	
1½ to 1¾ in	8.50	7.50	
134 to 2 in	12.50	10.00	
	15.00	13.50	
		18.00	
vilmoriniana. Vilmorin Ailanthus.			
1½ to 1¾ in			
134 to 2 in			•
2 to 2½ in	15.00		
Akebia trifoliata. Threeleaf Akebia. 1	5 <b>'</b>		
2 year	1.00	.85	.75
3 year	1.25	1.10	1.00
quinata. Fiveleaf Akebia. 15'			
2 year	1.00	.85	.75
3 year	1.25	1.00	.90

1-4 5-24 25 & up Each Each Each

Albizzia julibrissin rosea. Silktree. 30'		
3 to 4 ftB&B 12.50	)	
4 to 5 ftB&B 15.00	)	
5 to 6 ftB&B 20.00	)	
Alnus cordata. Italian Alder. 40'		
6 to 8 ft 5.00	4.50	
8 to 10 ft 6.00		
1½ to 1¾ in		
1¾ to 2 in		
2 to 2½ in		
glutinosa. European Alder. 60'	7 10.00	
6 to 8 ft 5.00	4.25	4.00
8 to 10 ft 6.00		5.00
1½ to 1½ in 7.50		6.25
1½ to 1¾ in 10.00		8.00
1¾ to 2 in		9.50
2 to 2½ in 17.50		13.50
2½ to 3 in		10.00
3 to 3½ in		
	, 00.00	
glutinosa laciniata. Cutleaf Alder. 40' 6 to 8 ft	)	
8 to 10 ft	,	
hirsuta. Manchurian Alder. 60'		
6 to 8 ft		
8 to 10 ft 12.50		
1¼ to 1½ in		
1½ to 1¾ in 17.50	)	
incana. Speckled Alder. 50'		
8 to 10 ft 6.00		
11/4 to 11/2 in 7.50	6.50	
1½ to 1¾ in 10.00	7.50	
134 to 2 in 12.50	)	
incana pendula. Weeping Alder.		
5 ft. stem 12.50	)	
japonica. Japanese Alder. 50'		
2 to 3 ft 5.00	)	
3 to 4 ft 6.00		
4 to 5 ft 7.50		
rugosa. Hazel Alder. 10'		
8 to 10 ft 8.50		

	1-4	5-24	25 & ap
Amelanchier alnifolia. Saskatoon Sera	Each	Each	Each
5 to 6 ft		•	
<b>7 10 10 10 10 1</b>	0.00		
			-
asiatica. Asian Serviceberry. 40'			
5 to 6 ft	4.00	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft			
	not		
canadensis. Shadblow Serviceberry		1.05	
2 to 3 ft		1.25	
3 to 4 ft		1.50	
	2.50	2.00	
5 to 6 ft	3.50	3.00	
0 00 0 10	5.00	4.50	
8 to 10 ft	7.50	6.00	
6 to 8 ft. standards	7.50	6.00	
8 to 10 ft. standards	10.00	7.50	
grandiflora rubescens.			
Ruddy Allegheny Serviceberry.	35'		
8 to 10 ft. standards	10.00		
10 to 12 ft. standards			
	10.00		
laevis. Allegheny Serviceberry. 35	,		
8 to 10 ft	7.50		
6 to 8 ft. standards			
8 to 10 ft. standards			
10 to 12 ft. standards	15.00		
	10.00		
	10.00		
oblongifolia (Thicket Comical			
oblongifolia. Thicket Serviceberry.	25'	1 50	
3 to 4 ft	<b>25'</b> 1.75	1.50	
3 to 4 ft	<b>25'</b> 1.75 2.50	2.00	1.75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	25' 1.75 2.50 3.50	<b>2.00</b> 3.00	
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	25' 1.75 2.50 3.50 5.00	2.00 3.00 4.50	1.75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	25' 1.75 2.50 3.50 5.00 7.50	<b>2.00</b> 3.00	1.75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	25' 1.75 2.50 3.50 5.00 7.50 25.00	2.00 3.00 4.50	1.75

1-4 5-24 25 & up Each Each Each

Amelanchier	Each	Each	Each
ovalis (vulgaris). Garden Service	eberry.	25 <b>'</b>	
2 to 3 ft	1.50	1.25	
3 to 4 ft		1.50	
4 to 5 ft		2.00	
5 to 6 ft		3.00	
6 to 8 ft		4.50	
8 to 10 ft		6.00	
6 to 8 ft. standards		6.00	
8 to 10 ft. standards		7.50	
8 to 10 ft. clumps B&l		,,,,	
10 to 12 ft. clumps B&I			
sanguinea. Roundleaf Serviceberr 6 to 8 ft		5.00	
		5.00	
8 to 10 ft	. 7.50		
stolonifera. Running Serviceberry.			
18 to 24 in		1.10	1.00
2 to 3 ft	. 1.75	1.50	1.25
Amorpha brachycarpa. 3'			
18 to 24 in	. 1.00	.85	
2 to 3 ft		1 10	
2 00 0 100	. 1.20	1.10	
		1.10	
canescens. Leadplant Amorpha.	4'		
canescens. Leadplant Amorpha.  15 to 18 in	4' . 1.00	.75	
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.	4' 1.00 1.25		
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.	4' 1.00 1.25	.75	
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.  2 to 3 ft.	4' 1.00 1.25 20' 1.00	.75 1.00	.60
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.	4' 1.00 1.25 20' 1.00	.75 1.00	.60 .80
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.  2 to 3 ft.	4' 1.00 1.25 20' 1.00 1.25	.75 1.00	
canescens.       Leadplant Amorpha.         15 to 18 in.       18 to 24 in.         fruticosa.       Indigobush Amorpha.         2 to 3 ft.       3 to 4 ft.         4 to 5 ft.       5 to 6 ft.	4' 1.00 1.25 20' 1.00 1.25 1.50 2.00	.75 1.00 .70 .90	.80
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.	4' 1.00 1.25 20' 1.00 1.25 1.50 2.00	.75 1.00 .70 .90 1.25	.80
canescens.       Leadplant Amorpha.         15 to 18 in.       18 to 24 in.         fruticosa.       Indigobush Amorpha.         2 to 3 ft.       3 to 4 ft.         4 to 5 ft.       5 to 6 ft.	4' 1.00 1.25 20' 1.00 1.25 1.50 2.00	.75 1.00 .70 .90 1.25 1.75	.80
canescens.       Leadplant Amorpha.         15 to 18 in.       18 to 24 in.         fruticosa.       Indigobush Amorpha.         2 to 3 ft.       3 to 4 ft.         4 to 5 ft.       5 to 6 ft.	4' 1.00 1.25 20' 1.00 1.25 1.50 2.00 2.50	.75 1.00 .70 .90 1.25 1.75	.80
canescens.       Leadplant Amorpha.         15 to 18 in.       18 to 24 in.         fruticosa.       Indigobush Amorpha.         2 to 3 ft.       3 to 4 ft.         4 to 5 ft.       5 to 6 ft.         6 to 8 ft.       6 to 8 ft.	4' . 1.00 . 1.25 20' . 1.00 . 1.25 . 1.50 . 2.00 . 2.50  Vine. 15' . 1.00	.75 1.00 .70 .90 1.25 1.75 2.00	.80
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  6 to 8 ft.  Ampelopsis aconitifolia. Monkshood V	4' . 1.00 . 1.25 20' . 1.00 . 1.25 . 1.50 . 2.00 . 2.50  Vine. 15' . 1.00	.75 1.00 .70 .90 1.25 1.75 2.00	.80 1.10
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  6 to 8 ft.  Ampelopsis aconitifolia. Monkshood 32 year	4' 1.00 1.25 20' 1.00 1.25 1.50 2.00 2.50  7ine. 15' 1.00 1.25	.75 1.00 .70 .90 1.25 1.75 2.00	.80 1.10
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  6 to 8 ft.  Ampelopsis aconitifolia. Monkshood Value 2 year  3 year	4' 1.00 1.25 20' 1.00 1.25 1.50 2.00 2.50  7ine. 15' 1.00 1.25 1.50	.75 1.00 .70 .90 1.25 1.75 2.00	.80 1.10
canescens. Leadplant Amorpha.  15 to 18 in.  18 to 24 in.  fruticosa. Indigobush Amorpha.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  6 to 8 ft.  Ampelopsis aconitifolia. Monkshood Value year  3 year  4 year	4' 1.00 1.25 20' 1.00 1.25 1.50 2.00 2.50  Vine. 15' 1.00 1.25 1.50 2.50	.75 1.00 .70 .90 1.25 1.75 2.00	.80 1.10

Ampelopsis	1-4 Each		25 & up Each
brevipedunculata elegans. Basket			<i>15</i> <b>'</b>
2 year		1.25	
3 year	2.00		
brevipedunculata maximowiczi.  Porcelain Ampelopsis. 25'			
2 year	1.00	.75	.65
3 year	1.25	.90	.75
4 year	1.50	1.25	1.00
quinquefolia. (see Parthenocissus)  Amygdalus (see Prunus)			
, o , , , , , , , , , , , , , , , , , ,			
Aralia elata. Japanese Aralia. 50'			
4 4	6.00		
5 to 6 ft	7.50		
	10.00		
japonica. 20'			
4 to 5 ft	6.00	5.50	
pentaphyllum (see Acanthopanax)			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft. clumps 1	12.50	10.00	
10 to 12 ft. clumps 1	5.00	12.50	
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	1.50	1.35	1.25
Aristolochia durior. Dutchman's Pipe. 3	80 <b>'</b>	4	
2 year, pot grown	2.00	1.75	1.50
2 year, field grown	2.50	2.00	1.50
	2.00	2.00	
tomentosa. 30'			
2 year	1.50	1.25	.90

	1-4 Each	5-24 Each	25 & up Each
Aronia arbutifolia. Red Chokeberry. 8'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50		
melanocarpa. Black Chokeberry. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
melanocarpa elata. Glossy Chokebe	erru.	10'	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
prunifolia. Purplefruit Chokeberry.	10'		
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.25	
Artemesia abrotanum. Oldman Wormwo	od.	5 <b>'</b>	
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
Asimina triloba. Papaw. 30'			
2 to 3 ft	2.00		
Azalea calendulacea. Flame Azalea. 6			
18 to 24 inB&B			5.50
2 to 3 ftB&B	7.50	7.25	7.00
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	7.50	7.25	7.00
gandavense. Hybrid Ghent Azalea.	10 <b>'</b>		
18 to 24 inB&B	6.00	5.50	5.00
2 to 3 ftB&B			
ledifolia (see rosmarinifolia).			
lutea. 10'			
18 to 24 inB&B	6.00	5.50	5.00
2 to 3 ft		6.50	
3 to 4 ft			
4 to 5 ft			
5 to 6 ft			
0 00 0 10		10.00	10.00

Azalea	1-4 Each	5-24 Each	25 & up
mollis. Chinese Azalea. 6'	134011	23402	23402
15 to 18 inB&B	5.00	4.50	4.25
18 to 24 inB&B	7.00	6.50	6.25
24 to 30 inB&B	8.50	7.50	
mucronulata. Korean Azalea. 6'			
2 to 3 ftB&M	8.50	7.50	7.00
3 to 4 ftB&B	12.50	10.00	
4 to 5 ftB&B	15.00		
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	7.50	7.25	7.00
3 to 4 ftB&B	10.00	8.50	
obtusa amoena. Amoena Azalea. 4	,		
10 to 12 inB&B	2.50		
12 to 15 inB&B	3.00		
o. japonica hinodegiri.			
Hinodegiri Kurume Azalea. 3'			
10 to 12 in	2.75		
o. kaempferi. Torch Azalea. 5'			
4 . 4 . 4	5.00	4.50	4.00
18 to 24 inB&B	7.50	7.00	6.50
24 to 30 inB&B	10.00	8.50	8.00
	12.50	10.00	
rosmarinifolia. Snow Azalea. 6'			
15 to 18 inB&B	6.00	5.00	
18 to 24 in	7.50	6.50	
	10.00		
r. sekidera. Sekidera Snow Azalea.	6'		
15 to 18 inB&B		5.00	4.50
18 to 24 in	7.50	6.50	6.00
24 to 30 in	9.00	7.50	7.00
30 to 36 in. B&B	12.50	10.00	9.00
schlippenbachi. Royal Azalea. 10' 15 to 18 in	6 50	C 00	
18 to 24 in	6.50	6.00	
vaseyi. Pinkshell Azalea. 10'	7.50	7.00	
18 to 24 in	7.50	7.00	6.50
	1.00	9.00	8.00
30 to 36 in		10.00	0.00
viscosa. Swamp Azalea. 6'	2.00	10.00	
18 to 24 inB&B	6.50	6.00	5.50
24 to 30 in	7.50	7.25	7.00
30 to 36 in	9.00	8.50	8.00
36 to 42 inB&B 1		10.00	9.00

Azalea	1-4 Each		25 & up Each
yedoensis. Yodogawa Azalea. 4'			
18 to 24 inB&B	6.50	6.00	
24 to 30 in B&B	8.50		
30 to 36 inB&B	10.00		
y. poukhanensis. Korean Yodogaw	a Azal	ea. 4'	
18 to 24 inB&B		6.00	5.00
24 to 30 inB&B	8.50	7.50	7.00
30 to 36 inB&B	10.00	9.00	
Baccharis halimifolia. Eastern Bacchar	is. 10'	,	
2 to 3 ft	1.00	.75	<b>.6</b> 0
3 to 4 ft	1.25	1.00	.80
4 to 5 ft	1.50	1.35	1.10
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
Benzoin aestivale. (see Lindera)			
Berberis beaniana. Beans Barberry. 5	,		
15 to 18 in		2.75	
18 to 24 in		3.25	
candidula. Paleleaf Barberry. 5'	0.00	0.20	
15 to 18 inB&B	3.00	2.75	2.50
18 to 24 in		•3.25	3.00
circumserrata. Cutleaf Barberry.		0.20	0.00
18 to 24 inB&B		3.25	
24 to 30 in	4.00	3.75	
	4.00	0.10	
horvathi. 4' 12 to 15 in	.75	.65	.55
15 to 18 in		.75	.65
18 to 24 in		.13	.80
	1.20	.90	.00
gagnepaini. Black Barberry. 6'	9.00	0.75	
15 to 18 inB&B		2.75	
julianae. Wintergreen Barberry. 5			
18 to 24 inB&B	4.50	4.00	3.75
24 to 30 inB&B	5.50	5.00	4.50
koreana. Korean Barberry. 6'			
2 to 3 ft	1.25	.85	.75
3 to 4 ft	1.50	1.10	1.00
sargentiana. Sargent Barberry. 5'			
15 to 18 inB&B	4.00	3.50	3.00
18 to 24 inB&B	4.50	4.00	3.75

Berberis	1-4		25 & up
thunbergi. Japanese Barberry. 4'	Each	Each	Each
15 to 18 in	.50	.40	.30
18 to 24 in	.60	.50	.40
24 to 30 in	.75	.65	.55
30 to 36 in	1.00	.85	.75
2 to 2½ ft. spec	2.50	2.00	
2½ to 3 ft. spec	3.00	2.50	
3 to 3½ ft. spec	3.50	3.00	
thunbergi atropurpurea.			
Redleaf Japanese Barberry. 5'			
18 to 24 in	1.00	.75	.65
24 to 30 in	1.25	.85	.75
30 to 36 in.	1.50	1.25	1.00
36 to 42 in		1.50	1.25
thunbergi minor. Box Barberry. 2	,		
12 to 15 in	.85	.75	.70
15 to 18 in	1.10	.90	.80
18 to 24 in	1.35	1.10	
24 to 30 in	1.50	1.35	
thunbergi pluriflora. Flame Japane	se Barb	erry.	5'
18 to 24 in	.65	.55	.45
24 to 30 in	.75	.65	.55
30 to 36 in	1.00	.85	.75
thunbergi erecta. Truehedge Colum	nberry.	5'	
12 to 15 in	.75	.65	.60
15 to 18 in	1.00	.85	.75
18 to 24 in	1.25	1.10	1.00
	1.50	1.35	1.25
triacanthophora. Threespine Barber	ry. 5'		
15 to 18 inB&B	3.50	3.00	
18 to 24 inB&B	4.00	3.50	
verruculosa. Warty Barberry. 3'			
10 to 12 inB&B			
12 to 15 inB&B	4.00	3.50	
virgatorum.			
2 to 3 ftB&B	4.00	3.75	
Berchemia racemosa. Japanese Supplej	ack. 3'		
2 to 3 ft	1.50	1.25	
3 to 4 ft		1.50	
Betula alba. (see pendula)			
*fontinalis. Water Birch. 40'			
5 to 6 ft	7.50		
6 to 8 ft			
8 to 10 ft			
0 00 10 10	12.00		

Betula	1-4		25 & up Each
*lenta. Sweet Birch. 40'	Each	Each	Lacu
6 to 8 ft	4.50	4.25	4.00
8 to 10 ft	5.50	5.25	5.00
1½ to 1½ in		6.75	6.25
1½ to 1¾ in.		9.00	8.50
13/4 to 2 in	12.50	11.00	10.00
2 to 2½ in	15.00	13.50	12.50
2½ to 3 in	20.00	15.00	
*lutea. Yellow Birch. 50'			
	4.50	4.25	
8 to 10 ft		5.25	
1½ to 1½ in	7.50	6.75	
1½ to 1¾ in		9.00	
2 to 2½ in	20.00		
*maximowicziana. Monarch Birch.	60'		
6 to 8 ft	6.00	5.50	5.00
3 to 10 ft	7.50	7.00	6.50
11/4 to 11/2 in	9.00	8.00	7.50
1½ to 1¾ in.	10.00	9.00	8.50
$1\frac{3}{4}$ to $2$ in.	10.00	12.50	11.00
2 to 2½ in	20.00		
*nigra. River Birch. 50'			
6 to 8 ft.	5.00	4.50	4.25
8 to 10 ft	6.00	5.50	5.00
10 to 12 ft	10.00	9.00	
*papyrifera. Paper Birch. 40'			
6 to 8 ft	5.00	4.50	4.25
8 to 10 ft	6.00	5.50	5.00
1½ to 1½ in	7.50	7.00	
1½ to 1¾ in	10.00	9.00	
$1\frac{3}{4}$ to $2$ in.	12.50	11.00	
2 to 2½ in	15.00		
2½ to 3 in	20.00		
*papyrifera cordifolia. 40'			
8 to 10 ft	6.00		
1½ to 1½ in			
1½ to 1¾ in			
*pendula (alba). European White			
6 to 8 ft			
8 to 10 ft			
1¼ to 1½ in			6.25
13/4 to 2 in	12.50	10.00	

1-4 Each		25 & up Each
Betula		
*p. fastigiata.		
Pyramidal European White Birch. 50'		
6 to 8 ft		
*p. laciniata. Cutleaf Weeping Birch. 35'		
8 to 10 ft 10.00		
*populifolia. Gray Birch. 40'		
6 to 8 ft	4.25	4.00
8 to 10 ft 5.50	5.25	5.00
1¼ to 1½ in 7.50	6.75	6.25
1½ to 1¾ in	9.00	8.50
13/4 to 2 in 12.50	11.00	
2 to 2½ in 15.00	13.50	12.50
2½ to 3 in	15.00	
6 to 8 ft. clumps, B&B 12.50	10.00	
8 to 10 ft. clumps, B&B 15.00	12.50	
10 to 12 ft. clumps, B&B 30.00		
Bignonia. (see Campsis)		
Bischofia javanica. Java Bishopwood. 12'		
3 to 4 ft		
Broussonetia papyrifera. Paper Mulberry. 40	,	
4 to 5 ft 6.00	5.00	
5 to 6 ft 8.00		
Bruckenthalia spiculifolia. Spikeheath. 1'		
6 in., 3 inch pots 2.50		
o m., s men pots 2.50		
Buddleia alternifolia. Fountain Butterfly Bus	sh. 10'	
2 to 3 ft	.75	
3 to 4 ft	1.00	
Charming. Pink Butterfly Bush. 5'		
2 to 3 ft	.65	.55
3 to 4 ft	.75	65
davidi. Orange-eye Butterfly Bush. 5'		
2 to 3 ft	.65	.55
3 to 4 ft	.75	.65
davidi Ile de France. //		
2 to 3 ft	.65	.55
3 to 4 ft	.75	.65

	1-4	5-24 25	
Buddleia	Each	Each 1	Each
davidi superba. 5'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
davidi veitchi. Veitch Butterfly Bus	sh. 5'		
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.80
Dubonnet. 5'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
farquhari. 5'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	.90	.80
intermedia. Wisteria Butterfly Bus	h. 5'		
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
lindleyana. Lindley Butterfly Bush.	. 5'		
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
microphylla. Littleleaf Butterfly B	ush.	<b>6'</b>	
3 to 4 ft		.75	.70
4 to 5 ft	1.25	.90	.80
Orchid Beauty. 5'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
paniculata. Panicle Butterfly Bush.	<i>15</i> <b>'</b>		
3 to 4 ft		.75	.65
Royal Purple. 5'			
2 to 3 ft	1.00	.75	.65
White Cloud. White Butterfly Bush	a. 5'		
2 to 3 ft		.80	.70
3 to 4 ft		.90	.80
Buxus microphylla koreana. Korean L		•	2'
8 to 12 in			3.00
12 to 15 inB&B			3.25
15 to 18 inB&B	4.50	4.00	

	1-4 Each		25 & up Each
Buxus	Each	Each	Dacu
sempervirens glauca. 4'			
12 to 15 inB&E		3.00	2.75
15 to 18 inB&E		3.50	3.25
18 to 24 inB&E		4.50	
sempervirens handsworthi. $Hand$	lsworth	Box.	8"
10 to 12 inB&B		2.50	
12 to 15 inB&B		3.00	
15 to 18 inB&B		3.50	
18 to 24 inB&B		4.50	
24 to 30 inB&B		5.00	
sempervirens suffruticosa. Trued			
6 to 8 inB&B		2.25	2.00
8 to 10 inB&B		2.50	2.25
10 to 12 inB&B		2.75	2.50
12 to 15 inB&B		3.00	2.75
15 to 18 inB&B		3.50	3.25
18 to 24 inB&B	5.00	4.50	4.25
Callicarpa bodinieri giraldiana. Girai	ld Reau	ituhorru	. 6'
2 to 3 ft	1.25		. 0
b. giraldiana subincanescens. 6'		1.00	
2 to 3 ft	1.25	1.00	
dichotoma (purpurea). Purple Be			
18 to 24 in	1.00	.75	.60
2 to 3 ft	1.25	.90	.75
japonica. Japanese Beautyberry.	4'		
18 to 24 in		.75	.60
2 to 3 ft	1.25	.90	.75
Calluna mulgaria Gastal Hautan of			
Calluna vulgaris. Scotch Heather. 2' 6 to 8 in., 4 inch pots	1 75	1 50	1.05
vulgaris alba. White Scotch Heath		1.50	1.25
6 to 8 in., 4 inch pots		1.50	1.05
vulgaris alporti. Alport Scotch He		1.50	1.25
4 inch pots		1.50	
vulgaris aurea. Goldleaf Scotch H		2'	
6 to 8 in., 4 inch pots		1.50	1.25
vulgaris carnea. Flesh Scotch Hea			1.44
6 to 8 in., 4 inch pots		1.50	1.25
vulgaris compacta. 2'	1.10	1.00	1.20
6 to 8 in., 4 inch pots	1.75	1.50	1.25
vulgaris rubra. 2'		2.00	1.20
6 to 8 in., 4 inch pots	1.75	1.50	1.25
vulgaris searlei. 2'		3.00	
12 to 15 in., 4 inch pots	1.75	1.50	1.25

			1-4 Each	5-24 Each	25 & up Each
Calycanth	us flo	ridus. Sweet Shrub. 5'	Each	Each	Each
18		in	.75	.65	.60
2		ft	1.00	.80	.75
3		• ft	1.50	1.25	1.00
4	to 5	ft	1.75	1.35	
occide	ntalis	. California Sweetshrub	. 12'		
2	to 3	ft	1.75	1.50	
3	to 4	ft	2.00	1.75	
	grandi	flora. Chinese Trumpete			
2	year		1.25	1.00	
3	year		1.50	1.25	
4	year		1.75	1.50	
radica	$\mathbf{ns.}$ $C$	ommon Trumpetcreeper.	<i>30</i> <b>′</b>		
2	year		.75	.60	.50
3	year		.85	.70	<b>.6</b> 0
radica	ns sp	eciosa.			
Si	howy	Common Trumpetcreeper	r. 30'		
2	year		1.00	.85	
3	year		1.50	1.25	
taglial	buana	Mme. Galen.			
M	me. G	alen Trumpetcreeper. 20	o <b>'</b>		
2	year		1.50		
Caragana	arbor	escens. Siberian Peashra	uh 20'		
_		ft	.80	.65	.60
3		ft	1.25	.90	.80
4		ft	1.50	1.25	1.10
5		ft	2.00	1.75	1.50
		ft	2.25	2.00	1.75
		Lorberg Siberian Peashr	arb 10'	,	
		ft	1.75		
		ft	2.00		
		ft	3.00		
		Peashrub. 10'			
		ft	2.00		
		ft	2.50		
decort	icans.	Afghanistan Peashrub.	10'		
		ft	1.75	1.35	
		ft	2.00	1.50	
4	to 5	ft	2.50	2.00	
5	to 6	f <b>t.</b>	3.00	2.50	

1-4		25 & up
Each	Each	Each
Carpinus betulus. European Hornbeam. 60'		
4 to 5 ftB&B 15.00	13.00	
5 to 6 ftB&B 22.50	20.00	
6 to 8 ftB&B 25.00		22.50
8 to 10 ftB&B 30.00	27.50	25.00
10 to 12 ftB&B 40.00	35.00	
Sheared plants, 4 to 10 ft. quoted on r	equest.	
betulus compactus. 25'		
5 to 6 ftB&B 25.00		
6 to 8 ftB&B 35.00		
betulus fastigiata.		
Pyramid European Hornbeam. 40'		
5 to 6 ftB&B 25.00	22.50	
6 to 8 ftB&B 30.00	25.00	
8 to 10 ftB&B 35.00	30.00	
10 to 12 ftB&B 40.00	35.00	
caroliniana. American Hornbeam. 40'		
3 to 4 ft	9.00	8.00
4 to 5 ft	13.00	12.00
5 to 6 ft	20.00	18.50
6 to 8 ft	23.50	22.50
8 to 10 ft	27.50	25.00
0 to 10 it	21.00	20.00
cordata. Heartleaf Hornbeam. 50'		
6 to 8 ftB&B 25.00	23.50	
8 to 10 ft	27.50	
8 10 10 11 30.00	21.50	
tschonoski. Yeddo Hornbeam. 25'		
3 to 4 ftB&B 10.00	9.00	8.00
4 to 5 ft	13.00	12.50
	20.00	18.50
		10.50
6 to 8 ft	23.50	
8 to 10 ftB&B 30.00		
Carya ovata. Shagbark Hickory. 75'		
3 to 4 ft		
4 to 5 ft		
5 to 6 ft		
J to 0 It 3.30		

	1-4 Each	5-24 Each	25 & up Each
Caryopteris incana. Bluebeard. 4'	масц	Each	Mach
15 to 18 in	.75	.65	.60
18 to 24 in	1.00	.85	.75
Blue Mist. 3'			
15 to 18 in	1.00	.85	.75
18 to 24 in	1.25	1.00	
Castanea crenata. Japanese Chestnut. 3	30 <b>'</b>		
	10.00		
mollissima. Chinese Chestnut. 60'			
4 to 5 ft	6.00		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
Catalan and City Carl 201			
Catalpa ovata. Chinese Catalpa. 30' 5 to 6 ft.	4.00		
	5.00	4.50	
6 to 8 ft		4.50 $5.50$	
	6.00	5.50	
speciosa. Northern Catalpa. 100'	9.50	1 75	
6 to 8 ft	2.50	1.75	
8 to 10 ft	3.00	2.25	
1½ to 1¾ in	4.00	3.50	
134 to 2 in	6.00	5.00	
	10.00	7.50	
2½ to 3 in	15.00	12.50	
Ceanothus americanus. Jerseytea Ceano	thus.	3'	
18 to 24 in	1.25	1.00	.90
2 to 3 ft			
	1.00		
Cedrela sinensis. Chinese Cedrela. 50'			
	6.00		
6 to 8 ft	7.50		
Cedrus deodara. Deodar Cedar. 50'			
2 ftB&B	7.50		
3 ft			
libani. Cedar of Lebanon. 50'	. 0.00		
2 ftB&B	7.50		
3 ft			
Celastrus gemmata. Chinese Bittersweet.		1.50	
2 year		1.50	
orbiculatus. Oriental Bittersweet. 20			= 0
	.65	.55	.50
	.85		.60
4 year	1.25	.90	.75

Celastrus scandens. American Bitterswe	1-4 Each	5-24 Each	25 & up Each
2 year	.65	.55	.50
3 year	.85	.70	.60
4 year			
Celtis occidentalis. Hackberry. 50'			
5 to 6 ft	4.00	3.50	3.00
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	7.50	6.00	
	10.00	7.50	
	12.50	10.00	
	15.00	12.50	
	18.00	15.00	
	25.00	20.00	
		20.00	
Cephalanthus occidentalis. Button Busi		70	60
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	
Cercidiphyllum japonicum. Katsura Tr	·ee. 30'		
4 to 5 ftB&B	13.50	11.00	
	17.50	16.00	
	22.50	20.00	18.00
8 to 10 ftB&B	27.50	25.00	22.50
10 to 12 ftB&B	40.00	35.00	
8 to 10 ft. spec	35.00		
10 to 12 ft. spec B&B	45.00		
12 to 14 ft. spec	60.00		
14 to 16 ft. spec B&B	75.00		
Cercis canadensis. Eastern Redbud. 40'	,		
3 to 4 ft		1.75	1.50
4 to 5 ft	4.00	3.50	3.25
5 to 6 ft	7.50	6.25	
6 to 8 ft	12.00	10.00	
8 to 10 ft	15.00	14.00	
canadensis alba. White Eastern Re	edbud.	40'	
3 to 4 ftB&B		9.00	
4 to 5 ftB&B			
*chinensis. Chinese Redbud. 30'			
2 to 3 ft	4.00	3.50	3.25
3 to 4 ft		4.50	
Cerococarpus montanus. Mountain Mah		6 <b>'</b>	
3 to 4 ftB&B	10.00		

Chaenomeles japonica (maulei).  Japanese Flowering Quince. 4'	1-4 Each	5-24 Each	25 & up Each
	D =	C.F.	CO
18 to 24 in	.75		
2 to 3 ft	1.00	.90	.80
japonica alpina.			
Salmon Japanese Flowering Qui	nce. 4	<b>!</b>	
18 to 24 in.	1.75	1.50	
2 to 3 ft	2.00	1.75	
lagenaria (japonica). Common Flow	verina	Quince	e. 5'
18 to 24 in	.75	.65	.60
	1.00	.80	.70
3 to 4 ft			
l. alba. White Flowering Quince. 5'			
15 to 18 in	1.50		
18 to 24 in	1.75		
1. Apple Blossom. Pink Flowering Q	ainee	6 <b>'</b>	
2 to 3 ft		2.25	
3 to 4 ft		2.75	
		4.10	
1. Baltzi. Rosy Pink Flowering Quin	ce. 6'		
2 to 3 ft	2.50	2.25	
3 to 4 ft	3.00	2.50	
1. cardinalis. Red Flowering Quince.			
3 to 4 ft	3.00	2.50	
1. cathayensis. Deep Rose Flowering	, Quin	ce. 8'	
3 to 4 ft	2.00		
l. Columbia. Salmon Flowering Quin	nce. 5'		
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
1. Falconet Charlot. White Flowering		ince. 6	,
2 to 3 ft		1.75	
3 to 4 ft	2.50	2.25	
l. Kermesina Semiplena.			
Rose Pink Flowering Quince. 5'		1.75	
2 to 3 ft			
l. moerloosi. Soft Pink Flowering Q			
2 to 3 ft	2.50	2.25	
1. Nivalis. White Flowering Quince.	8'		
2 to 3 ft		2.25	
2 10 9 10	2.00	2.20	

	1-4	5-24 25	
Chaenomeles	Each	Each	Басп
1. Pygmaea. Dwarf Common Flower	ina Qua	ince. 3'	
18 to 24 in		.90	
2 to 3 ft		1.25	
	1.00		
l. Rosea Grandiflora.	~#		
Light Pink Flowering Quince.		1.50	
18 to 24 in	1.75	1.50 1.75	
2 to 3 ft	2.00 $2.50$	2.00	
3 to 4 ft			
l. Roseaplena. Dbl. Rose Flowering		3. <b>5'</b>	4 80
2 to 3 ft	2.00	1.75	1.50
l. Rubra. Dark Red Flowering Quin	ce. 6'		
18 to 24 in			
2 to 3 ft	2.50		
l. Semperflorens. Soft Rose Flower	ina Out	ince 6'	
2 to 3 ft	2.50	2.25	2.00
3 to 4 ft	0.00	2.50	2.25
		-,	
l. superba. Light Red Flowering Q		1.75	1.50
18 to 24 in	2.00	2.00	1.75
2 to 3 ft	2.25		1.10
1. Umbilicata. Rose Pink Flowering	Quince	e. 8'	
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.75	1.50	
l. Vermilion. Red Flowering Quince	e. 6'		
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
l. Versicolor. White, striped red Flo	ozoverin a	Quince	6'
2 to 3 ft		2.25	
3 to 4 ft	3.00	2.50	
sinensis. Chinese Flowering Quince.		2.25	
2 to 3 ft			
3 to 4 ft	3.00	۵.٥٥	
		40	
Chamaecyparis lawsoniana. Lawson F	alsecyp	ress. 10	<i>U</i>
3 ftB&B	10.00		
lawsoniana allumi.			
Scarab Lawson Falsecypress. 4			
2 ftB&B			
3 ftB&B			
4 ft	12.50		

		1-4 Each		25 & up Each
Chamaecypar	is	Lach	Each	Each
lawsoniar	na Triomphe de Boskoop	. 40'		
3 ft.	B&B	10.00		
	,			
	nsis. Nootka Falsecypress.			
3 ft.			6.00	
4 ft.				
5 11.	B&B	15.00		
nootkator	nsis pendula.			
	oing Nootka Falsecypress.	20'		
_			8.50	
4 ft.				
5 ft.				
6 ft.	B&B	22.50		
For	larger sizes to 10 ft., add	\$5.00	ner for	nt.
202	141801 51105 10 10 10, 444	φοισσ	P01 200	
obtusa c	compacta. Compact Hinoki	Falsec	upress.	10'
			g p	
3 ft.		7.50		
5 ft.		12.50		
ohtura n	222 Druguf Hinghi Halosa		. 3'	
	ana. Dwarf Hinoki Falsec		-	
			10.00	
00 2				
pisifera.	Sawara Falsecypress. 30'			
		5.50	5.00	4.50
3 ft.		7.50	6.50	6.00
4 ft.	B&B	12.50	10.00	9.00
5 ft.	B&B	15.00	13.50	
6 ft.	-			
7 ft.	. specB&B	25.00		
	Coldan Savagua Ilala	M 0 C 0	90°	
p. aurea. 3 ft.		ress. $7.50$	30	
4 ft.				
5 ft.		15.00		
6 ft.				
7 ft.				
8 ft.				

1-4 Each	5-24 2 Each	25 & up Each	
Chamaecyparis			
p. filifera. Thread Sawara Falsecypress.	<i>15</i> <b>'</b>		
2 ft	6.50	6.00	
3 ft	10.00	9.00	
4 ft	12.50		
4 ft. spec	18.00		
5 ft. spec. B&B 25.00	20.00		
For larger sizes to 10 ft., add \$5.00 per	foot		
p. filifera aurea.			
Yellowthread Sawara Falsecypress. 16	) <b>'</b>		
18 in. spd			
24 in. spd. B&B 8.00	7.00		
30 in. spd	10.00		
36 in. spd B&B 16.50			
filiforn runningsta			
p. filifera aurea-variegata.  Variegated Thread Sawara Falsecypr	000 10'		
2½ ft. spdB&B 12.50	000. 10		
242 It. Spu			
p. plumosa. Plume Sawara Falsecypress.	<i>30</i> <b>′</b>		
2 ft. sheared	5.00	4.50	
3 ft. sheared	7.00	6.25	
4 ft. shearedB&B 12.50	10.00	9.00	
5 ft. sheared	13.50	12.50	
6 ft. shearedB&B 18.00			
7 ft. shearedB&B 25.00			
8 ft. sheared B&B 30.00	27.50		
For larger sizes to 12 ft., add \$7.50 p			
201 141 901 01101 00 111 111 111			
p. plumosa aurea.			
Goldplume Sawara Falsecypress. 30'	= 00	4.50	
2 ft. sheared	5.00	4.50	
3 ft. sheared B&B 8.00	7.00	6.25	
4 ft. sheared	10.00	9.00	
5 ft. shearedB&B 15.00	13.50	12.50	
6 ft. shearedB&B 18.00	15.00		
7 ft. shearedB&B 25.00	22.50		
p. plumosa argentea. Globe Form. 5'			
18 in	5.00	4.50	
24 in. B&B 7.50	6.50	6.25	
30 in. B&B 10.00	7.50		
36 in. B&B 12.50	10.00		
48 in. B&B 15.00	12.50		
10 111			

Chamaecyparis 1-4 Each		25 & up Each
Chamaecyparis		,
p. plumosa sulphurea.		
Sulphurplume Falsecypress. 25'		
3 ft	7.50	
4 ftB&B 12.50	10.00	
5 ft	12.50	
6 ftB&B 18.00	15.00	
	201	
p. squarrosa. Moss Sawara Falsecypress.	30'	4.50
2 ft. sheared	5.00	4.50
3 ft. sheared	6.50	6.25
4 ft. sheared	10.00	9.00
5 ft. sheared	12.50	
6 ft. sheared		
Chamaedaphne calyculata. Leatherleaf. 3'		
18 to 24 inB&B 6.50	6.00	5.50
24 to 30 inB&B 7.50	7.00	•
Chionanthus retusus. Chinese Fringetree. 20'		
2 to 3 ftB&B 7.50		
virginicus. White Fringetree. 30'		
2 to 3 ft	1.60	1.50
3 to 4 ft	2.50	2.25
4 to 5 ft	3.50	3.25
5 to 6 ft 5.00	4.50	
6 to 8 ft	5.50	
8 to 10 ft 10.00	7.50	
5 to 6 ft. spec B&B 15.00		
6 to 8 ft. spec		
8 to 10 ft. spec		
Cladrastis lutea. American Yellowwood. 50'		
5 to 6 ftB&B 15.00		
2½ to 3 in		
272 00 0 3311.11.11.20.2		
Clematis apiifolia. October Clematis. 25'		
2 year	1.00	.90
2 year 1.20	2.00	.00

Clematis	1-4 Each		25 & uţ Each
coccinea. (See texensis)			
crispa. Curly Clematis.  2 year	1.50		
flammula. Plume Clematis. 15' 3 inch pots	1.50	1.25	1.00
hybrids. Large Flowering Clematis. 2 year. 3" pots		1.25	
Jackmanni, Mad. Ed Andre, He Ramona.	nryi,		
ligusticifolia. Western Virgins-bowe 2 year			
montana rubens. Pink Anemone Cl 3 inch pots		15'	
montana undulata.  3½ inch pots	1.50		
montana wilsoni. Wilson Anemone 3 inch pots		tis. 18	5 <b>'</b>
paniculata. Sweet Autumn Clemati 2 year 3 year	.75		.5! .70
tangutica. Golden Clematis. 25' 3 inch pots	1.50	1.25	
texensis syn. coccinea. Scarlet Cle 2 year			
viorna. Leatherflower.  2 year	1.50		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each		25 & up Each
Clematis	Each	Baci	Each
virginiana. Virgins-bower. 25'			
2 year	.75	.60	.50
3 year	1.00	.75	.60
vitalba. Travelers-joy. 25'			
2 year	1.50	1.25	
viticella. Italian Clematis, 10'			
	1.50	1 95	
2 year	1.50	1.25	
${\bf Clerodendron\ trichotomum.\ } {\it Harlequin}$	Glory	bower.	6 <b>'</b>
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.00		
Clethra alnifolia. Summersweet Clethra	. 10'		
18 to 24 in	.85	.65	.60
24 to 30 in	1.00		.80
2½ to 3 ft	1.25		1.00
a. paniculata. 5'			
18 to 24 in	1.25	1.00	
2 to 3 ft	1.50	1.25	
barbinervis. Tree Clethra. 5'			
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.60	1.50
4 to 5 ft	2.50	2.00	1.75
tomentosa. Wooly Clethra. 8'			
2 to 3 ft	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	
Colutea arborescens. Bladder Senna. 10	<b>7</b> /		
		1.05	1.00
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50 2.50	1.25
5 to 6 ft	3.00	2.50	
0 10 0 11	5.50		

	1-4 Each	5-24 2 Each	25 & up Each
Colutea			
cilicica. Cilician Bladder Senna. 10'			
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
media. Hybrid Bladder Senna. 10'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	1.75	
5 to 6 ft	2.75	2.00	
Comptonia peregrina asplenifolia. Swee	etfern.	<i>5</i> ′	
18 to 24 in	1.75	1.50	
2 to 3 ft		1.75	
2 00 0 10	2.00	2110	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
J 10 0 11	2.00	1.00	1.00
alba argenteo-marginata. Creamed	ge Dog	rwood.	10"
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75		
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00		
alba sibirica. Siberian Dogwood. 10	) <b>"</b>		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
alba spaethi. Yellowedge Dogwood	. 8'		
2 to 3 ft	1.50		
3 to 4 ft	2.00	•	
4 to 5 ft	2.50		
alternifolia. Pagoda Dogwood. 20'			
2 to 3 ft	1.00	.85	
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1.65
5 to 6 ft	2.50	2.00	

Cornus	1-4 Each		25 & up Each
amomum. $Silky \ Dogwood$ . 10'  2 to 3 ft	0.5	CE	60
	.85	.65 .85	.60 .80
3 to 4 ft	1.25 1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.50	2.25	2.00
baileyi. Bailey Dogwood. 10'	2.00	2.20	2.00
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
florida. Flowering Dogwood. 25'			
3 to 4 ftB&B	6.00	5.00	4.50
4 to 5 ftB&B	8.00	7.00	6.75
5 to 6 ftB&B		10.00	9.00
6 to 8 ftB&B	16.00	13.50	
8 to 10 ftB&B	22.50	19.00	
5 to 14 ft. heavy spec.			
B&B at \$5.00 per foot.			
florida plena. Dbl. White Flg. Dog		25 <b>'</b>	
3 to 4 ftB&B			
4 to 5 ftB&B 5 to 6 ftB&B			
		201	
florida rubra. Red Flowering Dog 2 to 3 ftB&B		20' 6.00	
3 to 4 ft		7.50	
4 to 5 ftB&B		10.00	
5 to 6 ftB&B		15.00	
6 to 8 ftB&B		20.00	
8 to 10 ftB&B			
5 ft., heavy spec B&B	25.00		
6 ft., heavy spec B&B	30.00		
For large sizes to 12 ft., add	\$7.50 g	er foo	t.
florida welchi. Varileaf Dogwood			
2 to 3 ftB&B	12.50		
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&B		7.50	
4 to 5 ft			
4 to 5 ft. heavy B&B 5 to 6 ft. heavy B&B			
6 to 8 ft. heavy B&B			
8 to 10 ft. heavy B&B			
0 00 10 10 1100 1	20.00	00.00	

					1.4	E 0.4	25 6 22
Commune					1-4 Each	Each	25 & up Each
Cornus	ahi	nomaia	<i>C1</i> :	77 70		201	
				Kousa D		. 20'	
				B&B			
_				B&B			
				wood. 20'			
	to				2.00	1.50	
3	to				2.50	2.00	
4	to				3.50	3.00	
5	to				6.00	5.00	
6	to				8.50	7.50	
8					12.50	10.00	
10	to .	12 ft			18.50		
officir	ialis.	Japan	nesecorn <b>e</b> l	Dogwood	d. 15'		
2	to 3	3 ft			7.50		
3	to 4	ł ft			8.50		
panicu	ılata	. (see	racemos	a)			
paucir	aervi	s. Litt	leleaf Do	gwood. 6	3'		
				_	4.00		
4	to §	5 ft			5.00		
pubes	cens.	15'					
3	to 4	1 ft			1.50	1.25	
4	to 5				2.00		
5	to (	3 ft			2.50		
racem	osa.	(panie	culata).	Gray Dog	rwood.	<i>15</i> <b>′</b>	
2	to 3				.85	.65	.60
3	to 4	1 ft			1.25	.85	.80
4	to 5	5 ft			1.50	1.25	1.10
5	to	6 ft			2.00	1.60	1.50
rugosa	$R_0$	oundlea	f Dogwood	od. 10'			
					1.50		
4	to 5	5 ft			2.00		
5	to 6	ft			2.50		
sangui	inea.	Blood	twig Do	gwood. 10	o <b>'</b>		
					.85	.65	.60
3	to 4	ft			1.25	.85	.80
					1.50	1.25	1.10
5	to 6	3 ft			2.00	1.60	1.35
				reentwig .	Dogwoo	d. 10'	
					1.00	.90	
					1.50		
					2.00		

	1-4 Each	5-24 Each	25 & up Each
Cornus	Each	Each	Lacu
stoloniforn D. J. J. J. D 1 401			
stolonifera. Redosier Dogwood. 10' 2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
s. flaviramea. Yellowtwig Redosier		ood. 8	,
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	2.25	2.00	
Corylopsis sinensis. Chinese Winterhaze	1 8'		
2 to 3 ftB&B			
Corylus americana. American Filbert.	10'		
2 to 3 ft	1.25	.90	.85
3 to 4 ft	1.50	1.35	1.15
4 to 5 ft	2.00	1.75	1.60
5 to 6 ft	2.50	2.00	1.85
6 to 8 ft	3.00	2.75	2.50
avellana. European Filbert. 15'			
2 to 3 ft	1.25	.90	.85
3 to 4 ft	1.50	1.35	1.15
4 to 5 ft	2.00	1.75	1.60
5 to 6 ft	2.50	2.00	1.85
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	3.75
avellana atropurpurea. Purple Eu	ropean	Filber	·t. · 15'
2 to 3 ft	5.00	4.00	
3 to 4 ft	6.00	5.00	
4 to 5 ft	7.50	6.50	
	10.00	7.50	
6 to 8 ft	12.50	10.00	
avellana aurea. Golden European	Filbert	. 15 <b>'</b>	
	6.00	5.50	
4 to 5 ft	7.50	7.00	
5 to 6 ft	10.00	8.00	
6 to 8 ft	12.50	10.00	
colurna. Turkish Filbert. 25'			
3 to 4 ft	10.00		
0 00 1 10			

	1-4 Each	5-24 2 Each	
Corylus			
heterophylla setchuenensis. Szechw			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	4.00	3.50	
5 to 6 ft	5.00		
6 to 8 ft	6.00	5.50	
rostrata. Beaked Filbert. 6'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.35
4 to 5 ft	2.00	1.85	
Cotinus coggygria. Common Smoketree.	<i>15</i> <b>′</b>		
3 to 4 ft	2.50	2.00	
4 to 5 ft	2.75	2.25	
5 to 6 ft	3.50		
Cotoneaster acutifolia. Peking Cotoneas	ster. 12	2'	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.75	1.35	
*acutifolia villosula. 12'			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.25	1.10	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
acuminata. Sharpleaf Cotoneaster.	12'		
3 to 4 ft. spdB&B			
adpressa. Creeping Cotoneaster. 2'			
6 to 8 in. from pots	2.50	2.35	2.25
ambigua. 6'			
2 to 3 ftB&B			
3 to 4 ftB&B	6.00		
apiculata. Cranberry Cotoneaster.	6 <b>'</b>	*	
	2.50	2.25	2.00
12 to 15 in. from pots	3.00	2.75	_,,,
2 to 3 ftB&B			
dammeri. Bearberry Cotoneaster. 2		0.75	
10 to 12 in. from pots	3.00	2.75	
dammeri radicans. 2'			
2 to 3 ft. spd	6.00		

	1-4 Each	5-24 2 Each	
Cotoneaster			
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	4.50	4.00	
3 to 4 ft	6.00	5.25	
4 to 5 ftB&B	7.50	6.50	
divaricata. Spreading Cotoneaster.	6'		
2 to 3 ft	4.50	4.00	3.75
3 to 4 ft	6.00	5.25	5.00
4 to 5 ftB&B	7.50	6.50	6.00
foveolata. Glossy Cotoneaster. 10'			
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ft	6.00	5.50	0.10
4 to 5 ft	7.50	0.00	
himalaicus. Littleleaf Cotoneaster.	6'		
8 to 10 in., 4 in. pots	3.00	2.50	2.25
0 to 10 mi, 4 mi pots	3.00	2.00	4.40
horizontalis. Rock Cotoneaster. 3'			
12 to 15 in. spd. from pots	3.00	2.75	2.50
15 to 18 in. spd. from pots	3.75	3.25	3.00
15 to 18 in. spd B&B	4.00	3.50	
horizontalis perpusilla. Ground Cot	oneast	er. 3'	
10 to 12 in., from pots	2.50	2.25	2.00
12 to 15 in., from pots	3.00	2.75	2.50
15 to 18 in., from pots	3.75	3.25	
horizontalis wilsoni. Wilson Cotone	aster.	5 <b>'</b>	
2 to 3 ftB&B		4.00	3.75
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ftB&B	7.50	6.50	
integerrima. European Cotoneaster.	<i>6</i> ′		
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ft			5.00
*1			
*lucida. Hedge Cotoneaster. 10' 2 to 3 ft	1.00	.80	.75
	1.25	1.10	.15
3 to 4 ft		1.10	.90
4 to 5 ft	1.75	1.50	
melanocarpa. 6'			
3 to 4 ftB&B	6.00	5.50	
4 to 5 ftP&B	7.50		

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
microphylla. Rockspray Cotoneaste	r 3'		
10 to 12 in., 4 in. pots		2.25	2.00
microphylla thymifolia.			
Thyme Rockspray Cotoneaster.	10'		
15 to 18 in. from pots		2.75	
15 to 18 inB&B		3.25	
moupinensis. Mupin Cotoneaster. 1			
15 to 18 in., 4 in. pots		2.75	
2 to 3 ftB&B		4.00	
3 to 4 ftB&B		5.25	
multiflora. 6'			
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ftB&B		5.25	5.00
4 to 5 ftB&B	7.50	6.50	6.00
obscura. Bloodberry Cotoneaster. 1	10'		
2 to 3 ftB&B		4.00	
3 to 4 ftB&B		5.25	
4 to 5 ftB&B	7.50	6.50	
racemiflora soongarica. Sungari C	otoneas	ster. 6'	
2 to 3 ftB&B	5.00	4.00	3.75
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ftB&B	7.50	6.50	6.00
rotundifolia. Redbox Cotoneaster.	2'		
10 to 12 in. from pots		2.25	
12 to 15 in. from pots	3.25	2.75	
rosea. Redcurrant Cotoneaster. 10'			
	4.50	4.00	3.75
3 to 4 ftB&B	6.00	5.25	5.00
4 to 5 ftB&B	7.50	6.50	6.00
5 to 6 ftB&B	8.50	7.50	7.00
salicifolia floccosa.			
Hardy Willowleaf Cotoneaster.	6'		
15 to 18 in. from pots			
simonsi. Simons Cotoneaster. 8'		•	
12 to 18 in., 4 in. pots	3.50		
2 to 3 ftB&B			
3 to 4 ftB&B	6.00		
tenuipes. Slender Cotoneaster. 6'			
2 to 3 ftB&B	5.00		
zabeli. Cherryberry Cotoneaster. 6'			
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	6.00	5.50	

*Crataem	ie a	nri	ca. Beadle Hawthorn.	1-4 Each	5-24 Each	25 & up Each
	to		ft		4.25	
4					5.75	
_	to		ft		0.10	
_	to		ft.			
*arka	nsa		Arkansas Hawthorn.			
5	to	6	ft	9.50	9.25	
			ft		13.50	
8	to	10	ft	16.50		
*arno	ldia	ına.	Arnold Hawthorn.	20'		
3	to	4	ft		4.25	
4	to	5	ft		5.75	
	to	_	ft		9.25	
	to		ft		13.50	
8	to	10	ft	16.50	15.50	
*calpo	ode	ndr	on. Pear Hawthorn.	<i>15</i> ′		
3	to	4	ft	4.50	4.25	
4	to	5	ft	6.00	5.75	
5	to	6	ft	9.50	9.25	9.00
6	to	8	ft	14.50	13.50	12.50
8	to	10	ft	16.50	15.50	
coccin	ıea	(se	e intricata)			
*cocci	nio	ides	. Kansas Hawthorn.	20'		
			ft		13.50	
			ft		15.50	
			e phaenopyrum).			
*crus	jall:	i. (	Cockspur Thorn. 30'			
3	to		ft			4.00
4	to		ft		5.75	5.50
5	to	6	ft	9.50	9.25	9.00
	to		ft		13.50	12.50
			ft		15.50	15.09
10	ft.	spe	ecB&E	35.00		
			ippon Hawthorn. 20'			
	to		ft			
			ft			
6	to	8	ft	14.50		
*hupe						
			ft		13.50	
8	to	10	ft	16.50		

						25 & up Each
Cı	alaegu	s		Då	ich Each	т васи
	*intri	cata	ı (c	occinea). Thicket Hawthor	rn. 20'	
	3	to		ft		4.00
	4	to	5			
	5	to	6			
	6	to	8	ft 14.5		
	8	to	10	ft		
	*laval	lei.	Lo	walle Hawthorn. 20'		
		to		ft	50 4.25	4.00
	4	to		ft 6.0		5.50
	5	to		ft. 9.5		9.00
	6	to		ft		12.50
	8	to		ft		12.50
	Ü		10	10.0	70 10.00	
	*macr	aca	nth	a. Spike Hawthorn. 20'		
	3	to	4	ft 4.5		
	4	to	5	ft 6.0	00	
	*molli	is.	Doz	vny Hawthorn. 20'		
	3	to		ft 4.5	0 4.25	4.00
	4	to		ft		5.50
	5	to		ft		9.00
	6	to		ft		12.50
	8	to		ft	15.50	15.00
	*mone	ישר	na	Singleseed Hawthorn, 20'		
		to	5	ft		5.50
	5	to	6	ft 9.5		9.00
	6	to	_	ft		12.50
				ft		
				stricta.		
		_		al Singleseed Hawthorn. 2		
				ft 9.5		
	б	to	8	ft 14.5	00	
	*nitid	a. (	Glos	ssy Hawthorn. 15'		
		to		ft 9.5	9.25	
	6	to		ft		
	8	to	10	ft 16.5	0 15.50	

Crataegus		1-4 5-2 Each Eac	4 25 & up h Each
*oxyacantha	. English Hawthorn. 20'		
		3.00 5.7	5 5.50
5 to 6		9.50 9.2	5 9.00
6 to 8		4.50 13.5	0 12.50
8 to 10	ft 16	6.50 15.5	0
8 to 10	ft. spec B&B 30	0.00	
*o. plena. 1	oublewhite English Hawt	horn. 15'	
4 to 5		7.50 6.0	0
5 to 6		0.00 9.5	0
6 to 8	ft 15	5.00 14.0	0
8 to 10	ft 18	3.50	
*o. pauli. /	Paul's Scarlet English Ha	wthorn. 1	5 <b>'</b>
4 to 5		7.50	
5 to 6	ft 10	0.00 9.5	0
6 to 8	ft 15	5.00 14.0	0
8 to 10	ft 18	3.50 17.5	0
°o. punicea.	Singlered English Hawt	horn. 15'	
4 to 5	ft	7.50	
5 to 6	ft 10	0.00	
6 to 8	ft	5.00	
8 to 10	ft 18	3.50	
*o. rosea pl	ena. Doublepink English	Hawthorn	n. 15'
4 to 5	ft	7.50	
5 to 6	ft 10	0.00 9.50	0
		5.00 14.00	0
8 to 10	ft 18	3.50	
*peregrina.	Peregrina Hawthorn. 15'	,	
5 to 6	ft 9	9.23	5
	ft 14		
8 to 10	ft 16	3.50 15.50	0
*persistens.	15'		
•	ft	0.50 9.25	5
	ft		
	ft		

	1-4	5-24	25 & up					
Crataegus	Each		Each					
*phaenopyrum. (cordata)								
Washington Hawthorn. 20'								
3 to 4 ft	4.50	4.25	4.00					
4 to 5 ft	6.00	5.75	5.50					
5 to 6 ft	9.50	9.25	9.00					
6 to 8 ft	14.50	13.50	12.50					
8 to 10 ft	16.50	15.50	15.00					
*pinnatifida major. Large Chinese		thorn.	20 <b>'</b>					
4 to 5 ft	6.00							
5 to 6 ft	9.50							
6 to 8 ft	14.50							
*pruinosa. Frosted Hawthorn. 18'	4.50							
3 to 4 ft	4.50							
4 to 5 ft	6.00							
5 to 6 ft	9.50							
*prunifolia. Plumleaf Hawthorn. 2 3 to 4 ft	4.50	4.25	4.00					
4 to 5 ft	6.00	5.75	5.50					
5 to 6 ft	9.50	9.25	9.00					
6 to 8 ft	14.50	13.50	12.50					
8 to 10 ft	16.50	15.50	15.00					
*punctata. Dotted Hawthorn. 25'	10.50	10.00	10.00					
3 to 4 ft	4.50	4.25						
4 to 5 ft	6.00	5.75						
5 to 6 ft	9.50	9.25						
6 to 8 ft	14.50	13.50						
pyracantha (see Pyracantha cocci-	nea).							
*succulenta. Fleshy Hawthorn. 20'								
4 to 5 ft	6.00	5.75						
5 to 6 ft	9.50	9.25						
6 to 8 ft	14.50	13.50						
*viridis. Green Hawthorn. 25'								
5 to 6 ft		9.25						
6 to 8 ft		13.50						
8 to 10 ft	16.50	15.50						
Cryptomeria japonica lobbi. Lobb Cryptomeria. 20'								
	6.00	5.00						
3 ft	7.50	6.50						
4 ftB&B	12.50	10.00						
5 ftB&B	15.00	13.50						
6 ft	18.00	15.00						
7 ft	25.00							
8 ftB&B	30.00							

Cudrania tricuspidata. 25'	1-4 Each		25 & up Each
3 to 4 ft	4.00	3.75	
4 to 5 ft			
	0.00	1.00	
Cydonia. (see Chaenomeles)			
Cytisus elongatus. 5'			
12 to 15 in., 4 in. pots	1.75		
nigricans. Spike Broom. 4'	1.75		
scoparius. Scotch Broom. 10'	1 75	1 50	1.02
18 to 24 in	1.75	1.50	1.25
scoparius andreanus. Paradise Bro	om. 10	) <b>'</b>	
18 to 24 in	1.75	1.50	1.25
Daphne cneorum. Rose Daphne. 1'			
8 to 10 in. spdB&B	1.75	1.60	1.50
10 to 12 in. spd		2.35	2.25
12 to 15 in. spd B&B			2.51/
15 to 18 in. spd			
	5.50	0.20	
houtteana. Hybrid Daphne. 4'			
18 to 24 inB&B	5.00	4.50	
Decumaria barbara. Southeast Decumar	ria.		
3 yr. from pots	1.00	.75	.60
o ji. iioiii poto	2.00		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Deutzia gracilis. Slender Deutzia. 3'			
	.85	.70	.65
15 to 18 in	1.00	.90	.80
24 to 30 in.		1.10	1.00
24 to 30 m	1.20	1.10	1.00
hypoglauca. 6'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.75	.65	.60
24 to 30 in	1.00	.80	.75
2½ to 3 ft	1.25	1.00	.90
3 to 4 ft	1.50	1.25	1.15
0 to 1 to	2.00		

	1-4	5-24	25 & up
Deutzia	Each	Each	Each
lemoine compacta. 5'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
	1.00	.00	
myriantha Boule Rose. Pink Deutz	ia. 4'		
18 to 24 in	1.00		
2 to 3 ft	1.25		
ningpoense. 5'		4.50	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.25	
manuflana Manuflan Dantain 5			
parviflora. Mongolian Deutzia. 5'	.75	.65	.60
2 to 3 ft	1.00	.80	.75
2 10 9 11	1.00	.00	
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	1.00	.80	.75
24 to 30 in	1.25	1.00	.95
2½ to 3 ft	1.50	1.25	1.15
rosea campanulata. Bellflower Rose			
18 to 24 in	1.00	.80	.75
2 to 3 ft	1.25	1.00	.95
rosea carminea. Carmine Rosepanio	ele Dem	tzia	/;°
18 to 24 in		.80	.75
2 to 3 ft	1.25	1.00	.95
3 to 4 ft	1.50	1.35	1.25
rosea venusta. White Rosepanicle			
18 to 24 in	1.00	.80	.75
2 to 3 ft	1.25	1.00	.95
scabra. Fuzzy Deutzia, 12'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
1 00 0 10000000000000000000000000000000			
scabra Pride of Rochester. 12'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	

1711112541222, 01110			47
	1-4 Each	5-24 2 Each	
Deutzia	Басц	ыасп	Hacii
scabra florepleno rosea. Doublero.	se Dev	utzia. 12	?'
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
scabra watereri. Waterer's Deutzia.	12'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	1.10
schneideriana laxiflora. 6'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
vilmorinae. Vilmorin Deutzia. 8'			
2 to 3 ft	1.50	1.25	
Dismilla lavinos (hillia) D 4 D 4	**	7 7	.,
Diervilla lonicera. (trifida). Dwf. Bush			
2 to 3 ft	1.00		.65
3 to 4 ft	1.25	.90	.80
sessilifolia. Southern Bush Honeysus			05
2½ to 3 ft		.75	.65
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50		
Diospyros virginiana. Common Persimm	on 1:	5 <b>'</b>	
5 to 6 ft		5.00	
6 to 8 ft		6.00	
8 to 10 ft		7.50	
10 to 12 ft		10.00	
Dirca palustris. Leatherwood. 6'			
18 to 24 inB&B	5.00		
Elaeagnus angustifolia. Russian Olive.	20 <b>'</b>		
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.75	1.40	1.15
5 to 6 ft	2.25	1.75	1.10
6 to 8 ft	3.50	2.75	
8 to 10 ft	5.00	4.50	
commutata. Silverberry. 12'	0.00	1.00	
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
I 10 0 I	3.00	2.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Elaeagnus			
multiflora. (longipes). Cherry Elae	agnus.	6 <b>'</b>	
2 to 3 ft	2.00		
umbellata. Autumn Elaeagnus. 12'			
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.25	1.10	.93
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.75	1.50
u. parvifolia. Chinese Elaeagnus. 18	ō <b>'</b>		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.75	2.50	
Elsholtzia stauntoni. 4'			
18 to 24 in	1.50	1.35	1.25
2 to 3 ft	1.75	1.50	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.75	1.50	1.25
•			
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.75	1.50	1.23
Eucommia ulmoides. 60'	4000		
6 to 8 ft			
8 to 10 ft	12.50		
Euonymus alatus. Winged Euonymus. 1			
2 to 3 ft		1.75	
3 to 4 ft	3.00	2.50	
	4.50	4.00	
	8.50		
	12.50		
6 to 8 ft., heavyB&B			
8 to 10 ft., heavyB&B	30.00		
alatus compactus. Dwarf Winged I		nus. 6'	
2 to 3 ft		2.25	
3 to 4 ft	3.75	3.25	

TAMESTICE, OTHO			51
_	1-4 Each		25 & up Each
Euonymus			
americanus. Brook Euonymus. 8'			
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
atropurpureus. Eastern Wahoo. 15	,		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.35	1.15
5 to 6 ft	2.00	1.75	1.65
bungeanus. Winterberry Euonymus	. 15'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.35	1.15
5 to 6 ft	2.00	1.75	1.65
6 to 8 ft	3.00	2.50	2.25
europaeus. European Euonymus. 1	<i>5</i> ′		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft.	1.50	1.35	1.15
5 to 6 ft	2.00	1.75	1.65
6 to 8 ft	3.00	2.50	2.25
fortunei. (acutus). Wintercreeper 1	Euonun	nus. 2'	
12 to 15 in	1.00	.80	.75
15 to 18 in	1.25	1.00	.95
18 to 24 in	1.50	1.35	1.25
f. argenteo-marginatus.			
Silveredge Wintercreeper Euony	mus.	2'	
12 to 15 in		.85	.75
f. carrierei. Glossy Wintercreeper E			
12 to 15 in	1.00	.80	.75
15 to 18 in	1.25	1.00	.95
18 to 24 in.	1.50	1.35	1.25
	_,,,	_,_,	
f. coloratus.		,	
Purpleleaf Wintercreeper Euony 12 to 15 in	$mus.$ $\mathfrak{I}$	.65	<b>.6</b> 0
15 to 18 in	1.00	.90	.80
18 to 24 in	1.25	1.10	1.00
	1.20	1.10	1.00
f. coloratus (Upright form)	1.05	1.10	1.00
15 to 18 in	1.25	1.10	1.00

	1-4 Each		25 & up Each
Euonymus	Each	Басп	Each
f. kewensis. Kew Wintercreeper Eu	onymu	is. 1'	
8 to 12 in. from pots	1.15	1.00	.85
f. minimus. Baby Wintercreeper E	uonym	us. 1'	
8 to 12 in. from pots	1.15		.85
12 to 15 in. from pots	1.50	1.25	1.15
f. radicans. Common Wintercreeper	Euon	ymus.	
8 to 12 in from pots	.75	.70	.65
12 to 15 in	1.00	.80	.75
15 to 18 in	1.25	1.00	.95
f. vegetus. Bigleaf Wintercreeper I	Zuonyi	nus. 4'	
12 to 15 in	1.50	1.35	1.25
15 to 18 in	2.00	1.85	1.75
18 to 24 in	2.50	2.35	2.25
24 to 30 in	3.00	2.75	
hamiltonianus. Hamilton Euonymus			
3 to 4 ft	1.25	1.10	1.05
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
kiautschovicus (patens). Spreading		_	5' <b>3.25</b>
18 to 24 in	4.00 5.00	3.50 4.75	3.25 4.50
2 to 3 ftB&B 3 to 4 ftB&B	6.00	5.50	4.00
		0.00	
latifolius. Broadleaf Euonymus. 10	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
maacki. Maack Euonymus. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft		.85	.80
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.65	
nanus. Dwarf Euonymus. 3'			
12 to 15 in	2.00	1.75	1.50
15 to 18 in	2.25	2.00	
obovatus. Running Euonymus. 1'			
8 to 10 in. from pots	1.35	1.10	1.00
oxyphyllus. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.25	2.00	1.75
patens. (see kiautschovicus).			

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
radicans. (see fortunei).			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.75	
Euptelea polyandra. Japanese Euptelea	a. 20'		
6 to 8 ft	12.50		
8 to 10 ft	15.00		
Evodia danieli. Korean Evodia. 25'			
	7.50		
	10.00		
hupehensis. Hupeh Evodia. 25'			
4 to 5 ft			
5 to 6 ft	10.00		
Exochorda giraldi wilsoni. Wilson Red	bud P	earlbus	h. 15'
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
racemosa. (grandiflora). Pearlbush	. 10'		
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
	15.00		
8 to 10 ft. spec	18.00		
Fagus grandiflora. (americana). Ameri		eech. 6	0'
4 to 5 ftB&B			
5 to 6 ftB&B			
6 to 8 ftB&B			
8 to 10 ft			
10 to 12 ftB&B	50.00		
sylvatica. European Beech. 75'	10.00	97.50	
10 to 12 ftB&B		37.50	
12 to 14 ft		60.00	
14 to 16 ftB&B	90.00		

DEINKI KOHAINE & SOIT	
1-4 Each	5-24 25 & up Each Each
Fagus	Each Bash
sylvatica fastigiata. Pyramidal Beech. 25	·
2 to 3 ftB&B 15.00	
3 to 4 ftB&B 20.00	
4 to 5 ftB&B 25.00	
5 to 6 ftB&B 30.00	
15 to 18 ftB&B 125.00	
sylvatica heterophylla. Cutleaf Beech.	25 <b>'</b>
2 to 3 ft	
3 to 4 ftB&B 20.00	
4 to 5 ft	
10 to 12 ftB&B 75.00	
sylvatica pendula. Weeping Beech. 50'	
2 to 3 ftB&B 15.00	12.50
3 to 4 ft	12.00
4 to 5 ft	
5 to 6 ftB&B 30.00	
14 to 16 ft	
Larger sizes quoted on request.	
sylvatica purpurea. Purple Beech. 75'	
8 to 10 ftB&B 35.00	
10 to 12 ft	
sylvatica riversi. River's Beech. 75'	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
5 to 6 ftB&B 30.00	
Large specimens quoted on request	
sylvatica tricolor. Tricolor Beech. 25'	
2 to 3 ftB&B 15.00	
2 (0 0 10	
Fontanesia fortunei. Fortune Fontanesia. 15'	
3 to 4 ft	1.00
4 to 5 ft	1.50
5 to 6 ft	1.75
m at a second of	
Forestiera neomexicana. 10'	9.00
3 to 4 ft	10.00
4 10 0 11	10.00
Forsythia europea. Albanian Forsythia. 6'	
2 to 3 ft	.65
3 to 4 ft	.90
4 to 5 ft	1.25

Forsythia	1-4	5-24	25 & up
intermedia. Border Forsythia. 8'	Each	Each	Each
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
intermedia primulina.			
Primrose Border Forsythia. 10'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.75	1.50	1.35
5 to 6 ft	2.00	1.65	1.60
6 to 8 ft	2.50		
intermedia spectabilis. Showy Bord	er Fo	rsythia.	8'
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.50	2.25	2.00
ovata. Early Forsythia. 8'			
2 to 3 ft	1.00	.75	.70
3 to 4 ft	1.50	1.25	1.00
suspensa. Weeping Forsythia. 6'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	
5 to 6 ft	2.00	1.60	
suspensa atrocaulis. Purplestem We			hia. 6
2 to 3 ft	.90	.70	
3 to 4 ft	1.25	.85	
4 to 5 ft		1.25	
suspensa fortunei. Fortune Weepin			
	.85	.65	.60
3 to 4 ft	1.25	.85 1.25	.80 1.10
4 to 5 ft	1.50		
5 to 6 ft	2.00	1.60 2.00	1.35 1.75
suspensa sieboldi. Siebold Weeping	2.25		
2 to 3 ft	.85	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
0 00 0 100 0 100 0 0 0 0 0 0 0 0 0 0 0			2.10

Forsythia	1-4 Each	5-2 <b>4</b> Each	25 & up Each
viridissima. Greenstem Forsythia			20
2 to 3 ft		.65	.60
3 to 4 ft		.85	.80
4 to 5 ft		1.25	1.10
5 to 6 ft	2.00	1.60	1.35
Fothergilla gardeni. Dwarf Fothergil			
18 to 24 inB&I		6.00	
24 to 30 inB&I	3 10.00		
Franklinia alatamaha. 20'	~ ~ ~ ~ ~ ~		
4 to 5 ft			
5 to 6 ftB&I			
6 to 8 ftB&I	3 35.00		
Fraxinus americana. White Ash. 80'			
6 to 8 ft		2.50	2.25
8 to 10 ft		3.00	2.75
1¼ to 1½ in		4.25	4.00
1½ to 1¾ in	7.00	6.50	6.00
1¾ to 2 in	9.00	8.00	7.50
2 to 2½ in	. 12.50	11.00	10.00
2½ to 3 ft	. 20.00	17.50	15.00
excelsior. European Ash. 100'			
6 to 8 ft	. 3.00	2.50	2.25
8 to 10 ft	. 3.75	3.00	2.75
1¼ to 1½ in	5.00	4.25	4.00
1½ to 1¾ in	. 7.00	6.50	6.00
13/4 to 2 in	. 9.00	8.00	7.50
2 to 2½ in	. 12.50	11.00	10.00
2½ to 3 ft	. 20.00	17.50	15.00
3 to 3½ in	. 25.00	20.00	
mandshurica. Manchurian Ash. 8	o'		
6 to 8 ft		3.25	3.00
8 to 10 ft		4.25	
1½ to 1½ in		5.25	5.00
1½ to 1¾ in		6.50	
1¾ to 2 in		7.50	
2 to 2½ in		12.50	
nigra. Black Ash. 80' 8 to 10 ft	. 5.00	4.50	
1½ to 1½ in		5.50	
		7.50	
1½ to 1¾ in	. 0.00	7.50	

Fraxinus 1-4		& up
pennsylvanica. Red Ash. 60'	Lacu L	aacii
6 to 8 ft	3.25	
8 to 10 · ft 5.00	4.25	
1½ to 1½ in 6.00	5.25	
1½ to 1¾ in 8.50	7.50	
1¾ to 2 in 12.50		
2 to 2½ in 15.00	12.50	
p. lanceolata. Green Ash. 60'		
6 to 8 ft		2.25
8 to 10 ft 3.75		2.75
1¼ to 1½ in 5.00		4.00
1½ to 1¾ in 7.00		6.00
134 to 2 in 9.00		7.50
2 to 2½ in		0.00
2½ to 3 in 20.00	17.50 1	5.00
quadrangulata. Blue Ash. 80'		
6 to 8 ft		
8 to 10 ft		
1½ to 1¾ in 12.50		
Gaylussacia baccata. Black Huckleberry. 3'		
18 to 24 inB&B 6.00		
Genista juncea. 2'		
	1.50	
15 to 18 in. from pots 1.75	1.50	
15 to 18 in. from pots 1.75 pilosa. Silky Leaf Woodwaxen. 1'		
pilosa. Silky Leaf Woodwaxen. 1' 4 to 6 in. from pots 1.50		
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woodwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"	1.25	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"  4 to 6 in. from pots 1.50	1.25	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"  4 to 6 in. from pots 1.50  scoparia (see Cytisus)	1.25	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woodwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"  4 to 6 in. from pots 1.50  scoparia (see Cytisus)  tinctoria. Woodwaxen. 3'	1.25 1.25	
pilosa. Silky Leaf Woadwaxen. 1' 4 to 6 in. from pots 1.50 sagittalis. Arrowhead Broom. 9" 4 to 6 in. from pots 1.50 scoparia (see Cytisus) tinctoria. Woadwaxen. 3' 18 to 24 in	1.25 1.25	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woodwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"  4 to 6 in. from pots 1.50  scoparia (see Cytisus)  tinctoria. Woodwaxen. 3'  18 to 24 in	1.25 1.25 .60 .75	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woodwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"  4 to 6 in. from pots 1.50  scoparia (see Cytisus)  tinctoria. Woodwaxen. 3'  18 to 24 in	1.25 1.25 .60 .75	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"  4 to 6 in. from pots 1.50  scoparia (see Cytisus)  tinctoria. Woadwaxen. 3'  18 to 24 in	1.25 1.25 .60 .75 1.00	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"  4 to 6 in. from pots 1.50  scoparia (see Cytisus)  tinctoria. Woadwaxen. 3'  18 to 24 in	1.25 1.25 .60 .75 1.00	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1'  4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9"  4 to 6 in. from pots 1.50  scoparia (see Cytisus)  tinctoria. Woadwaxen. 3'  18 to 24 in	1.25 1.25 .60 .75 1.00 4.50 6.25	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1' 4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9" 4 to 6 in. from pots 1.50  scoparia (see Cytisus) tinctoria. Woadwaxen. 3' 18 to 24 in	1.25 1.25 1.25 1.00 4.50 6.25 8.50	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1' 4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9" 4 to 6 in. from pots 1.50  scoparia (see Cytisus) tinctoria. Woadwaxen. 3' 18 to 24 in	1.25 1.25 1.25 1.25 1.00 4.50 6.25 8.50 10.00	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1' 4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9" 4 to 6 in. from pots 1.50  scoparia (see Cytisus) tinctoria. Woadwaxen. 3' 18 to 24 in	1.25 1.25 1.25 1.25 1.00 4.50 6.25 8.50 10.00 12.50	
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1' 4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9" 4 to 6 in. from pots 1.50  scoparia (see Cytisus)  tinctoria. Woadwaxen. 3'  18 to 24 in	1.25 1.25 1.25 1.00 4.50 6.25 8.50 10.00 12.50 17.50	20.00
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1' 4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9" 4 to 6 in. from pots 1.50  scoparia (see Cytisus) tinctoria. Woadwaxen. 3' 18 to 24 in	1.25 1.25 1.25 1.25 1.00 4.50 6.25 8.50 10.00 12.50 17.50 25.00 2	20.00
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1' 4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9" 4 to 6 in. from pots 1.50  scoparia (see Cytisus) tinctoria. Woadwaxen. 3' 18 to 24 in	1.25 1.25 1.25 1.25 1.25 1.00 4.50 6.25 8.50 10.00 12.50 17.50 25.00 25.00 35.00	20.00
15 to 18 in. from pots 1.75  pilosa. Silky Leaf Woadwaxen. 1' 4 to 6 in. from pots 1.50  sagittalis. Arrowhead Broom. 9" 4 to 6 in. from pots 1.50  scoparia (see Cytisus) tinctoria. Woadwaxen. 3' 18 to 24 in	1.25 1.25 1.25 1.25 1.00 4.50 6.25 8.50 10.00 12.50 17.50 25.00 25.00 35.00 345.00	

1-4 Each		25 & up Each
Ginkgo		
biloba fastigiata. Sentry Ginkgo. 60'		
5 to 6 ft		
Gleditsia japonica. Japanese Honeylocust. 40	,	
8 to 10 ft	6.00	
1½ to 1½ in	7.50	
1½ to 1¾ in 12.50		
triacanthos. Honeylocust. 60'		
5 to 6 ft	2.25	2.00
6 to 8 ft	2.75	2.50
8 to 10 ft 5.00	4.00	3.75
1½ to 1½ in. 6.00	5.50	5.00
1½ to 1¾ in. 8.00	7.50	0.00
1 <sup>3</sup> / <sub>4</sub> to 2 in	10.00	
2 to 2½ in	12.50	
2½ to 3 in	18.00	
triacanthos elegantissima. Bushy Honeylo		<i>୭</i> 0'
4 to 5 ft 3.50		2.50
5 to 6 ft 4.00		2.00
6 to 8 ft 5.00	4.00	
triacanthos inermis. Thornless Honeylocu		
6 to 8 ft		3.25
8 to 10 ft 6.00	5.50	5.00
	7.50	6.50
1½ to 1¾ in	10.00	9.50
1 <sup>3</sup> / <sub>4</sub> to 2 in	12.50	5.00
2 to 2½ in 18.00	12.50	
2 to 272 m 10.00		
Gordonia alatamaha. (see Franklinia)		
Gymnocladus dioca. Kentucky Coffeetree. 40'		
5 to 6 ft 6.00		
6 to 8 ft 7.50		
Halesia carolina. (tetraptera). Carolina Silven	·bell. 1	! <i>5</i> '
4 to 5 ft	2.00	1.50
5 to 6 ft	2.75	2.50
6 to 8 ft 5.00	4.50	4.00
8 to 10 ft 7.50	6.00	5.00
10 to 12 ft 15.00	12.50	
8 to 10 ft. spec		
10 to 12 ft. specB&B 25.00		
diptera. Twowing Silverbell. 30'		
2 to 3 ft4.00		

Halesia	1.4		25 & up
monticola. Mountain Silverbell. 50'	Each	Each	Each
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
Hamamelis japonica. Japanese Witchho	nzel. 20	,	
2 to 3 ft		2.75	
3 to 4 ft	3.50		
4 to 5 ft	5.00		
japonica rubra. 20'			
2 to 3 ft	3.00		
3 to 4 ft	3.50		
mollis. Chinese Witchhazel. 20'			
2 to 3 ft	4.00		
vernalis. Vernal Witchhazel. 8'			
2 to 3 ft	1.25	1.00	.85
3 to 4 ft.	1.75	1.50	1.25
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft		2.75	
vernalis carnea. Redpetal Vernal		zel. 8'	
2 to 3 ft	3.00		
3 to 4 ft	3.50		
vernalis purpurea. 8'			
3 to 4 ft	3.50		
vernalis tomentella. 6'	1.05	4.00	0.0
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	$\frac{2.00}{2.50}$	$1.75 \\ 2.25$	$1.50 \\ 2.00$
6 to 8 ft	3.50	2.75	2.00
virginiana. Common Witchhazel. 1		2.10	
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.60	1.35	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	2.75	2.50
8 to 10 ft	4.00	3.50	3.00
Hodora holiv English Ive 20'			
Hedera helix. English Ivy. 20' 2 year, 2 in. pots	.50	.40	.35
2 year, 3 in. pots	.55	.45	.40
3 year, 4 in. pots	.65	.55	.50
o jear, I III. pous	.50		

Hedera	1-4 Each	5-24 2 Each	25 & up Each
helix Albany. Albany English Ivy.  2 year, 3 in. pots	<i>10'</i> .65	.55	.50
helix baltica. Baltic English Ivy. 1 2 year, 3 in. pots	<i>5</i> ′ .65	.55	.50
helix Emerald Gem. 15' 2 year, 3 in. pots	.75	.65	.60
helix gracilis. Miniature English In 2 year, 3 in. pots	.55 .65	.45 .55	.40 .50
2 year, 3 in. pots	.55 .65	.45 .55	.40 .50
2 year, 3 in. pots	.75	.60	.50
Helwingia japonica. 5' 12 to 15 in., 3 in. pots	<b>2.</b> 50	2.25	
Hibiscus syriacus. Shrub Althea. 12'			
double varieties         2 to 3 ft.         3 to 4 ft.         4 to 5 ft.         5 to 6 ft.         6 to 8 ft.         8 to 10 ft. heavy	.75 1.00 1.50 2.00 2.75 15.00	.65 .80 1.25 1.75 2.25	.55 .70 1.00 1.50 2.00
Ardens — Purple.  Banner — Blush.  Jeanne d Arc — White.  Lady Stanley — White, shade  Rubra Plena — Red.  Speciosa Plena — Pink.	d rose.		
single varieties 2 to 3 ft 3 to 4 ft	.75 1.00	.65 .80	.55
4 to 5 ft	1.50 2.00	1.25 1.75	1.00
Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red.			

Totus albus — White.

	1-4 Each	5-24 2 Each	5 & up Each
Hibiscus			
variegatus. Leopardleaf Shrub Alth			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
variegatus Meehani. Meehan Varie		Althea.	<i>6'</i>
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
Hippophae rhamnoides. Sea-buckthorn.	12'		
3 to 4 ft	3.00		
4 to 5 ft	4.00		
5 to 6 ft	5.00		
Hydrangea arborescens. Smooth Hydra	A2 04 0 04	e!	
2 to 3 ft	ngea. .75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.10	.95
			,00
arborescens grandiflora. Snowhill	_	_	bu o
	1.00		.70
3 to 4 ft	1.25	1.00	.85
cineria sterilis. Sterile Ashy Hydra	_	6 <b>'</b>	
2 to 3 ft	1.50		
3 to 4 ft	2.00		
macrophylla Nikko Blue. 3'			
2 year	1.50	1.35	1.10
macrophylla Otaksa. 3'			
2 year	1.25	1.00	.90
paniculata. Panicle Hydrangea. 10'			
2 to 3 ft		.65	
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.35	1.10	1.00
5 to 6 ft	1.75	1.50	1.25
paniculata grandiflora. Peegee Hy	_		CF
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	.90 1.50	.80
4 to 5 ft	1.75 $2.50$	1.50	
3 to 4 ft., tree form  paniculata praecox. Early Hydrang		0'	
2 to 3 ft	1.00	U	
3 to 4 ft	1.25		
4 to 5 ft	1.50		
5 to 6 ft	1.75		
00 0 200			

	1-4 Each	5-24 Each	25 & up Each
Hydrangea	2402	234011	2400
petiolaris. Climbing Hydrangea.			
3 inch pots	2.75	2.50	2.25
4 inch pots	3.00	2.75	2.50
5 inch pots	3.75	3.25	
quercifolia. Oakleaf Hydrangea. 4'			
18 to 24 in	2.25	1.75	1.50
2 to 3 ft	2.75	<b>2</b> .25	
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.50	1.25	1.15
xanthoneura Thos. Hogg. 3'			
2 year	1.25	1.00	.90
Hypericum arnoldianum. Arnold St. Jo	hnswor	rt. 5'	
18 to 24 in		.60	.55
2 to 3 ft	1.00	.75	.65
bucklei. Blueridge St. Johnswort.	l'		
6 inches	1.25	1.00	
densiflorum. Dense St. Johnswort.	6 <b>'</b>		
18 to 24 in	.75	.55	.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
frondosum. (aureum). Golden St	Johnsw	ort. 4	•
18 to 24 in	.75	.55	.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
kalmianum. 4'			
18 to 24 in.	.75	.55	.50
2 to <b>3</b> ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
lobocarpum. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
moserianum. Goldflower. 2'			
15 to 18 in	.85	.75	.70
18 to 24 in	1.00	.90	.80
patulum. Goldencup St. Johnswort.	3'		
18 to 24 in	1.00	.80	.75
patulum henryi. Henry St. Johnswo	rt. 4'		
18 to 24 in	1.00	.80	.75
2 to 3 ft	1.25	1.00	.85

	1-4 Each		25 & up Each
Hypericum			
prolificum. Shrubby St. Johnswort.	5 <b>'</b>		
18 to 24 in	.75	.55	.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
wanflooti IV Died Gt. I.I	,		
vanfleeti. Van Fleet St. Johnswort. 4 2 to 3 ft		1.25	1.00
3 to 4 ft		1.50	1.00
3 to 4 it	2.00	1.50	
Idesia polycarpa. 10'			
2 to 3 ft	3.50		
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	6.00	5.50	
24 to 30 in		7.00	
30 to 36 inB&B		10.00	
36 to 42 inB&B		12.50	
cornuta burfordi. Burford Holly.	10 <b>'</b>		
15 to 18 in from pots		3.50	
crenata. Japanese Holly. 10'			
15 inB&B	4.00	3.50	3.25
18 inB&B	6.00	5.50	5.00
24 in	7.50	7.00	6.50
30 inB&B	12.50	10.00	9.50
36 inB&B	15.00	13.50	12.50
crenata bullata. Convexleaf Japanes	se Hol	ly. 10'	
15 to 18 inB&B	5.50	5.00	4.50
18 to 24 inB&B	7.00	6.50	6.25
24 to 30 inB&B	10.00	9.00	
30 to 36 inB&B	15.00	12.50	
crenata latifolia. Bigleaf Japanese	_	10'	
18 to 24 inB&B			
24 to 30 inB&B		7.50	
30 to 36 inB&B		10.00	
36 to 42 inB&B		12.50	
crenata microphylla. Littleleaf Jap			<i>10</i> <b>′</b>
15 inB&B		3.50	
18 inB&B		5.50	
24 in	7.50	7.00	
crenata rotundifolia. 6'	0.00	E =0	
18 to 24 inB&B	6.00	5.50	
24 to 30 in	7.50		
geniculata. Droopbead Holly. 8'	0.00		
3 to 4 ft	3.00		
4 to 5 ft	4.00		

1121(111)	F 0.4	056
1-4 Each		25 & up Each
Ilex		
glabra. lnkberry. 8'		
15 to 18 inB&B 4.00	3.25	2.75
18 to 24 inB&B 5.00	4.00	3.75
24 to 30 inB&B 6.00	5.50	5.00
30 to 36 inB&B 9.00	8.00	7.50
36 to 42 inB&B 12.50	11.00	10.00
laevigata. Smooth Winterberry. 6'		
2 to 3 ft	1.25	1.00
3 to 4 ft		1.25
4 to 5 ft 2.00		1.50
opaca. American Holly. 40'		
2 ftB&B 8.00	7.00	6.00
3 ft		7.50
4 ft		1.00
5 ft		
6 ft		
10 ft		
For larger sizes to 12 ft., add \$10.00		nt
1 01 larger 512c5 to 12 10., add \$10.00	per ro	
serrata. Finetooth Holly. 12'		
2 to 3 ft 2.00	1.75	
3 to 4 ft 2.50		
4 to 5 ft		
verticillata. Common Winterberry. 10'		
2 to 3 ft	1.10	1.00
3 to 4 ft	1.35	1.25
4 to 5 ft		
5 to 6 ft 2.50	2.25	*
verticillata chrysocarpa.		
Yellow-fruit Winterberry. 10'		
4 to 5 ft 4.00		
5 to 6 ft		

Indigofera amblyantha. $Pink\ Indigo.$ $6'$	5-2 <b>4</b> Each	25 & up Each
	1 95	1.00
	1.25	1.00
kirilowi. Kirilow Indigo. 4'	1.50	1.25
18 to 24 in 2.00	1.50	1.25
2 to 3 ft 2.50	1.75	1.50
potanini. Potanin Indigo. 5'		
2 to 3 ft	1.75	
3 to 4 ft	2.00	
Itea virginica. Virginia Sweetspire. 8'		
2 to 3 ft 1.25	.85	.75
3 to 4 ft 1.50	1.25	1.00
4 to 5 ft		
Jasminum nudiflorum. Winter Jasmine. 3'		
15 to 18 in	.65	.60
18 to 24 in 1.00	.85	.75
12 to 15 in., $2\frac{1}{2}$ in. pots 1.25	1.00	.90
stephanense. Stephan Jasmine. 3'		
2 ft., 4 in. pots 2.00	1.50	
2 10, 4 11, 1005 2.00	1.00	
Juglans cinerea. Butternut. 75'		
6 to 8 ft 7.00		
8 to 10 ft 8.50		
1½ to 1¾ in		
nigra. Black Walnut. 80'		
6 to 8 ft	6.50	
8 to 10 ft	8.00	
1½ to 1¾ in	10.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in 15.00	12.50	
2 to 2½ in 17.50	15.00	
2½ to 3 in	20.00	
regia. Persian Walnut. 50'		
4 to 5 ft		
5 to 6 ft		
6 to 8 ft		
sieboldiana. Siebold Walnut. 50'		
6 to 8 ft		
1½ to 1¾ in 10.00		
134 to 2 in		
2½ to 3 in		
3 to 3½ in 30.00		

1-4 5-24 25 &	
Juniperus chinensis. Pyramid Chinese Juniper. 20'	cn
2 ftB&B 6.00 5.00	
3 ft	
4 ftB&B 11.00 9.00	
5 ftB&B 15.00 12.50	
6 ft	
7 ft	
8 ft	
For larger sizes to 12 ft., add \$5.00 per foot.	
chinensis albovariegata.	
Whiteleaf Pyramid Chinese Juniper. 20'	
3 ftB&B 10.00 7.50	
4 ft	
1 10	
chinensis columnaris.	
Columnar Pyramid Chinese Juniper. 20'	
4 ftB&B 12.50 10.00	
5 ftB&B 15.00 12.50	
6 ft B&B 18.00 15.00	
7 ft	
8 ft	
For larger sizes to 14 ft., add \$5.00 per foot.	
ror larger sizes to 14 It., and \$5.00 per root.	
chinensis globosa.	
Globe Pyramid Chinese Juniper. 5'	
18 in	
24 in	
m1 m1	
chinensis hetzi. Hetz Blue Juniper. 6'	
18 to 24 inB&B 7.50	
chinensis japonica. Japanese Juniper. 8'	
18 in	
2 ftB&B 6.00 5.00	
3 ftB&B 7.50 6.50	
c. japonica aureovariegata.	
Yellow Variegated Japanese Juniper. 8'	
18 in	
chinensis mas. 10'	
3 ftB&B 10.00	
3 It	
chinensis neaboriensis. Conical Chinese Juniper. 10'	
3 ft	
4 ft	
5 ft	
0 1tt	

TAMESTICE, OTTO			07
	1-4 Each		25 & up Each
Juniperus			
chinensis oblonga. Oblong Chinese	Junipe	er. 20'	
3 ftB&B	10.00		
chinensis pfitzeriana. Pfitzer Junij	ner 6'		
18 to 24 in. spdB&B		5.00	4.50
2 to 2½ ft. spd. B&B			
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B		11.00	
3½ to 4 ft. spdB&B			
~			
			16.00
4½ to 5 ft. spdB&B			
5 to 6 ft. spd. B&B			
6 to 7 ft. spdB&B			
(Upright form can be furnished	in size	es 18" 1	to 6')
chinensis pfitzeriana compacta. 6'			
18 to 24 in. spd	6.50	5.25	4.75
24 to 30 in. spdB&B	7.50	6.50	6.00
30 to 36 in. spdB&B			7.50
36 to 42 in. spd			
42 to 48 in. spdB&B			
48 to 54 in. spd		20.00	
chinensis plumosa. Plume Chinese		r. 3'	
24 to 30 in. spdB&B			
30 to 36 in. spdB&B	7.50		
chinensis sargenti. Sargent Chinese	Junip	er. 3'	
18 in	6.50	5.25	4.75
24 inB&B	7.50	6.50	
30 inB&B	10.00	9.00	
chinensis smithi. Smith Chinese Ju		8	
4 ftB&B	10.00		
communis. Common Juniper. 25'			
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	8.00	
6 ft	12.50	10.00	
communis depressa. Oldfield Comm	on In	ninar	Q'
15 to 18 in. spdB&B			4.50
18 to 24 in. spdB&B			7.00
10 to 24 m. spu	0.00	5.50	
communis aureo-spica Golden Pro			r. 3'
18 to 24 in. spdB&B			
24 to 30 in. spdB&B			
30 to 36 in. spdB&B			
36 to 42 in. spdB&B	10.00	8.00	

68 HENRY KOHANKIE & SOI	N		
	Each 1-4	Each 5-24 2	Each 5 & up
Juniperus	1.4	0 22 2	o to ap
communis depressa plumosa.			
(see horizontalis plumosa)			
communis hibernica. Irish Juniper	. 15'		
2 ftB&B	3.75	3.25	3.00
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.50	5.50	
5 ftB&B	10.00	7.50	
communis saxatilis. 2'			
	6.00		
communis suecica. Swedish Juniper	r. 25'		
2 ftB&B		3.25	3.00
3 ftB&B		4.50	4.00
4 ftB&B			
communis suecica nana. Dwarf Sw	edish	Juniper.	6'
2 ftB&B			3.50
3 ftB&B			
communis vase-shaped. 10'			
2½ to 3 ftB&B	6.00		
3 to 3½ ftB&B			
4 to 4½ ft			
conferta. Shore Juniper. 5'			
2 ftB&B	5.50	5.00	
2½ ftB&B		6.00	
3 ftB&B		7.50	
3½ ft B&B		*****	
excelsa. Greek Juniper. 50'			
3 ftB&B	5.00	4.50	
excelsa stricta. Spiny Greek Junipe	r. 8'		
18 inB&B	4.50	4.00	3.50
2 ftB&B	5.50	5.00	4.50
2½ ftB&B	6.50	6.00	5.50
3 ftB&B	8.50	7.50	
3½ ftB&B	10.00	9.00	
4 ftB&B	12.50	11.50	
4½ ftB&B	17.50	15.00	
horizontalis. Cresping Juniper. 1'			
18 to 24 in. spdB&B	5.50	4.50	
24 to 30 in. spdB&B	7.50	6.00	
2½ to 3 ft. spdB&B	10.00	7.50	
3 to 3½ ft. spdB&B	12.50	10.00	
horizontalis alpina. Alpine Creeping	Juni	per. 1'	
18 to 24 in. spdB&B	5.00		

Juniperus	1-4 Each	5-24 2 Each	25 & up Each
horizontalis Bar Harbor. 1'			
15 to 18 in. spdB&B	4.00	3.50	
18 to 24 in. spdB&B			
24 to 30 in. spdB&B			
horizontalis glauca. Blue Creeping 18 to 24 in. spdB&B	_		
24 to 30 in. spdB&B			
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			
horizontalis plumosa. Andorra Cre		_	
18 to 24 inB&B		4.00	
24 to 30 inB&B			
2½ to 3 ftB&B			6.00
3 to 3½ ftB&B			
3½ to 4 ftB&B	12.50	10.00	
horizontalis repens. 3'			
24 to 30 in. spdB&B	7.50		
<b>36</b> to <b>42</b> in. spd	10.00		
procumbens. Japgarden Juniper. 2'	•		
18 to 24 in. spd		6.00	
24 to 30 in. spd			
30 to 36 in. spdB&B			
rigida. Needle Juniper. 30'			
6 ft	15.00		
7 ft			
8 ft			
	_0.00		
sabina. Savin Juniper. 6'	5.00	4.95	4.00
18 to 24 in. spd B&B 2 to 2½ ft. spd B&B		5.25	5.00
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			
			1.00
sabina tamariscifolia. Tamarix Sar			5.50
18 to 24 in. spdB&B		6.00	5.50
24 to 30 in. spd B&B		6.50	
2½ to 3 ft. spdB&B	10.00		
sabina Von Ehron. 10'	0.00		
24 to 30 in. spd		5.50	
30 to 36 in. spd		6.50	
36 to 42 in. spd		8.50	
42 to 48 in. spdB&B	12.50		

Juniperus	1-4 Each		25 & up Each
scopulorum. Rocky Mountain Junip	er. 30	)'	
3 ft	7.50	7.00	
4 ft		9.00	
4 It	10.00	3.00	
sphaerica. Fortunes Juniper. 10'			
3 ftB&B	6.00		
4 ft	7.50		
5 ft	10.00		
6 ft			
squamata. Singleseed Juniper. 3'			
2 to 2½ ft. spd B&B	7.50	6.00	
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B	12.50	10.00	
squamata meyeri. Meyer Singlesee	d Jun	iper. 4	•
18 to 24 inB&B		1	
virginiana. Eastern Redcedar. 75'			
2 ftB&B			
3 ftB&B			5.00
4 ftB&B			6.25
5 ftB&B	12.50	10.00	9.00
6 ftB&B		12.50	
7 ft	17.50		
For larger sizes to 12 ft., add 9	\$5.00 ]	per foot	-
virginiana canaerti. Canaert Redce	edar.	<i>50</i> ′	
3 ft	7.50	6.75	6.25
4 ft	11.00	10.00	9.00
5 ft	15.00	13.50	12.50
6 ft	18.00	15.00	
7 ft	22.50	20.00	
8 ft	27.50		
9 ft	35.00		
10 ft			
For larger sizes to 12 ft., add \$	55.00 p	er foot	•
virginiana elegantissima. $Goldtip$	Dada	dan or	,
2 ftB&B			
3 ft		5.50 6.75	
4 ftB&B			
5 ft		13.50	
6 ft			
7 ft	22.50		

J

	1-4 Each		25 & up Each
uniperus	0.51		
virginiana glauca. Silver Redcedar			= 00
2 ftB&B		5.50	
3 ft		6.75	6.25
4 ft		10.00	9.00
5 ft		13.50	12.50
6 ft			
7 ft		20.00	
8 ft			
For larger sizes to 12 ft., add	\$5.00	per foo	ot.
virginiana globosa. Globe Redcedar	r. 4'		
24 to 30 inB&B	9.00	8.00	
30 to 36 inB&B			
36 to 42 inB&B	15.00	12.50	
virginiana keteleeri. Keteleer Rede	cedar.	<i>15</i> ′	
3 ftB&B	8.00	7.00	
4 ft	11.00	10.00	
5 ftB&B	15.00	13.50	
6 ft	20.00		
For larger sizes to 11 ft., add \$5	.00 pe	r foot.	
virginiana kosteri. Koster Redcede	ar. 4'		
18 to 24 in. spdB&B	6.50	5.25	4.75
2 to 2½ ft. spdB&B	7.50	6.50	6.00
2½ to 3 ft. spdB&B	9.00	8.00	7.50
3 to 3½ ft. spdB&B	13.50	12.00	
3½ to 4 ft. spdB&B	15.00		
virginiana pendula. Weeping Redco		<i>15</i> <b>′</b>	
6 ftB&B			
7 ftB&B	25.00		
virginiana plumosa. Plume Redced		5 <b>'</b>	
5 ft			
6 ft			
7 ft	25.00		
virginiana reevesiana. Reeves Redo		25'	
4 ft			
5 ft			
6 ftB&B	17.50		

72 HENRY KOHANKIE & SON		
1-4		25 & up
Juniperus	Each	Each
virginiana schotti. Schott Redcedar. 25'		
3 ftB&B 7.50	6.75	6.25
4 ft	10.00	9.00
5 ft	13.50	12.50
6 ft	15.00	
7 ft	20.00	
For larger sizes to 15 ft., add \$5.00 p	er foot	t.
virginiana tripartita. Fountain Redcedar.	5 <b>'</b>	
2 ftB&B 7.00	6.00	
2½ ftB&B 8.00	7.00	
3 ftB&B 10.00	8.00	
3½ ft		
4 ftB&B 15.00		
virginiana venusta. Green Pyramid Redce	dar. 2.	5 <b>'</b>
2 ft		5.00
3 ft	6.75	6.25
4 ft	10.00	9.00
5 ft	13.50	0.00
6 ft	15.00	
7 ft	10.00	
8 ft		
Valmia latifalia Wt.: T C'		
Kalmia latifolia. Mountain Laurel. 6'		
18 to 24 in	5.50	5.00
2 to 3 ftB&B 8.50	8.00	7.50
3 to 4 ftB&B 10.00	9.50	9.00
Kalopanax pictus. Castor Aralia. 25'		
6 to 8 ft	7.50	
8 to 10 ft		
10 to 12 ft	15.00	
pictus maximowiczi. 25'		
6 to 8 ft	10.00	
8 to 10 ft	12.50	
10 to 12. ft	18.00	
Kerria japonica. Japanese Kerria. 4'		
18 to 24 in 1.00	.80	.75
2 to 3 ft	1.10	1.00
japonica pleniflora. Double Japanese Ken	rria !	
18 to 24 in	1.00	
2 to 3 ft 1.50		
2 10 0 10 1.00	1.40	

1-4 5-24 25 &	up
Koelreuteria paniculata. Panicled Goldenrain Tree. 25'	eh
4 to 5 ft 5.00	
5 to 6 ft 6.00	
6 to 8 ft	
8 to 10 ft	
2010 20 20 10 11 11 11 11 11 11 11 11 11 11 11 11	
Kolkwitzia amabilis. Beauty Bush. 8'	
	.80
3 to 4 ft	.00
	75
5 to 6 ft 2.75 2.25 2.	.00
Laburnum alpinum. Scotch Laburnum. 30'	
4 to 5 ft	
5 to 6 ftB&B 12.50	
anagyroides. (vulgare). Goldenchain Laburnum. 20'	
4 to 5 ftB&B 10.00 9.00	
5 to 6 ftB&B 12.50	
6 to 8 ft. heavy B&B 25.00	
watereri. Waterer Laburnum. 20'	
5 to 6 ftB&B 12.50	
Larix decidua. (europea). European Larch. 60'	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
6 to 8 ft	
8 to 10 ft	
gmelini. Dahurian Larch. 60'	
5 to 6 ftB&B 15.00	
6 to 8 ftB&B 18.00	
8 to 10 ft	
laricina. Eastern Larch. 50'	
4 to 5 ftB&B 12.50	
5 to 6 ftB&B 15.00	
6 to 8 ftB&B 20.00	
leptolepis. Japanese Larch. 50'	
3 to 4 ftB&B 10.00	
4 to 5 ftB&B 12.50	
Leptodermis oblonga. Chinese Leptodermis. 4'	
2 to 3 ft	

	1-4 Each	5-24 2 Each	5 & up Each
Lespedeza bicolor. Shrub Lespedeza. 6'			
3 to 4 ft	1.25	1.00	.80
4 to 5 ft	1.75		
japonica. Japanese Lespedeza. 5'			
2 year	1.25		
		,	
thunbergi (penduliflorum). Thunbe	_		4"
2 year	1.00	.80	
	,,		
Leucothoe catesbaei. Drooping Leucotho		4.00	0.75
15 to 18 in		4.00	3.75
18 to 24 inB&B		5.50	5.00
24 to 30 inB&B	7.50	7.00	
Libocedrus decurrens. California Incens		100'	
2 ftB&B			
3 ftB&B	12.50		
Ligustrum acuminatum. Sharpleaf Prin			4.0
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
acuminatum macrocarpum. Bigber	ry Priv	et. 10'	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00		
amurense. Amur Privet. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft. heavy	1.75	1.50	1.25
6 to 8 ft. heavy	2.50	2.00	1.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	1.00	.80	.75
obtusifolium (ibota). Border Prive	t. 10'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.90	.70	.65
4 to 5 ft	1.25	1.00	.90
o. nanum. Pygmy Border Privet.			
18 to 24 in	.70	.50	.45
2 to 3 ft	.90	.65	.60
3 to 4 ft	1.25	.85	.75

Ligustrum	1-4 Each	5-24 Each	25 & up Each
o. regelianum. Regel Border Privet	6'	Buon	Lwon
18 to 24 in. spd	.75	.60	.50
24 to 30 in. spd	1.00	.75	.70
2½ to 3 ft. spd	1.25	1.00	.90
3 to 4 ft. spd	3.00	2.50	
ovalifolium. California Privet. 10'			
18 to 24 in	.40	.25	.18
24 to 30 in	.50	.30	.22
ovalifolium variegatum.			
Golden California Privet. 10'			
18 to 24 in.	1.00	.85	
24 to 30 in	1.25	1.00	
30 to 36 in	1.50	1.35	
quihoui. Quihou Privet. 6'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
vulgare. European Privet. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
vulgare buxifolium. Boxleaf Privet			
2 to 3 ft	2.00	1.50	1.25
3 to 4 ft	2.50	2.00	
4 to 5 ft	2.75	2.25	
vulgare foliosum. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.25	1.00
vulgare leucocarpum. Whiteberry l	Privet.	12'	
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.35	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
vulgare nanum. (Lodense). Europe	an Pri	vet. 3'	
12 to 15 in	.75	.65	.60
15 to 18 in	1.00	.85	.75
18 to 24 in	1.25	1.00	.85
24 to 30 in	1.50	1.25	
vulgare pyramidale. Pyramidal Eur	ropean	Privet.	. 12'
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	

70									
							1-4 Each	5-24 2 Each	5 & up Each
Lindera	hons	oin	Ca	manon	Smice	hach			
Lindera	2 to							.75	.65
	3 to							1.00	.90
	4 to							1.35	1.25
	5 to	_						1.65	1.50
	6 to							2.75	2.50
							18.00	2.70	2.00
	0 10	10	16.	cramp	S	. Decis	10.00		
*Liquid	amba	ır f	ormo	sana.	Forn	nosa S	weetgum	. 60'	
	8	to	10	ft			10.00		
	3	to	$3\frac{1}{2}$	in			35.00		
*sty	racif	lua	. An	nerican	Swee	etgum.	60 <b>'</b>		
	6	to	8	ft			5.00		
	8	to	10	ft			7.50	6.50	6.00
	11/4	to	$1\frac{1}{2}$	in			10.00	8.00	
	11/2	to	13/4	in			12.50	11.00	
	13/4	to	2	in			15.00	13.50	
	$2\frac{1}{2}$	to	3	in			30.00	27.50	
	3	to	$3\frac{1}{2}$	in			40.00	35.00	
	31/2	to	4	in			50.00	45.00	
	4	to	5	in			65.00	60.00	
	5	to	6	in			75.00		
*st	vraci	flua	aur	ea. G	olden	Sweet	gum. 60	,	
	13/4	to	2	in			15.00		
	2	to	21/2	in			20.00		
	2½	to	3	in			25.00		
	3	to	31/2	in			35.00		
*Liriod						nese T	uliptree.	70 <b>'</b>	
	6 t	0 8	ft.				. 10.00		
*iu	lipife	era.	Tul	iptree.	80'				
	6	to	8	ft				4.00	3.75
	8	to	10					5.50	5.00
	11/4	to	11/2	in.			7.50	7.00	6.50
	11/2	to	13/4	i in.				8.00	7.50
	13/4	to	2	in.				11.00	10.00
	2	to	21/2	in.				13.50	12.50
	$2\frac{1}{2}$	to	3	in.				18.00	
	3	to	31/	ź in.					
	$3\frac{1}{2}$	to	4	in.					
	4	to	41/	í in.			. 50.00		

Liriodendron	
	* NO!
*tulipifera fastigiatum. Pyramid Tulip	
6 to 8 ft	
8 to 10 ft	
1½ to 1¾ in	
2 to 2½ in	
2½ to 3 in	
3 to 3½ in 40.00	
2000,2 2000,000	
Lonicera alseuosmoides	
2 year 1.00	.75 .60
amoena. Gotha Honeysuckle. 10'	
3 to 4 ft	1.25
4 to 5 ft	1.50
amoena arnoldiana. Arnold Honeysuckle	e. 6'
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	1.75 1.50
bella albida. White Belle Honeysuckle.	10'
2 to 3 ft	.65 .60
3 to 4 ft	.85 .80
4 to 5 ft	1.25 1.10
5 to 6 ft	1.60 1.35
6 to 8 ft	2.00 1.75
bella atrorosea. Pink Belle Honeysuckle	. 10'
2 to 3 ft	.65 .60
3 to 4 ft	.85 .80
4 to 5 ft	1.25 1.10
5 to 6 ft	1.60 1.35
billardi. 8'	
2 to 3 ft	.65 .60
3 to 4 ft	.85 .80
4 to 5 ft	1.25 1.10
5 to 6 ft	1.60 1.35
browni plantierensis. Coral Browns Ho	neysuckle. 4'
2 year 1.00	.80 .75
3 year 1.25	5 1.00 .90
caprifolium. Sweet Honeysuckle. 10'	
2 year 1.00	.80

	1-4 Each	5-24 Each	25 & up Each
Lonicera	Liucia	2340	
chrysaniha. Coralline Honeysuckle.	10'		
2 to 3 ft	.90	.70	.60
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.60	1.35	1.10
5 to 6 ft	2.00	1.60	1.35
conjugialis. Purpleflower Honeysuch	kle. 8'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
fragrantissima. Winter Honeysuckle	s. 8'		
2 to 3 ft	.90	.75	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.40	
fuchsioides. Fuchsia Honeysuckle.	4"		
2 year	1.50		
gracilipes. Spangle Honeysuckle. 6	,		
2 to 3 ft	1.00	.90	.80
3 to 4 ft	1.50	1.25	1.00
heckrotti. Everblooming Honeysuck	le. 15'		
2 year	1.00	.80	.75
henryì. Henry Honeysuckle. 15'			
2 year	1.00	.80	.75
hirsuta. Hairy Honeysuckle. 15'			
2 year	1.00	.80	
involucrata. Bearberry Honeysuckle 2 to 3 ft	2.00		
3 to 4 ft	2.50		
japonica. Japanese Honeysuckle. 1			
2 year	.50	.40	.35
3 year	.60	.50	.45
japonica chinensis. Purple Japanes	se Hon	ieysuck	le. 15'
2 year	1.00	.75	
japonica halleana. Hall Japanese	Honeys	uckle.	20'
2 year	.50	.40	.35
3 year	.60	.50	.45
japonica aureo-reticulata.			
Yellownet Japanese Honeysuckl			
2 year		.85	.75
koehneana. Koehne Honeysuckle.		20 -	
2 to 3 ft		.75	
3 to 4 ft	1.25		

L

1-4 5-24 25 & up

onicera	Each	5-24 2 Each	5 & up Each
korolkowi floribunda.			
Broad Blueleaf Honeysuckle. 10		1.00	75
2 to 3 ft		1.00	.75
3 to 4 ft	1.50	1.25	1.00
korolkowi zabeli. 10'	4.0-		
2 to 3 ft	1.25		
3 to 4 ft	1.50		
ledebouri. Ledebour Honeysuckle.			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.85	.65	
3 to 4 ft	1.25	.85	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
maacki podocarpa. 10'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
morrowi xanthocarpa.			
Yellowfruit Morrow Honeysuckl	le. 8'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.10
muendeniensis. Muenden Honeysuck		2.00	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
	1.50	1.25	1.10
4 to 5 ft		1.60	
	2.00		1.35 1.75
6 to 8 ft	2.25	2.00	1.75
nitida. Box Honeysuckle. 4'	1.55		
6 to 12 in	1.00	.85	.75
orientalis longifolia. (kesselringi).	10'	P1 F	
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	

	1-4 Each		25 & up Each
Lonicera	Lucii	24011	
periclymenum belgica. Dutch Wood		<i>15</i> <b>′</b>	
2 year	1.00	.80	.75
3 year	1.25	1.00	.90
pileata. Privet Honeysuckle. 2'			
6 to 12 in	1.00	.85	.75
prolifera. Grape Honeysuckle. 5'			
3 year	1.25	1.00	
pyrenaica. Pyrenees Honeysuckle. 5	,		
3 to 4 ft	1.50		
4 to 5 ft	2.00		
quinquelocularis. Mistletoe Honeysu			
5 to 6 ft	2.00	1.75	
ruprechtiana. Manchurian Honeysuc	kle. 1	0'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	
saccata. 5'			
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	
sempervirens. Trumpet Honeysuckl	e. 15'		
2 year	.65	.55	.50
3 year	.75	.65	.60
spinosa alberti. Albert Thorn Hone	ysuck	le. 3'	
12 to 15 in			
15 to 18 in	1.00		
standishi. Standish Honeysuckle. 8'	•		
2 to 3 ft	.90	.75	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.40	
syringantha. Lilac Honeysuckle. 4'			
15 to 18 in., 4 in. pots	1.50	1.25	
18 to 24 in., field grown	1.50	1.25	1.00
2 to 3 ft., field grown	2.00	1.50	
3 to 4 ft., field grown	2.50	2.00	
syringantha wolfi. Wolf Lilac Hor	neysuc	kle. 6'	
15 to 18 in., 4 in. pots		1.25	

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
tatarica. Tatarian Honeysuskle. 10'	0.5	0.5	00
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
tatarica alba. White Tatarian Hone	~		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	
tatarica lutea. Yellow Tatarian Hor	_	kle. 10	,
2 to 3 ft	1.00	.85	
3 to 4 ft	1.25	1.10	
tatarica rosea. Rosy Tatarian Honey			
	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
tatarica sibirica. Red Tatarian Hon	-		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
tatarica virginalis. Maiden Honeysu		10'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
tellmanniana. Tellmann Honeysuckl			
2 year	1.25		
thibetica. Tibetan Honeysuckle. 4'			
2 year	1.50		
xylosteum. European Fly Honeysuc			
	.85	.65	.60
3 to 4 ft	1.25	.85	.80
1 00 0 2000	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
Lycium chinense. Chinese Wolfberry. S	7		
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.80	.75

	1-4 Each	5-24 Each	25 & up Each
Lycium			
halimifolium. Matrimony Vine. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.80	
Lyonia ligustrina. He-Huckleberry. 12'			
2 to 3 ftB&B	6.00	5.00	
3 to 4 ftB&B	7.50	6.50	
mariana. Staggerbush Lyonia. 6'			
18 to 24 inB&B	4.00	3.50	
30 to 36 inB&B	5.50	5.00	
36 to 42 inB&B	6.50	6.00	
Maackia amurensis. Amur Maackia. 40	) <b>'</b>		
2 to 3 ft	4.00		
3 to 4 ft	5.00		
4 to 5 ft	6.00		
5 to 6 ft	7.50		
Maclura pomifera. Osage-orange. 30'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	6.50	5.50	5.00
Magnolia acuminata. Cucumber Tree.	70'		
5 to 6 ftB&B			
6 to 8 ftB&B	15.00		
8 to 10 ftB&B	18.00		
10 to 12 ft	25.00		
denudata. Yulan Magnolia. 50'			
2 to 3 ftB&B	15.00		
3 to 4 ft	20.00		
4 to 5 ftB&B	25.00		
5 to 6 ftB&B	30.00		
fraseri. Fraser Magnolia. 50'			
8 to 10 ftB&B	35.00		
glauca (see virginiana).			
hypoleuca. (see obovata).			
kobus. Kobus Magnolia. 25'			
2 to 3 ftB&B		6.50	
3 to 4 ftB&B		8.00	
4 to 5 ftB&B		9.00	
5 to 6 ftB&B		12.50	
6 to 8 ftB&B		16.00	
8 to 10 ftB&B	25.00	22.50	

Magnolia	1-4	5-24	25 & up
kobus borealis.	Each		
4 to 5 ftB&B	12.00	9.00	
	15.00	12.50	
6 to 8 ftB&B			15.00
8 to 10 ftB&B			
8 to 10 ft. spec	35.00		
Larger sizes quoted on requ	uest.		
kobus nana compacta. 8'			
18 to 24 inB&B	10.00		
liliflora. Lily Magnolia. 10'			
2 to 3 ftB&B	15.00		
3 to 4 ftB&B	20.00		
4 to 5 ftB&B	25.00		
obovata. Whiteleaf Japanese Magno	olia. 50	) <b>'</b>	
8 to 10 ftB&B			
10 to 12 ftB&B	35.00		
salicifolia. Anise Magnolia. 30'			
2 to 3 ftB&B	15.00		
3 to 4 ftB&B	20.00		
sieboldi. Oyama Magnolia. 30'			
2 to 3 ftB&B			
3 to 4 ft			
4 to 5 ftB&B	25.00		
soulangeana. Saucer Magnolia. 20'			
2 to 3 ftB&B			6.00
3 to 4 ft			7.50
4 to 5 ft			10.00
5 to 6 ftB&B		12.50	
6 to 8 ftB&B			
s. lennei. Lenne Saucer Magnolia. 2		0.50	
3 to 4 ft		8.50	
4 to 5 ft		11.50	
5 to 6 ft			
6 to 8 ft			
8 to 10 ft	25.00		
stellata. Star Magnolia. 8'	10.50	11.00	10.00
2 to 3 ftB&B		11.00	10.00
3 to 4 ft		13.50	
4 to 5 ftB&B 5 to 6 ftB&B 5		18.00	
6 to 8 ft			
0 to 0 It D&B	00.00		

84 HENRY KOHANKIE & SOIN	
Magnolia 1-4	
stellata rosea. Pinkstar Magnolia. 15'	2001 2001
2 to 3 ftB&B 12.50	0 11.00 10.00
3 to 4 ftB&B 15.00	0 13.50 12.50
4 to 5 ftB&B 20.00	0 18.00 15.00
5 to 6 ftB&B 25.00	0 22.50 20.00
6 to 8 ftB&B 30.00	0 27.50
8 to 10 ftB&B 35.0	0
tripetala. Umbrella Magnolia. 30'	
5 to 6 ftB&B 10.0	
6 to 8 ftB&B 13.5	
8 to 10 ftB&B 20.0	
10 to 12 ftB&B 25.0	
virginiana. (glauca). Sweetbay Magnoli	
2 to 3 ftB&B 5.0	
3 to 4 ftB&B 7.5	
4 to 5 ftB&B 10.0	
5 to 6 ftB&B 15.0	
6 to 8 ftB&B 18.0	
8 to 10 ftB&B 22.5	
10 to 12 ftB&B 35.0	0 30.00
Mahonia aquifolium. Oregongrape. 4'	
15 to 18 in	
18 to 24 in	
24 to 30 in	
30 to 36 inB&B 7.5	0 7.00
repens. Creeping Mahonia. 1'	0.05 0.00
12 to 15 in. spreadB&B 4.0	
15 to 18 in. spread B&B 4.5	
18 to 24 in. spreadB&B 5.5	00.00
Malus adstringens. 12'	00 2.50
4 to 5 ft	
0 00 20 200	7.50
angustifolia. Southern Crabapple. 25'	00 1.50
0 00 =0 =000000000000000000000000000000	7.50
arnoldiana. Arnold Crabapple. 12' 3 to 4 ft 2.6	00 1.50
0.1	
	00 5.00
6 to 8 ft	0.00

			PAINESVILLE, OHIO			85
Malus				1-4 Each	5-24 Each	25 & up Each
			Carmine Crabapple.			
3				2.00	1.50	
4				2.50	2.00	
5				5.00	4.00	
_				7.50	6.00	
			specB&B 3	35.00		
			n Crabapple. 30'	2.00	1.50	
_				2.00	1.50	
				2.50	2.00	
5 6	•••			3.50	3.00	
				6.00	5.00	
			hurica. <i>Manchurian</i> (	8.50		01
				$\frac{2.50}{2.50}$	2.00	U
				3.00	2.50	
_				4.00	3.50	
_	to 8			6.00	5.00	
				8.50	5.00	
8 brevip		, 16. 2,		0.50		
_				2.50	2.00	
				3.00	2.50	
_			Sweet Crabapple. 30		4.50	
			Sweet Cravappie. 30	2.00	1.50	
4				2.50	2.00	
5	to 6			3.50	3.00	
6				6.00	5.00	
•				8.50	7.50	
			lotte. 15'	0.00	1.50	
				2.50		
				3.00		
_				4.00		
9		, 2.00		6.00		
				8.50		
dolga.		, 10		0.00		
		ft.		2.50		
			• • • • • • • • • • • • • • • • • • • •	3.50		
				6.00		
_				8.50		
				20 <b>'</b>		
				4.00		
				5.00		
			Weeping Flg. Apple.	8'		
			spread	4.00		
			spread	5.00		
			spread	8.50		
			-			

	1-4	5-24 25 & up
Malus	Each	Each Each
florentina. Florentine Crabapple. 2	0'	
4 to 5 ft	3.00	
5 to 6 ft	4.00	
6 to 8 ft	6.00	
floribunda. Japanese Flowering Co	rabann	le. 20'
3 to 4 ft	2.00	1.50
4 to 5 ft	2.50	2.00
5 to 6 ft	5.00	4.00
6 to 8 ft	7.50	6.00
8 to 10 ft. specimenB&B	35.00	
fusca. Oregon Crabapple. 20'		
4 to 5 ft	2.50	2.00
5 to 6 ft	3.50	3.00
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
glaucescens. Dunbar Crabapple. 12	P*	
3 to 4 ft	2.00	1.50
4 to 5 ft	2.50	2.00
5 to 6 ft	3.50	3.00
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
halliana. Hall's Crabapple. 15'		
4 to 5 ft	5.00	
5 to 6 ft	6.00	
6 to 8 ft	7.50	
8 to 10 ft	10.00	
halliana parkmani. Hall's Parkma	n $Cral$	papple. 15'
3 to 4 ft	2.50	2.25
4 to 5 ft	3.00	2.75
5 to 6 ft	4.00	3.50
6 to 8 ft	6.50	5.50
hopa. Red Flowering Crabapple. 1:	2'	
4 to 5 ft	3.00	2.50
5 to 6 ft	4.00	3.50
6 to 8 ft	6.00	5.50
8 to 10 ft	8.50	7.50
hupehensis (theifera). 20'		
4 to 5 ft	3.00	2.75
	4.00	3.50
6 to 8 ft	6.00	5.50

Malus	1-4 Each	5-24 25 & up Each Each
h. rosea (theifera rosea). 20'		
4 to 5 ft	3.00	2.50
5 to 6 ft	4.00	3.50
6 to 8 ft	6.00	5.50
8 to 10 ft	8.50	7.50
ioensis. Prairie Crabapple. 25'		
3 to 4 ft	2.50	2.00
4 to 5 ft	3.00	2.50
5 to 6 ft	3.50	3.00
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
ioensis plena. Bechtel Crabapple.	<i>15</i> ′	
3 to 4 ft		2.25 2.00
4 to 5 ft	3.00	2.75
5 to 6 ft	4.00	3.50
6 to 8 ft	6.50	5.50
Katherine. Deep Pink Crabapple.	20 <b>'</b>	
4 to 5 ft	6.00	
5 to 6 ft	7.50	
6 to 8 ft	10.00	
micromalus. Midget Crabapple. 1	0'	
4 to 5 ft	2.50	
5 to 6 ft	3.50	
6 to 8 ft	6.00	
8 to 10 ft	8.50	
niedzwetzkyana. Redvein Crabapj	ole. 20'	
3 to 4 ft	2.50	2.00
4 to 5 ft	3.00	2.50
5 to 6 ft	3.50	3.00
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
Oekonemurat Echtermeyer. 15'		
3 to 4 ft	2.50	
4 to 5 ft	3.00	
5 to 6 ft	4.00	
platycarpa. Bigfruit Crabapple. 2s	5 <b>'</b>	
3 to 4 ft	3.50	
4 to 5 ft	5.00	
Prince Georges. Dbl. Pink Crabapy		
4 to 5 ft	6.00	
5 to 6 ft	7.50	

Malus				1-4 Each	5-24 25 & up Each Each
purpur	ea.	P	urple Crabapple. 15'		
			ft	2.50	2.00
			ft	3.00	2.50
5	to		ft	4.00	3.50
6			ft	6.00	5.00
8 1			ft	8.50	7.50
purpur	ea a	ald	enhamensis.		
Alc	denh	an	Purple Crabapple.	15'	
4	to	5	ft	3.00	2.50
5	to	6	ft	4.00	3.50
6	to	8	ft	6.00	5.00
8	to 1	0	ft	8.50	7.50
purpur	ea (	ele	yi. Eley Purple Cra	bapple.	<i>15</i> ′
3			ft	2.50	2.00
4	to	5	ft	3.00	2.50
5	to	6	ft	4.00	3.50
6	to		ft	6.00	5.00
8	to 1		ft	8.50	7.50
purpur	ea l	ler	noinei. Lemoine Purp	ole Crab	apple. 15'
3	to	4	ft	2.50	
4	to	5	ft	3.00	
5	to	6	ft	4.00	
prunif	olia	ri	nkı. Chinese Pearleaf	Crabapp	ole. 15'
4	to	5	ft	3.00	2.50
5	to	6	ft	4.00	3.50
6	to	8	ft	6.00	5.00
8	to 1	0	ft	8.50	7.50
robusi	a. (	Ch	erry Crabapple. 15'		
3	to	4	ft	2.50	
4	to	5	ft	3.00	
5	to	6	ft	4.00	
6	to	8	ft	6.00	
robust	a er	eci	ta. Column Cherry Cr	abapple.	15'
4	to	5	ft	3.00	
5	to	6	ft	4.00	
6	to	8	ft	6.00	
8	to 1	0	ft	8.50	
robust	a le	uc	ocarpa.		
Ye	ellore	y-f1	ruited Cherry Crabapp	le. 15'	
			$\mathbf{ft.}. \dots \dots \dots \dots \dots$	6.00	
8	to 1	0	ft	8.50	

Malus	1-4 Each	5-24 25 Each E	
robusta persicifolia. Peachleaf Che	rru Cro	ibannle.	<i>15</i> ′
4 to 5 ft	4.00	3.50	
5 to 6 ft	5.00	4.50	
6 to 8 ft	6.00		
8 to 10 ft	8.50		
sargenti. Sargent Crabapple. 8'			
3 to 4 ft	3.50	3.00	
4 to 5 ft	5.00		
scheideckeri. Scheidecker Crabappl	e. 20'		
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	3.00	2.75
6 to 8 ft	6.00	5.00	4.50
8 to 10 ft	8.50	7.50	
sieboldi. Toringo Crabapple. 15'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	6.00	5.00	4.50
8 to 10 ft	8.50	7.50	
spectabilis. Chinese Crabapple. 15'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	3.00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
spectabilis albiplena.			
Double White Chinese Crabappl	e. 15'		
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	3.00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
sublobata. Yellow Autumn Crabapp	le. 15'		
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
theifera. (see hupehensis)			
toringoides. Cutleaf Crabapple. 15'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	

Malus	1-4		25 & up Each
tschonoski. 20'	Each	Each	Faci
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	<b>3.</b> 50		
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
yunnanensis veitchi. Veitch Yunna	n Crab	papple.	25'
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	3.50		
6 to 8 ft	6.00		
8 to 10 ft	8.50		
zumi. Zumi Crabapple. 15'			
5 to 6 ft	3.50	3.00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
zumi calocarpa. 15'			
5 to 6 ft	4.00	3.50	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
Morus alba tatarica. Russian Mulberry.	60 <b>'</b>		
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.75	
1½ to 1¾ in	4.50	4.00	
1¾ to 2 in	7.50	6.00	
	10.00	7.50	
alba pendula. Weeping Mulberry.			
2 year heads	6.00		
Myrica carolinensis. (see pennsylvanic	a)		
cerifera. Southern Waxmyrtle. 5'	<b>u</b> ,		
18 to 24 inB&B	4.00	3.50	3.25
2 to 3 ftB&B			
3 to 4 ft. heavyB&B		10.00	2.00
4 to 5 ft. heavyB&B		12.50	
gale. Sweetgale. 4'			
18 to 24 inB&B	3.50	3.00	
2 to 3 ftB&B	5.00	4.00	
pennsylvanica. Northern Bayberry.			
18 to 24 inB&B		3.50	3.25
24 to 30 inB&B	5.00	4.75	4.50
Nandina domestica. Nandina. 8'			
12 to 15 in. from pots	1.50		

	1-4	5-94	25 & up
Neillia longiracemosa. 10'	Each		Each
2 to 3 ft	1 95	1.10	1.00
	1.75	1.50	
		2.00	
4 to 5 ftsinensis. Chinese Neillia. 6'	2.25	2.00	1.75
	1.05	1 10	1.00
2 to 3 ft	1.25	1.10	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft		2.00	1.75
Nemopanthus mucronata. Mountain Ho		0 <b>'</b>	
° 4 to 5 ft	5.00		
Neviusia alabamensis. Snow-wreath. 6'			
2 to 3 ft	2.25	1.75	
3 to 4 ft	2.75	2.25	
Nyssa aquatica. Water Tupelo. 40'			
8 to 10 ft	25.00		
sylvatica. Black Tupelo. 40'	20,00		
4 to 5 ftB&B	10.00		
5 to 6 ftB&B			
8 to 10 ft			
1½ to 1½ in			
1½ to 1¾ in			
134 to 2 in			
2 to 2½ in		35.00	
2½ to 3 inB&B			
3 to 3½ in			
3½ to 4 inB&B 8			
sylvatica pendula. Weeping Black			
12 to 14 ftB&B		<b>0. 2</b> 0	
Octava virginiana American Henberghe	0.00.000	/O'	
Ostrya virginiana. American Hophornbe			
		6.00	
8 to 10 ft		0.00	
*Oxydendrum arboreum. Sourwood. 40		4.00	0.50
2 to 3 ftB&B	4.50	4.00	3.50
	6.00	5.00	4.50
	8.50	7.50	7.00
5 to 6 ftB&B 1		11.00	10.00
6 to 8 ftB&B		13.50	
8 to 10 ftB&B			
	30.00		
Pachistima canbyi. Canby Pachistima.	1'		
3 inch pots	1.75	1.50	1.25

1-4 Each		25 & up Each
Parrotia persica. Persian Parrotia. 15'	Laci	Electi
5 to 6 ft		
6 to 8 ft		
0 to 8 1t		
Parthenocissus henryi. Silvervein Creeper. 15	,	
2 year 1.00		
quinquefolia. Virginia Creeper. 35'	40	20
	.40	.30
3 year	.50	.40
4 year	.60	.50
q. engelmanni. Engelmann Virginia Creen	per. 38	54
2 year	.40	.30
3 year	.50	.40
4 year	.60	.50
q. saintpauli. St. Paul Virginia Creeper. 3	35 <b>'</b>	
2 year	.40	.30
3 year	.50	.40
tricuspidata veitchi. Veitch Japanese Cree	ner. 3	5'
2 year	.55	.50
3 year	.70	.65
tricuspidata lowi. Lows Japanese Creeper		.00
2 year from pots 1.25		1.00
2 year from pots 1.25	1.10	1.00
Paulownia tomentosa. Royal Paulownia. 30'		
4 to 5 ft 5.00		
5 to 6 ft		
6 to 8 ft		
8 to 10 ft		
Periploca graeca. Grecian Silkvine. 30'		
2 year 1.00	.80	.75
3 year 1.25	1.00	.95
Perovskia atriplicifolia. 4'		
2 to 3 ft		
2 10 3 10 3.00		
Phellodendron amurense. Amur Corktree. 50'		
6 to 8 ft 4.00	3.50	3.00
8 to 10 ft 5.00	4.50	4.00
1½ to 1½ in 6.00		5.00
1½ to 1¾ in 7.50	6.50	6.00
134 to 2 in	8.50	7.50
	12.50	10.00
2½ to 3 in		
lavallei. Lavalle Corktree. 30'	4	
2 to 2½ in	14.00	
2½ to 3 in 20.00		

			1-4 Each	5-24 Each	25 & up Each
Philadelph	us	coronarius. Sweet Mockon	ange.	10'	
	to	3 ft	.85	.65	.60
3	to	4 ft	1.25	.85	.80
4	to	5 ft	1.50	1.25	1.10
5	to	6 ft	2.00	1.60	1.35
	to	8 ft	2.25	2.00	1.75
		s aureus. Golden Mockord	-	*	1.05
		24 in	1.50	1.35	1.25
24	το	30 in	1.75	1.50	
corona	ariu	s nanus. Dwarf Sweet Me	ockora	nge. 4'	
12	to	15 in	1.00	.80	
15	to	18 in	1.25	1.00	
corona	ariv	s plenus. Double Sweet 1	Mocko	ranae.	6'
		24 in		-	.75
	to	3 ft		1.10	.95
				,	101
		s speciosissimus. Roundlee	$\frac{uf}{1.50}$	$rac{c\kappa orang}{1.25}$	e. 10'
		5 ft	2.00	1.50	
		6 ft	2.50		
				2.00	
		Atlas. Giant Mockorange.	8'		
		3 ft	1.25	1.00	
		4 ft	1.50	1.25	
4	to	5 ft	2.00	1.50	
c. Ban	nie	re. 8'			
2	to	3 ft	.85	.70	.65
3	to	4 ft	1.25	.85	.80
4	to	5 ft	1.50	1.25	1.10
c. Nor	ma	. 8'			
2	to	3 ft	.85	.65	.60
3	to	4 ft	1.25	.85	.80
4	to	5 ft	1.50	1.25	1.10
c Voi	. T	actee. 6'			
		3 ft	1.00	.80	
		4 ft	1.25	1.00	
		5 ft	1.50	1.00	
_			1.00		
		Falconers Mockorange. 8'	1.0-	6=	
		4 ft	1.25	.85	.80
		5 ft	1.50	1.25	1.10
5	to	6 ft	2.00	1.60	1.35

	1·4 Each		25 & up Each
Philadelphus	Liden	2300-1	
gordonianus. Gordon Mockorange.	12'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
grandiflorus. Big Scentless Mockor	ange.	8'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
incanus. Gray Mockorange. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
inodorus. Scentless Mockorange. 10'			
3 to 4 ft	2.00		
lemoinei. Avalanche. 5'			
2 to 3 ft	1.25	1.00	
lemoinei Dame Blanche. 6'			
2 to 3 ft	1.25	1.00	
lemoinei erectus. Erect Lemoine A			.,
2 to 3 ft	1.00	.80	.75
3 to 4 ft			.90
lemoinei Pyramidale. 5'	1.20	1.00	.50
3 to 4 ft	1.25	.90	
4 to 5 ft	1.35		
	1.00	1.20	
lewisi. Lewis Mockorange. 10' 2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
magdalenae. Magdalena Mockorange		1.00	1.00
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
nepalensis. Nepal Mockorange. 10'	1.20	.00	.00
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
			2.,,0

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
nivalis. Snowbank Mockorange. 10			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
polyanthus Favorite. 10'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	
p. Gerbe de Neige. 6'			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.25	1.00	
p. Pavillon Blanc. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
purpureo-maculatus Etoile Rose.	6'		
2 to 3 ft	1.50		
purpureo-maculatus Ophelia. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	
p. Sybille. 5'			
2 to 3 ft	1.25	1.00	
sericanthus. Silk Mockorange. 12'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
splendens. Splendens Mockorange.	10'		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	1.75	
5 to 6 ft	2.75	2.25	
virginalis Albatre. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
v. Argentine. 5'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50		

Philadelphus	1-4 Each	5-24 Each	25 & up Each
v. Bouquet Blanc. 5'	шасп	Each	Each
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.25	
v. Glacier. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	
v. virginal. 8'			
2 to 3 ft	.90	.75	.65
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.50	1.25	1.15
5 to 6 ft	2.00	1.65	1.35
zeyheri. Zeyher Mockorange. 10'	4 = 0		
3 to 4 ft	1.50		
Photinia villosa. Oriental Photinia. 15'	4.0=	4.40	4.00
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	3.50
villosa laevis. Smooth Oriental Pho		15' 2.00	1.75
4 to 5 ft	2.50	2.50	2.00
5 to 6 ft	4.00	3.50	3.00
6 to 8 ft	4.00	5.50	3.00
Dwarf Illinois Ninebark. 4'			
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.50	1.25	1.10
opulifolius. Common Ninebark, 10'	2100	1.20	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
opulifolius luteus. Goldleaf Nineba	rk. 16	)°	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
opulifolius nanus. Dwarf Common	Nineb	ark. 5'	
2 to 3 ft	1.00	.85	.80
3 to 4 ft	1.25	1.15	1.10
4 to 5 ft	1.50	1.35	1.25

	Each		Each 25 & up
Picea abies (excelsa). Norway Spruce.		0-24 ·	25 & up
2 ft	5.00	4.50	4.00
3 ft		6.50	6.00
4 ft		9.50	9.00
	15.00	13.50	12.50
6 ft		16.00	15.00
7 ft		18.00	15.00
8 ft		10.00	
For larger sizes to 25 ft., add 5		per foot	•
abies aurea. Golden Norway Spruc	e. 75'		
4 ft			
5 ft			
6 ft	18.00		
For larger sizes to 12 ft., add \$		er foot.	
abies clanbrasiliana. Barry Norway	_		
2 ft		we. 7	
3 ft			
4 ft			
abies ellwangeriana. Ellwanger No		Spruce.	10°
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ftB&B	20.00		
abies maxwelli. Maxwell Norway S	pruce.	<i>6</i> ′	
18 to 24 inB&B	8.50	7.50	
24 to 30 inB&B	12.50	10.00	
30 to 36 inB&B	15.00		
abies nana. Dwarf Norway Spruce.	4'		
18 to 24 inB&B			
24 to 30 inB&B	12.50		
30 to 36 inB&B			
36 to 42 in			
abies parviformis.			
Dwarf Pyramid Norway Spruce.	4'		
4 ft			
abies pendula. Weeping Norway St		20'	
3 ft			
4 ft			
5 ft			
6 ft			
For larger sizes to 12 ft., add \$		er foot.	
abies procumbens. Prostrate Norw			
2½ ft. spd			
3 ft. spd			
o it. spanbab			

1.4		5 & up
Picea Each	Each	Each
abies pygmea. Pygmy Norway Spruce. 2	0 <b>'</b>	
2 ftB&B 15.00		
abies remonti. Remont Norway Spruce. 6	,	
24 to 30 in		
30 to 36 in		
36 to 42 in		
42 to 48 in		
48 to 54 inB&B 27.50		
alba. (see glauca)		
asperata. Dragon Spruce. 60'		
2 ftB&B 10.00		
3 ft		
bicolor. (alcockiana). Alcock Spruce. 75	,	
4 ft		
5 ft		
6 ftB&B 25.00		
engelmanni. Engelmann Spruce. 75'	11.00	10.00
3 ft	11.00	10.00
4 ft	12.50	
5 ft B&B 18.00		
6 ft	<i>5</i> '	
4 ft		
5 ft		
glauca. (alba). White Spruce. 50'		
2 ft	4.75	4.50
3 ftB&B 8.00	6.75	6.25
4 ft	10.00	9.50
5 ft	12.50	12.00
6 ftB&B 17.50	16.50	15.00
7 ftB&B 20.00		
g. aurea. Golden White Spruce. 30'		
2 ftB&B 10.00		
5 ft B&B 17.50		
g. conica. Dwarf Alberta Spruce. 6'		
3 ft		. *
g. densata. (canadensis). Black Hills Sp.		
2 ft	4.75	4.50
3 ft	6.75 10.00	
4 ft	12.50	
6 ft	12.00	
7 ft		
8 ft		
U 11		

Picea	01110	1-4 Each		5 & up Each
koyamai. Koyama Spruce. 3				
3 ft				
4 ft	B&B	15.00	12.50	
mariana doumeti. Doumet H			25'	
3 ft	B&B	12.50		
omorika. Serbian Spruce. 50				
3 ft			10.00	
4 ft			12.50	
5 ft				
6 ft				
For larger sizes to 9 ft.		\$7.50	per foot	
orientalis. Oriental Spruce.				
2 ft			7.50	
3 ft			10.00	
4 ft		15.00		
5 ft				
6 ft			C 4	
For larger sizes to 10 ft.		\$7.50 p	er toot	
pungens. Colorado Spruce.		F 00	A 17 E	4.50
2 ft			4.75	6.25
3 ft			6.75	
4 ft			10.00	9.50
5 ft			13.50	12.50
6 ft	.B&B	20.00	18.50	
For larger sizes to 9 ft.	, add	\$7.50 I	per 100t	,
pungens glauca. Blue Color	ado Si	pruce.	9.00	8.50
2 ft			$\frac{9.00}{12.00}$	11.50
3 ft			17.50	17.00
4 ft	. —	20.00	23.50	22.50
5 ft	B&B.	20.00		27.50
6 ft	B&B.	30.00		21.50
7 ft			32.50	
pungens kosteriana. Koster	Blue D8-D	Spruce	9.00	
2 ft	D&D.	15.00	12.50	
2½ ft			18.00	
3 ft			22.50	
3½ ft	DS-D	20.00	25.00	
4 ft			30.00	
4½ ft	D&D.	40.00	35.00	
			40.00	
5½ ft	D&D.	50.00	45.00	
			50.00	
7 ft	D&D.	60.00	55.00	
8 ft	awa. Ma	\$7.50		t.
For larger sizes to 25 1	., auu	Ψ1.00	PC1 100	•

	1-4 Each		25 & uj Each
Picea			
pungens moerheimi. Moerheim Bla		ce. 40'	
2½ ft			
3 ft			
3½ ft			
4 ftB&B			
5 ft			
6 ft	50.00		
sitchensis. Sitka Spruce. 40'			
3 ft	10.00	8.00	
4 ft	12.50		
5 ft	15.00		
wilsoni. Wilson Spruce. 50'			
2 ft	7.50		
3 ft			
<b>71.</b>	10.00		
Disnis floribunds 24 4 5 75 4			
Pieris floribunda. Mountain Pieris. 4'	0.50		
18 to 24 inB&B	8.50		
japonica. Japanese Pieris. 10'			
15 to 18 inB&B	6.00		
18 to 24 inB&B	7.50		
Pinus banksiana. Jack Pine. 60'			
2 ftB&B		5.00	4.50
3 ftB&B	8.00	7.00	6.50
4 ftB&B	11.00	10.00	9.00
5 ftB&B	15.00	13.50	12.50
6 ft	18.00	15.00	
7 ft	25.00		
For larger sizes to 18 ft., add	\$10.00	per f	oot.
bungeana. Lacebark Pine. 60'			
2 ftB&B	10.00		
3 ftB&B			
9 ftB&B			
For larger sizes to 14 ft., add		per	foot.
cembra. Swiss Stone Pine. 70'			
3 ftB&B	15.00		
4 ft			
	30100		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

densiflora. Japanese Red Pine. 60'  3 ft	Pinus	1-4 Each		25 & up Each
3 ft.	densiflora. Japanese Red Pine. 60		Each	Each
4 ft. B&B 12.50 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 25.00 8 ft. B&B 30.00  densiflora umbraculifera. Tanyosho Pine. 2 ft. B&B 15.00  flexilis. Limber Pine. 30' 2 ft. B&B 12.50 10.00 4 ft. B&B 15.00  For larger sizes to 16 ft., add \$10.00 per foot.  jeffreyi. Jeffrey Pine. 50' 3 ft. B&B 15.00 4 ft. B&B 20.00  koraiensis. Korean Pine. 35' 3 ft. B&B 18.00  mugo. (montana). Swiss Mountain Pine. 10' 18 in. B&B 18.00  mugo. (montana). Swiss Mountain Pine. 10' 18 in. B&B 14.00 12.50 3 ft. B&B 15.00 4 ft. B&B 15.00 4 ft. B&B 15.00 2 ft. B&B 10.00 3½ ft. B&B 15.00 4 ft. B&B 15.00 3½ ft. B&B 15.00 4 ft. B&B 15.00 3½ ft. B&B 16.00 3½ ft. B&B 16.00 3½ ft. B&B 16.00 3½ ft. B&B 17.00 3½ ft. B&B 18.00  mugo mughus. Mugho Swiss Mountain Pine. 4' 15 to 18 in. spd. B&B 6.00 5.00 18 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 18.00 15.00				
5 ft.				
6 ft. B&B 18.00 7 ft. B&B 25.00 8 ft. B&B 30.00  densiflora umbraculifera. Tanyosho Pine. 2 ft. B&B 15.00  flexilis. Limber Pine. 30' 2 ft. B&B 10.00 7.50 3 ft. B&B 12.50 10.00 4 ft. B&B 15.00  For larger sizes to 16 ft., add \$10.00 per foot.  jeffreyi. Jeffrey Pine. 50' 3 ft. B&B 15.00 14.00 4 ft. B&B 20.00  koraiensis. Korean Pine. 35' 3 ft. B&B 18.00  mugo. (montana). Swiss Mountain Pine. 10' 18 in. B&B 7.50 7.00 6.50 2 ft. B&B 10.00 8.00 2½ ft. B&B 14.00 12.50 3 ft. B&B 35.00  4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4' 15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 10.00 8.00 3½ to 4 ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 18.00 15.00				
7 ft. B&B 25.00 8 ft. B&B 30.00  densiflora umbraculifera. Tanyosho Pine. 2 ft. B&B 15.00  flexilis. Limber Pine. 30' 2 ft. B&B 10.00 7.50 3 ft. B&B 12.50 10.00 4 ft. B&B 15.00  For larger sizes to 16 ft., add \$10.00 per foot.  jeffreyi. Jeffrey Pine. 50' 3 ft. B&B 15.00 14.00 4 ft. B&B 20.00  koraiensis. Korean Pine. 35' 3 ft. B&B 15.00 4 ft. B&B 18.00  mugo. (montana). Swiss Mountain Pine. 10' 18 in. B&B 7.50 7.00 6.50 2 ft. B&B 10.00 8.00 2½ ft. B&B 14.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4' 15 to 18 in. spd. B&B 6.00 5.00 18 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 10.00 15.00 3½ to 4 ft. spd. B&B 18.00 15.00				
8 ft.       B&B 30.00         densiflora umbraculifera. Tanyosho Pine.         2 ft.       B&B 15.00         flexilis. Limber Pine. 30'         2 ft.       B&B 10.00         3 ft.       B&B 12.50         10.00       4 ft.         10.00       5.00         10.00       5.00         10.00				
### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 16.00  #### 16.00  #### 16.00  #### 16.00  #### 16.00  #### 16.00  #### 16.00  #### 16.00  ##### 16.00  ##### 16.00  ##################################				
### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 15.00  ### 16.00  #### 16.00  #### 16.00  #### 16.00  #### 16.00  #### 16.00  #### 16.00  #### 16.00  ##### 16.00  ##### 16.00  ##################################	densiflora umbraculifera. Tanyosh	o Pine	3.	
2 ft	· · · · · · · · · · · · · · · · · · ·			
3 ft. B&B 12.50 10.00 4 ft. B&B 15.00  For larger sizes to 16 ft., add \$10.00 per foot.  jeffreyi. Jeffrey Pine. 50' 3 ft. B&B 15.00 14.00 4 ft. B&B 20.00  koraiensis. Korean Pine. 35' 3 ft. B&B 15.00 4 ft. B&B 18.00  mugo. (montana). Swiss Mountain Pine. 10' 18 in. B&B 7.50 7.00 6.50 2 ft. B&B 10.00 8.00 2½ ft. B&B 14.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4' 15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00	flexilis. Limber Pine. 30'			
### A company of the content of the	2 ftB&B	10.00	7.50	
For larger sizes to 16 ft., add \$10.00 per foot.  jeffreyi. Jeffrey Pine. 50' 3 ft	3 ftB&B	12.50	10.00	
jeffreyi. Jeffrey Pine. 50'  3 ft.	4 ftB&B	15.00		
3 ft. B&B 15.00 14.00 4 ft. B&B 20.00  koraiensis. Korean Pine. 35'  3 ft. B&B 15.00 4 ft. B&B 15.00  4 ft. B&B 18.00  mugo. (montana). Swiss Mountain Pine. 10'  18 in. B&B 7.50 7.00 6.50 2 ft. B&B 10.00 8.00 2½ ft. B&B 14.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 25.00 4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4' 15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 6.00 5.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 18.00 15.00	For larger sizes to 16 ft., add	\$10.00	0 per fo	oot.
koraiensis. Korean Pine. 35'  3 ft	jeffreyi. Jeffrey Pine. 50'			
koraiensis. Korean Pine. 35'  3 ft			14.00	
3 ft. B&B 15.00 4 ft. B&B 18.00  mugo. (montana). Swiss Mountain Pine. 10' 18 in. B&B 7.50 7.00 6.50 2 ft. B&B 10.00 8.00 2½ ft. B&B 14.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 25.00 4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4' 15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 18.00 15.00	4 ftB&B	20.00		
4 ft.       B&B 18.00         mugo. (montana). Swiss Mountain Pine. 10'         18 in.       B&B 7.50 7.00 6.50         2 ft.       B&B 10.00 8.00         2½ ft.       B&B 14.00 12.50         3 ft.       B&B 18.00 15.00         3½ ft.       B&B 25.00         4 ft.       B&B 35.00            mugo mughus. Mugho Swiss Mountain Pine. 4'         15 to 18 in. spd.       B&B 6.00 5.00         18 to 24 in. spd.       B&B 7.50 7.00         2 to 2½ ft. spd.       B&B 10.00 8.00         2½ to 3 ft. spd.       B&B 14.00 12.50         3 to 3½ ft. spd.       B&B 18.00 15.00         3½ to 4 ft. spd.       B&B 25.00	koraiensis. Korean Pine. 35'			
mugo. (montana). Swiss Mountain Pine. 10'         18       in.       B&B 7.50 7.00 6.50         2       ft.       B&B 10.00 8.00         2½ ft.       B&B 14.00 12.50         3       ft.       B&B 18.00 15.00         3½ ft.       B&B 25.00         4       ft.       B&B 35.00          mugo mughus. Mugho Swiss Mountain Pine. 4'         15       to 18       in. spd.       B&B 6.00 5.00         18       to 24       in. spd.       B&B 7.50 7.00         2       to 2½ ft. spd.       B&B 10.00 8.00         2½ to 3       ft. spd.       B&B 14.00 12.50         3       to 3½ ft. spd.       B&B 18.00 15.00         3½ to 4       ft. spd.       B&B 25.00	3 ftB&B	15.00		
18 in. B&B 7.50 7.00 6.50  2 ft. B&B 10.00 8.00  2½ ft. B&B 14.00 12.50  3 ft. B&B 18.00 15.00  3½ ft. B&B 25.00  4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4′  15 to 18 in. spd. B&B 6.00 5.00  18 to 24 in. spd. B&B 7.50 7.00  2 to 2½ ft. spd. B&B 10.00 8.00  2½ to 3 ft. spd. B&B 14.00 12.50  3 to 3½ ft. spd. B&B 14.00 12.50  3 to 3½ ft. spd. B&B 18.00 15.00  3½ to 4 ft. spd. B&B 25.00	4 ftB&B	18.00		
2 ft. B&B 10.00 8.00 2½ ft. B&B 14.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 25.00 4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4′ 15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00	mugo. (montana). Swiss Mountain	Pine.	<i>10</i> <b>′</b>	
2½ ft. B&B 14.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 25.00 4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4′ 15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00	18 inB&B	7.50	7.00	6.50
3 ft. B&B 18.00 15.00 3½ ft. B&B 25.00 4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4′ 15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00				
3½ ft. B&B 25.00 4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4′ 15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00				
4 ft. B&B 35.00  mugo mughus. Mugho Swiss Mountain Pine. 4'  15 to 18 in. spd. B&B 6.00 5.00  18 to 24 in. spd. B&B 7.50 7.00  2 to 2½ ft. spd. B&B 10.00 8.00  2½ to 3 ft. spd. B&B 14.00 12.50  3 to 3½ ft. spd. B&B 18.00 15.00  3½ to 4 ft. spd. B&B 25.00			15.00	
mugo mughus.       Mugho Swiss Mountain Pine.       4'         15       to 18       in. spd.       B&B 6.00 5.00         18       to 24       in. spd.       B&B 7.50 7.00         2       to 2½ ft. spd.       B&B 10.00 8.00         2½ to 3 ft. spd.       B&B 14.00 12.50         3 to 3½ ft. spd.       B&B 18.00 15.00         3½ to 4 ft. spd.       B&B 25.00				
15 to 18 in. spd. B&B 6.00 5.00 18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00	4 It	33.00		
18 to 24 in. spd. B&B 7.50 7.00 2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00				
2 to 2½ ft. spd. B&B 10.00 8.00 2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00	*			
2½ to 3 ft. spd. B&B 14.00 12.50 3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00	_			
3 to 3½ ft. spd. B&B 18.00 15.00 3½ to 4 ft. spd. B&B 25.00	_			
3½ to 4 ft. spd B&B 25.00				
•	_		10.00	
	_			

Pinus 1-4 Each	5-24 Each	25 & up Each
nigra. Austrian Pine. 50'		
2 ftB&B 8.50	7.50	7.00
	11.00	
4 ftB&B 18.00	15.00	
5 ft	20.00	
6 ft		
For larger sizes to 15 ft., add \$10.00	per f	oot.
parviflora. Japanese White Pine. 50'		
3 ftB&B 15.00		
4 ftB&B 20.00		
peuce. Balkan Pine. 20'		
3 ft		
4 ft		
5 ft		
6 ft		
7 ftB&B 30.00		
For larger sizes to 12 ft., add \$10.00	per :	foot.
ponderosa. Ponderosa Pine. 60'		
3 ftB&B 8.50	7.50	
4 ftB&B 11.00	9.00	
5 ft	12.50	
6 ft	15.00	
For larger sizes to 10 ft., add \$10.00		
ponderosa scopulorum. Rocky Mt. Pondero.		ne. 50'
3 ft		
4 ft		
5 ftB&B 22.50 2	20.00	
resinosa. Red Pine. 50'		
2 ftB&B 8.50	7.50	7.00
3 ftB&B 12.50	11.00	10.00
4 ft	15.00	
5 ftB&B 22.50 2	20.00	
6 ftB&B 30.00	,	
For larger sizes to 12 ft., add \$10.00 j	per f	oot.
rigida. Pitch Pine. 25'		
6 ft		
7 ftB&B 27.50		
strobus. Eastern White Pine. 75'		
2 ftB&B 8.00	7.00	6.50
3 ft	10.00	9.50
4 ftB&B 18.00	15.00	

•			
Pinus	1-4		25 & up
sylvestris. Scotch Pine. 50'	Each	Each	Each
2 ftB&B	6.50	5.50	5.00
3 ft		8.00	7.50
4 01	15.00	12.50	
- a.	18.00	15.00	
6 ft		20.00	
For larger sizes to 10 ft., add			oot.
thunbergi. Japanese Black Pine. 60		1001	
4 ft			
5 ft			
For larger sizes to 12 ft., add		nor f	not
= 01 1d1g01 51205 to 12 10., add	φ10.00	per r	oot.
Platanus occidentalis. American Planet	ree. 78	ō'	
	4.00	3.25	3.00
8 to 10 ft	5.25	4.75	4.50
	7.50	6.75	6.50
	11.00	9.50	9.00
13/4 to 2 in	15.00	12.50	11.50
	18.00	15.00	
	25.00	20.00	
acerifolia. Oriental Planetree. 80'			
6 to 8 ft	4.00	3.25	3.00
8 to 10 ft	5.25	4.75	4.50
1½ to 1½ in	7.50	6.75	6.50
1½ to 1¾ in	11.00	9.50	9.00
1¾ to 2 in	15.00	12.50	3.00
2 to 2½ in	18.00	15.00	
2½ to 3 in	25.00	20.00	
2/2 00 0 111,	20.00	20.00	
Polygonum auberti. Silvervine Fleecefl	lower.	25 <b>'</b>	
2 year	.85	.70	.60
Populus alba. White Poplar. 60'			
6 to 8 ft	3.50	3.00	2.75
10 to 12 ft	5.50	4.50	4.25
13/4 to 2 in	6.50	5.50	
2 to 2½ in	10.00		
alba bolleana. Bolleana Poplar. 50	) <b>'</b>		
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	3.00	2.50
1¼ to 1½ in	4.50	4.00	3.50
1½ to 1¾ in	6.00	5.00	
1¾ to 2 in	8.50	7.50	
2 to 2½ in	10.00		

Populus	1-4 Each	5-24 Each	25 & up Each
alba nivea. Silver Poplar. 90'	Hach	1300 C x 2	2217011
6 to 8 ft	3.75	3.00	
8 to 10 ft	4.50	4.00	
10 to 12 ft	5.50	5.00	
2 to 2½ in	10.00		
berolinensis. Berlin Poplar. 40'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1¼ to 1½ in	4.50	4.00	3.50
1½ to 1¾ in	5.50	5.00	
13/4 to 2 in	6.50	6.00	
2 to 2½ in	10.00	8.50	
candicans. Balm of Gilead. 90'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1¼ to 1½ in	4.50	4.00	3.50
1½ to 1¾ in	5.50	5.00	4.00
koreana. Korean Poplar. 60'			
8 to 10 ft	7.50		
	12.50		
	,		
maximowiczi. Japanese Poplar. 40'		3.50	
8 to 10 ft	4.00 5.00	3.50	
10 to 12 ft	7.50		
	12.50		
2 10 272 111	12.00		
nigra betulifolia. Birchleaf Black I	Poplar.	<i>60</i> ′	
6 to 8 ft		3.00	2.75
8 to 10 ft		3.75	3.50
	7.50	6.00	5.50
	10.00	9.00	8.50
2½ to 3 in	15.00	12.50	
nigra italica. Lombardy Poplar. 60	) <b>'</b>		
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.35
10 to 12 ft	2.25	2.00	1.75
1½ to 1¾ in	3.00	2.50	2.25
13/4 to 2 in	4.50	3.75	3.25
2 to 2½ in	6.50	5.50	5.00
	12.00	10.00	8.50
3 to 3½ in	15.00	12.50	

Populus	1-4		25 & up
simoni. Simon Poplar. 35'	Each	Each	Each
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
1¼ to 1½ in	5.00	4.00	
1½ to 1¾ in	6.00		
1¾ to 2 in	7.50		
suaveolens. Mongolian Poplar. 40'			
8 to 10 ft	4.00	3.50	
1¼ to 1½ in	500	4.50	
1½ to 1¾ in	6.50	6.00	
1¾ to 2 in	10.00	7.50	
	12.50	10.00	
tremuloides. Quaking Aspen. 50'			
6 to 8 ft	4.00		
8 to 10 ft	5.00		
1½ to 1½ in	7.50		
	12.50		
trichocarpa. California Poplar. 40'	0.50		
6 to 8 ft	3.50	3.00	
	4.00	3.50	
	4.50	4.00	
	6.00 7.50	4.50	
	10.00		
	15.00		
Potentilla fruticosa. Bush Cinquefoil. 4		0.5	n c
18 to 24 in		.85	.75
	1.25	1.00	
Gold Drop. 2½'  12 to 15 in	1.50		
Prinsepia sinensis. Cherry Prinsepia. 6		1 75	
12 to 15 in., from pots		1.75	
	10.00		
Prunus americana. American Plum. 20'	1.05	1.00	O.F.
4 to 5 ft.	1.25	1.00	.85
5 to 6 ft	2.00	1.50	1.25
6 to 8 ft	4.00	$\frac{2.50}{3.50}$	$\frac{2.00}{3.00}$
americana Newport.	1.00	3.50	3.00
Purpleleaf American Plum. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	3.00
6 to 8 ft	4.00	3.50	

Prunus	1-4 Each	5-24 2 Each	5 & up Each
*avium plena.			
Double White Flowering Cherry	. 30'		
6 to 8 ft			
8 to 10 ft	7.50		
Large specimens quoted on re	quest.		
besseyi. Bessey Cherry. 8'			
2 to 3 ft	1.25	1.00	.95
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.75	1.50
cerasifera pissardi. Purpleleaf Plur	n. 12'		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
cistena. Purpleleaf Sand Cherry. 20	)*		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.00	1.00
5 to 6 ft	3.00	2.50	
	<b>0.</b> 00	2.00	
davidiana. David Peach. 25'	250		
4 to 5 ft	3.50		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
davidiana alba. White David Peac			
3 to 4 ft	3.00		
4 to 5 ft	3.50		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
	2 = 0		
	3.50		
glandulosa. Almond Cherry. 10'  2 to 3 ft	75	.65	60
3 to 4 ft	.75		.60
		.85	.75
4 to 5 ftglandulosa albiplena.	1.25	1.00	.90
	,		
Doublewhite Almond Cherry. 6' 2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
2 to 3 ft. own roots		1.40	
glandulosa sinensis. Doublepink		Oham	. 6'
2 to 3 ft		.85	
3 to 4 ft			.80
	1.50	1.25	1.10
2 to 3 ft. own roots	2.00	1.75	
3 to 4 ft. own roots	2.50	2.25	

Prunus	1-4	5-24 2	
hortulana. Hortulan Plum. 30'	Each	Each	Each
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
incisa. Fuji Cherry. 15'			
4 to 5 ft	4.00	3.00	
5 to 6 ft	5.00	4.00	
japonica. Chinese Bush Cherry. 12'			
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.65	1.50
laurocerasus schipkaensis.			
Schipka Laurel Cherry. 10'			
12 to 15 in., 4 in. pots	2.50		
maacki. Amur Chokecherry. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	5.50	5.00	
maritima. Beach Plum. 12'			
2 to 3 ft	1.25	1.00	.95
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.65	1.50
moseri fl. pl. 12'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50		
mume. Japanese Apricot. 15'			
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
mume fl. pl. Dbl. Flg. Japanese Apr	ricot.	<i>15</i> ′	
4 to 5 ft	5.00		
5 to 6 ft	7.50		
6 to 8 ft	0.00		
munsoniana. Wildgoose Plum. 25'			
8 to 10 ft	7.50		
padus. European Bird Cherry. 30'			
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.50	4.00	3.50
8 to 10 ft	5.50	5.00	4.50

Prunus	1-4 Each	5-24 Each	25 & up Each
pennsylvanica. Pin Cherry. 25'	Lacu	Lacu	Lacu
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.50	4.00	
8 to 10 ft	5.50	5.00	
persica. Double Flowering Peach. 1	0'		
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.50		
6 to 8 ft	5.00		
Alboplena — Double Whit	e		
Clara Meyer — Double Pi	nk		
Rosea Plena — Double Pi	nk		
Rubroplena — Double Red	l		
persica pendula. Weeping Flowering	ng Pea	ch. 10	•
3 ft. standards	7.50		
pumila. Sand Cherry. 5'			
2 to 3 ft	1.25	1.10	.95
3 to 4 ft	1.50	1.25	1.10
*sargenti. Sargent Cherry. 50'			
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
8 to 10 ft	7.50		
serotina. Wild Black Cherry. 60'			
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.50	4.00	3.50
8 to 10 ft	5.50	5.00	4.50
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	5.00	4.50	
6 to 8 ft	6.00	5.50	
8 to 10 ft	7.50	7.00	
*serrulata Amayadori. 30'			
	5.00		
6 to 8 ft			
8 to 10 ft			
*serrulata Higantakura. Dbl. Whit	_	Cherr	y. 30'
	4.00		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
	10.00		
*serrulata Hisakura. Dbl. Pink Flg		ry. 30'	
	4.00		
5 to 6 ft	5.00		
6 to 8 ft	7.50		

<b>Pr</b> unus	1-4	5-24 28	5 & up
*serrulata James H. Veitch, syn.	Each Fugenz		Each
5 to 6 ft		0. 00	
6 to 8 ft			
8 to 10 ft.	10.00		
*serrulata Jonioi. Jonioi Oriental (		05'	
4 to 5 ft		89	
5 to 6 ft	5.00		
6 to 8 ft			
8 to 10 ft			
*serrulata lannesiana. Hitoye Che	erru. 30	) <b>'</b>	
5 to 6 ft		4.50	4.00
6 to 8 ft		5.50	5.00
8 to 10 ft	10.00	7.50	7.00
10 to 12 ft	12.50		
*serrulata sirotae. Shirotae Orien	tal Che	rry. 25'	
	4.00		
5 to 6 ft	5.00		
6 to 8 ft			
8 to 10 ft	10.00		
siberica. Siberian Apricot. 12'			
5 to 6 ft			
6 to 8 ft			
8 to 10 ft			
*sieboldi, syn. Naden. Siebold Cher 5 to 6 ft	-		
6 to 8 ft		4.75	
8 to 10 ft			
Large specimens quoted on re			
spinosa. Blackthorn. 12'	equest		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft			
5 to 6 ft	3.50	3.25	3.00
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	6.00	5.50	5.00
spinosa purpurea. Purpleleaf Blac	kthorn.	12'	
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00		
Large specimens quoted on re	equest.		

	1-4	5-24	25 & up
Prunus	Each		Each
*subhirtella ascendens. Shiro-higan	on'		
6 to 8 ft			
0 00 0 10	10.00		
*subhirtella autumnalis. Autumn E	Higan	Cherry.	<b>30</b> *
5 to 6 ft	-		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
Large specimens quoted on re	quest	•	
*subhirtella pendula. Weeping Hig		herry. 1	! <i>5</i> '
2 yr. hds., 4 to 6 ft. stem	12.50		
tenella. Russian Almond. 6'			
4 to 5 ft	5.00		
5 to 6 ft	<b>6.0</b> 0		
tomouteen Handle Oleman 10			
tomentosa. Manchu Cherry. 10' 2 to 3 ft	2.00		
3 to 4 ft	3.00		
4 to 5 ft	4.00		
4 10 3 11.	4.00		
triloba. Flowering Plum. 10'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
trilohn plana Davida Elawaria a Di	1	o'	
triloba plena. Double Flowering Plu  3 to 4 ft		1.50	
4 to 5 ft		2.00	
5 to 6 ft	3.50		
6 to 8 ft	5.00	4.50	
0 0 0 10	0.00	1.00	
virginiana. Chokecherry 30'			
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.50	4.00	3.50
8 to 10 ft	5.50	5.00	4.50
"yedoensis. Yoshino Cherry. 35"			
5 to 6 ft	5.00	4.50	
6 to 8 ft	7.50	7.00	
8 to 10 ft	10.00		

Prunus		5-24 25 & up ch Each Each
*yedoensis :	fukun. 30'	
4 to 5	4.0	0
5 to 6	5.0	0
6 to 8	7.5	0
	10.0	

Large specimens quoted on request.

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$4.00, \$5.00 and \$7.50 each, respectively.

Amanogawa — semi-double pale pink

Gioiko — semi-double pale yellow

Hata-zakura — semi-double white

Horaisan — double pink

Hosokawanioi — semi-double flesh

Kuramayami — double pink

Kwanzan — syn. Sekiyama — double deep pink

Miyako — double pink

Shirofugen — double light pink

Shogetsu — double soft pink

Sumizome — double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsug	ra i	axifolia.	(dougla	si). Dou	glas Fi	r. 70'	
						5.50	5.00
						8.50	8.00
						13.50	12.50
						19.00	18.00
						25.00	
			40 01	1.1 6.17	E 0	faat	

For larger sizes to 12 ft., add \$7.50 per foot.

	1-4	5-24	25 & up
Ptelea trifoliata. Hoptree. 20'	Each		Each
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
	4.50	4.00	2.00
		201	
Pterostyrax corymbosa. Little Epaulet. 5 to 6 ft		6.00	
6 to 8 ft		7.50	
8 to 10 ft		1.00	
Pueraria thunbergiana. Thunberg Kudz		. 10'	
2 year	.50	. 10	
Pyracantha coccinea. Scarlet Firethorn.		.10	
15 to 18 in., 4 in. pots			
18 to 24 in			
2 to 3 ftB&B		8.00	
coccinea lalandi. Laland Firethorn.		0.00	
12 to 18 in., 4 in. pots		2.25	2.00
18 to 24 in		5.50	2.00
2 to 3 ftB&B		8.00	
3 to 4 ft. specimens B&B		15.00	
crenato-serrata. 10'			
12 to 18 in., 4 in. pots	3.00		
Pyrus betulaefolia. Birch Leaf Pear. 2	o <b>'</b>		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
calleryana. Callery Pear. 20'			
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	6.00		
salicifolia. Willowleaf Pear. 30'			
4 to 5 ft	4.00		
5 to 6 ftserrulata. 20'	5.00		
6 to 8 ft	5.00		
8 to 10 ft			
Quercus alba. White Oak. 75'	1.00		
	5.50	5.00	4.50
	8.00	5.00 $7.25$	4.50 6.75
	12.00	11.00	10.00
134 to 2 in		14.50	13.50
2 to 2½ in		20.00	18.00
2½ to 3 in		27.50	10.00
3 to 3½ in		35.00	
		55.00	

						= 0.4	0 = 0
					1-4 Each		25 & up Each
Quercus							
bicolor.	Sw	amp	White Oak.	<b>6</b> 0'			
6	to	8	ft		5.50	5.00	4.50
11/4	to	1½	in		8.00	7.25	6.75
11/2	to	13/4	in		12.00	11.00	10.00
13/4	to	2	in		17.50	14.50	13.50
2	to	2½	in		22.50	20.00	18.00
21/2	to	3	in		30.00	27.50	
3	to	$3\frac{1}{2}$	ź in		40.00	35.00	
31/2	to	4	in		50.00	45.00	
			a). Northern			<b>5</b> 00	
6	to	_	ft			5.00	
11/4			in		8.00	7.25	
			in			11.00	
13/4			in			14.50	
2			in		22.50	20.00	
21/2			in			27.50	
3	to		ź in		40.00	35.00	
3½			in			45.00	
4	to	4 1/2	ź in		65.00		
cerris.	Eur	opea	n Turkey Oa	k. 75'			
21/2	to	3	in		30.00		
3	to	31/2	ź in		40.00	35.00	
31/2	to	4	in		50.00	45.00	
		~ 1	1 0 1. NEL				
			et Oak. 75' in		12.00	11.00	
			in			15.00	
2			in.			20.00	
_			in				
			in				
3			in			45.00	
3 <i>7</i> 2			in			10.00	
4	ιο	77	2 111		05.00		
imbrica	ria.	Sh	ingle Oak. 6	0'			
4	to	41/	ź in.		65.00		
lyrata.	0710	reun	Oak. 75'				
			in		12.50		
			in				
2			in				
			in				
4/4		_					

					•		
					1-4 Each	5-24 Each	25 & up Each
Quercu	s				цасп	Hach	Hach
ma	croca	rpa	a. B	ur Oak. 75'			
	6	to	8	ft	6.00	5.50	
	11/4			in	8.00	7.50	
		to		in	12.00	11.00	
	13/4	to		in	17.50	15.00	
	2			in	22.50	20.00	
	2½	to		in	30.00	27.50	
	3	to	3½	in	40.00	35.00	
pal	ustris	s. 1	Pin (	Oak. 75'			
	6	to	8	ft	5.50	5.00	
	11/4	to	11/2	in	7.50	6.50	
	11/2	to	13/4		12.00	11.00	10.00
	13/4	to	2	in	15.00	13.50	12.50
	2	to	2½	in	22.50	20.00	18.00
	21/2	to	3	in	30.00	27.50	25.00
	3	to	$3\frac{1}{2}$	in	40.00	35.00	30.00
	$3\frac{1}{2}$	to	~	in	50.00	45.00	
	4	to	5	in			
	5	to	6	in	75.00		
phe	ellos.	W	illow	Oak. 40°			
	21/2			in	30.00		
	3		3½				
	$3\frac{1}{2}$	to	4	in			
	4	to	4½	in			
pri				t. Oak. 50'	10 - 1		
	1½			in			
	$\frac{2}{2\frac{1}{2}}$			in			
	3			in			
	J	to	372	111	40.00		
rob	ur. 1	$\Xi ng$	lish	Oak. 80'			
	$1\frac{1}{2}$	to	13/4	in	12.50	11.00	
	13/4	to		in	17.50	15.00	
	2	to	21/2	in	22.50	20.00	
			3	in		27.50	
	3			in	40.00		
	31/2			in			
	4	to	41/2	in	65.00		

Quercus				1-4 Each	5-24 Each	25 & up
robur fa	asti	giata	a. Pyramidal Englis			Paci
6		8			15.00	
11/2	to	13/4	inB&B		10.00	
13/4			in B&B			
2	to	$2\frac{1}{2}$	inB&B			
21/2			inB&B			
3	to		inB&B			
rubra (s	see	bor	ealis)			
texana.	Te	exas	Oak. 75'			
11/2	to	13/4	in	12.50	11.00	
13/4			in		15.00	
2	to	$2\frac{1}{2}$	in	22.50	20.00	
$2\frac{1}{2}$		3	in			
3	to	3½	in			
variabili	is.	Orie	ental Oak. 75'			
			in	10.00	9.00	
			in		11.00	
13/4	to	2	in	17.50	15.00	
2	to	2½	in	22.50	20.00	
$2\frac{1}{2}$		3	in		27.50	
3	to	31/2	in		35.00	
velutina	. 1	Black	Oak. 70'			
11/4	to	11/2	in	10.00	9.00	
11/2	to	13/4	in	12.50		
	to		in			
3	to	3½	in		35.00	
Retinospora	(se	e C	hamaecyparis)			
			Alder Buckthorn.			
3 to	) 4	ft.		3.00		
carolinia	ana	. Ca	rolina Buckthorn. 2	5 <b>'</b>		
5 to	6	ft.		3.50		
cathartic	ca.	Buc	kthorn. 12'			
3 to	4	ft		1.00	.90	
4 to	5	ft		1.50	1.25	
5 to	6	ft.		1.75	1.50	
6 to	8	ft.		2.00	1.75	
chadwic	ki.	101				
				2.50		

	1-4 Each	5.24 Each	25 & up Each
Rhamnus	2401		
crenata. Oriental Buckthorn. 10'			
3 to 4 ft	3.50		
davurica. Dahurian Buckthorn. 12	,		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
frangula asplenifolia. $Feathery$ $R$	hamnus.	12'	
3 to 4 ft	3.00		
koraiensis. Korean Buckthorn. 12'			
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.00	1.65	1.35
purshiana. Cascara Buckthorn. 12'			
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
spathulaefolia. 6'			
4 to 5 ft	3.00		
5 to 6 ft	3.50		
wilsoni. 10'			
3 to 4 ft		1.50	1.25
4 to 5 ft		1.75	1.50
5 to 6 ft	2.50	2.25	2.00
Rhododendron carolinianum. Carolina	Rhodod	endror	ı. 6'
2 to 3 ftB&B	8.50	8.00	7.50
catawbiense. Catawba Rhododendro	n. 8'		
2 to 3 ftB&B		6.50	6.00
3 to 4 ftB&B	8.50	8.00	7.50
maximum. Rosebay Rhododendron.	15'		
2 to 3 ftB&B		6.00	5.50
3 to 4 ftB&B		7.50	7.00
4 to 5 ftB&B			

Rhodora canadensis. Rhodora. 3	H	1-4 5-24 lach Each	25 & up Each			
18 to 24 in		E0 7.00	0.50			
24 to 30 in						
24 to 30 m	D&D 10	.00 9.00				
Rhodotypos scandens. (kerrioide	s). Jetbe	ad. 6'				
2 to 3 ft		.25 .85	.80			
3 to 4 ft		.50 1.25	1.10			
		~				
Rhus aromatica. (canadensis). F						
2 to 3 ft		.25 .85				
4 to 5 ft		.50 1.25				
5 to 6 ft		.75 1.50				
5 to 6 ft		.00 1.75				
chinensis. Chinese Sumac. 20	0 <b>'</b>					
5 to 6 ft		.00				
6 to 8 ft		.00				
8 to 10 ft	6	.00				
copallina. Flameleaf Sumac.	20'					
2 to 3 ft		.25 .85				
3 to 4 ft		50 1.25				
4 to 5 ft		75 1.50				
5 to 6 ft		.00 1.75				
6 to 8 ft		25 2.00				
		2.00				
cotinus. (see Cotinus coggyg	ria).					
glabra. Smooth Sumac. 12'						
2 to 3 ft		85 .65	.60			
3 to 4 ft	1.	25 .85	.80			
trilobata. Lemonade Sumac.	o)					
18 to 24 in		00 .90				
2 to 3 ft						
3 to 4 ft		50 1.25				
		00 1.20				
typhina. Staghorn Sumac. 25						
2 to 3 ft		85 .65	.60			
3 to 4 ft		25 .85	.80			
4 to 5 ft		50 1.25	1.10			
5 to 6 ft	2.	00 1.60	1.35			
typhina laciniata. Cutleaf Staghorn Sumac. 25'						
2 to 3 ft						
3 to 4 ft						
4 to 5 ft	2.0	00				

Ribes alpinum. Alpine Currant. 4'	1-4 Each	5-24 25 & up Each Each
18 to 24 in	1.25	1.00 .90
2 to 3 ft	1.50	1.25
3 to 4 ft	2.00	1.50
aureum. Golden Currant. 10'	2.00	1.00
2 to 3 ft	.85	.65
3 to 4 ft	1.25	.85 .80
		1.25 1.10
4 to 5 ft	1.50	
5 to 6 ft	2.00	1.60 1.35
fasciculatum. Winterberry Currant.	4'	1.05
2 to 3 ft	1.50	1.25
3 to 4 ft	2.00	1.50
gordonianum. Gordon Currant. 8'		4 = 0 4 0 =
3 to 4 ft	2.00	1.50 1.25
4 to 5 ft	2.25	1.75 1.50
sanguineum. Winter Currant. 8'		
2 to 3 ft	1.50	1.25
3 to 4 ft	1.75	1.50
4 to 5 ft	2.00	1.75
Robinia Elliotti. Elliott Locust. 10'		
3 to 4 ft	3.00	
4 to 5 ft	4.00	
fertilis. 25'		
6 to 8 ft	5.00	
8 to 10 ft	6.00	
hispida. Roseacacia Locust.		
2 yr. standard, 3 to 4 ft	4.00	
2 yr. standard, 4 to 5 ft	5.00	
Bush form, 2 to 3 ft	1.50	1.25
holdti. Holdt Locust. 25'		
5 to 6 ft	5.00	
6 to 8 ft	6.00	
kelseyi. Kelsey Locust. 12'		
4 to 5 ft	3.50	3.25 3.00
5 to 6 ft	4.50	4.00 3.75
6 to 8 ft	5.50	5.00 4.50
8 to 10 ft	7.50	
Margaretta. Margaret Locust. 20'		
6 to 8 ft	5.00	
8 to 10 ft	7.50	
nana. Little Locust. 3'		
2 to 3 ft	2.50	
neomexicana. New Mexico Locust.	10'	
3 to 4 ft	3.00	
4 to 5 ft	3.50	
T 10 0 It	0.00	

Robinia	1.4		25 & up
pseudoacacia. Black Locust. 60'	Each	Each	Each
5 to 6 ft	1.75	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
	3.00	2.75	
10 to 12 ft	4.50	4.00	
1½ to 2 in	7.50	6.00	
pseudoacacia bessoniana. Besson L	ocust.	40'	
6 to 8 ft	6.00	7-	
pseudoacacia decaisneana. Decaisn	e Locu	st. 40'	
8 to 10 ft		·	
viscosa. Clammy Locust. 10'			
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	2.25	2.00	1.75
Rosp agigulavis Dulahla Dana Fl			
Rosa acicularis. Prickly Rose. 5'	.75	.65	60
2 to 3 ft	1.00	.80	.60 .75
3 to 4 ft		1.00	.13
acicularis bourgeauiana. Bourgeau			.50
2 to 3 ft	1.50	6' 1.25	
alba. Cottage Rose. 6'	1.50	1.40	
2 to 3 ft	3.00	2.50	
alpina. (see pendulina)	<b>3.</b> 00	2.00	
blanda. Meadow Rose. 5'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
canina. Dog Rose. 8'			
2 to 3 ft	1.00	.80	
3 to 4 ft		1.00	
carolina (humilis). Carolina Rose.			
18 to 24 in		.65	.60
2 to 3 ft		.80	.75
coriifolia froebeli. Froebel Rose.			
2 to 3 ft	3.00		
damascena. Damask Rose. 8'			
2 to 3 ft	3.00	2.50	
damascena trigintipetala.			
Thirty-petal Damask Rose. 3'	0.00	0.50	
2 to 3 ft			
damascena versicolor. York and Le			3. 3
2 to 3 ft	3.00	2.50	

Rosa	1-4 Each		25 & up Each
davurica. Dahurian Rose. 6'	Басц	насп	шасп
2 to 3 ft	1.00	.80	.75
ecae. Eca Rose. 6'	1.50	1.05	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
eglanteria. Sweetbriar Rose. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.35	1.15
eglanteria hybrids			
2 to 3 ft			
3 to 4 ft			
Flora McIvor Lady Pe	enzance		
Green Mantle Lord Pe			
Jeannie Deans Lucy As	shton		
foetida bicolor. Austrian Copper.	<i>10</i> <b>′</b>		
2 to 3 ft			
foetida persiana. Persian Yellow I			
2 to 3 ft			
3 to 4 ft			
helenae. Helen Rose. 6'	2.00		
	1.00	05	
3 to 4 ft	1.00	.85	
	1.25	1.15	
helenae fl. pl. Dbl Helen Rose. 6'			
3 to 4 ft	1.50		
hugonis. Father Hugo Rose. 6'			
	1.35	1.10	
3 to 4 ft	1.50	1.25	
humilis. (see carolina)			
luciae fujisanensis. Mt. Fuji Rose.			
2 to 3 ft		.80	.75
3 to 4 ft	1.25	1.00	.90
lucida. (see virginiana)			
marreti. Marret Rose. 6'			
3 to 4 ft			
maximowicziana jacki. Jack Rose.	6'		
	1.50	1.25	
moyesi. Moyes Rose. 10'			
2 to 3 ft	3.00		
multiflora. Japanese Rose. 8'			
	.65	.45	.40
3 to 4 ft		.55	.50
4 to 5 ft	1.00	.75	

	1-4	5-24 2	
Rosa	Each	Each	Each
multiflora cathayensis. Cathay Jap	anese	Rose.	) <b>'</b>
3 to 4 ft		.85	
nitida. Shining Rose. 4'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
omeiensis. Omei Rose. 12'			
2 to 3 ft	2.50		
omeiensis pteracantha. Wingthorn		Rose	10'
2 to 3 ft	2.50	20000	
palustris. Swamp Rose. 8'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
pendulina. (alpina). Drophip Rose		2,00	
2 to 3 ft	1.00	.85	
rouletti.			
12 to 15 in., 4 in. pots	1.75		
rubiginosa. (see eglanteria).			
rubrifolia. Redleaf Rose. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
rugosa. Rugosa Rose. 6'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	1.00
	6 <b>'</b>		
18 to 24 in	1.25	1.10	1.00
2 to 3 ft	1.50	1.35	1.25
rugosa hybrids. 5'	1.50	1.05	
2 to 3 ft			
3 to 4 ft	1.75	1.50	
Varieties:  Blanche de Coubert, C. F. Meye	or C	F Wort	·h
Agnes Carmen, New Century,	Nove	Zembl:	
Mad. Geo. Bruant, Mrs. Ant	honv	Watere	r.
Belle Poitevine, Sir Thomas			
Agnes, F. J. Grootendorst.	,- <sub>L</sub>	,	,
rugosa hyb. — climbing			
Max Graf	2.50	2.00	
rugosa repens. Creeping Rugosa R	ose. 1	,	
2 year		1.75	
3 year	2.50		
•			

Setigera.   Prairie Rose. 6'   2 to 3 ft.   1.00   .80   .75   .40   .75   .65   .60   .80   .75   .40   .50   .10   .95   .50   .		1-4 Each	5-24 Each	25 & up Each
2 to 3 ft	Rosa			
3 to 4 ft. 1.00 .80 .75 4 to 5 ft. 1.35 1.10 .95  spinosissima altaica. Altai Scotch Rose. 4'  18 to 24 in. 1.55 1.10 1.00 2 to 3 ft. 1.50 1.35 1.25 3 to 4 ft. 1.75 1.50  spinosissima hispida. Bristly Scotch Rose. 6' 2 to 3 ft. 1.50 1.35 1.25 3 to 4 ft. 1.75 1.50 1.35 1.25 3 to 4 ft. 1.75 1.50 1.40  spinosissima hybrids. 6' 18 to 24 in. 2.00 2 to 3 ft. 2.50 Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3' 2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6' 18 to 24 in75 .65 .60 2 to 3 ft. 1.00 .80 .75 3 to 4 ft. 1.00 .80 .75 3 to 4 ft. 1.50 1.35 1.25  wichuraiana. Watson Rose. 6' 3 to 4 ft. 1.50 1.35 1.25  wichuraiana. Wichurai Rose. 2' 2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25	setigera. Prairie Rose. 6'			
## spinosissima altaica. Altai Scotch Rose. 4'  18 to 24 in		.75	.65	.60
spinosissima altaica.       Altai Scotch Rose.       4'         18 to 24 in.       1.25       1.10       1.00         2 to 3 ft.       1.50       1.35       1.25         3 to 4 ft.       1.75       1.50       1.50         spinosissima hispida.       Bristly Scotch Rose.       6'       6'         2 to 3 ft.       1.50       1.35       1.25         3 to 4 ft.       1.75       1.50       1.40         spinosissima hybrids.       6'         18 to 24 in.       2.00       2.50         Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.         suffulta.       3'       2 to 3 ft.       2.00       1.50         virginiana (lucida).       Virginia Rose.       6'         18 to 24 in.       .75       .65       .60         2 to 3 ft.       1.00       .80       .75         3 to 4 ft.       1.25       1.00       .90         watsoniana.       Watson Rose.       6'         3 to 4 ft.       1.50       1.35       1.25         wichuraiana.       Wichurai Rose.       2'         2 year       1.00       .75       .65         3 year       1.25       .90 </td <td>3 to 4 ft</td> <td>1.00</td> <td>.80</td> <td>.75</td>	3 to 4 ft	1.00	.80	.75
18 to 24 in	4 to 5 ft	1.35	1.10	.95
18 to 24 in				
2 to 3 ft. 1.50 1.35 1.25 3 to 4 ft. 1.75 1.50  spinosissima hispida. Bristly Scotch Rose. 6' 2 to 3 ft. 1.50 1.35 1.25 3 to 4 ft. 1.75 1.50 1.40  spinosissima hybrids. 5' 18 to 24 in. 2.00 2 to 3 ft. 2.50 Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3' 2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6' 18 to 24 in. 75 .65 .60 2 to 3 ft. 1.00 .80 .75 3 to 4 ft. 1.25 1.00 .90  watsoniana. Watson Rose. 6' 3 to 4 ft. 1.50 1.35 1.25  wichuraiana. Wichurai Rose. 2' 2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25	spinosissima altaica. Altai Scotch	Rose.	4'	
3 to 4 ft.       1.75 1.50         spinosissima hispida. Bristly Scotch Rose. 6'         2 to 3 ft.       1.50 1.35 1.25         3 to 4 ft.       1.75 1.50 1.40         spinosissima hybrids. 5'         18 to 24 in.       2.00         2 to 3 ft.       2.50         Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.         suffulta. 3'         2 to 3 ft.       2.00 1.50         virginiana (lucida). Virginia Rose. 6'         18 to 24 in.       .75 .65 .60         2 to 3 ft.       1.00 .80 .75         3 to 4 ft.       1.25 1.00 .90         watsoniana. Watson Rose. 6'         3 to 4 ft.       1.50 1.35 1.25         wichuraiana. Wichurai Rose. 2'         2 year       1.00 .75 .65         3 year       1.25 .90 .75         wichuraiana hybrids. 2'         2 year       1.75 1.50 1.25         Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.         willmottiae. Willmott Rose. 10'         2 to 3 ft.       1.50 1.25		1.25	1.10	1.00
spinosissima hispida. Bristly Scotch Rose. 6'         2 to 3 ft.       1.50       1.35       1.25         3 to 4 ft.       1.75       1.50       1.40         spinosissima hybrids. 5'         18 to 24 in.       2.00         2 to 3 ft.       2.50         Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.         suffulta. 3'         2 to 3 ft.       2.00         18 to 24 in.       .75       .65       .60         2 to 3 ft.       1.00       .80       .75         3 to 4 ft.       1.25       1.00       .90         watsoniana. Watson Rose. 6'         3 to 4 ft.       1.50       1.35       1.25         wichuraiana. Wichurai Rose. 2'         2 year       1.00       .75       .65         3 year       1.25       .90       .75         wichuraiana hybrids. 2'         2 year       1.75       1.50       1.25         Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.         willmottiae. Willmott Rose. 10'         2 to 3 ft.       1.50       1.25		1.50	1.35	1.25
2 to 3 ft. 1.50 1.35 1.25 3 to 4 ft. 1.75 1.50 1.40  spinosissima hybrids. 5'  18 to 24 in. 2.00 2 to 3 ft. 2.50 Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3' 2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6' 18 to 24 in	3 to 4 ft	1.75	1.50	
2 to 3 ft. 1.50 1.35 1.25 3 to 4 ft. 1.75 1.50 1.40  spinosissima hybrids. 5'  18 to 24 in. 2.00 2 to 3 ft. 2.50 Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3' 2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6' 18 to 24 in				
3 to 4 ft. 1.75 1.50 1.40  spinosissima hybrids. 5'  18 to 24 in. 2.50  Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3'  2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6'  18 to 24 in	spinosissima hispida. Bristly Scote	h Rose		
spinosissima hybrids. 5'       18 to 24 in	2 to 3 ft	1.50		
18 to 24 in. 2.00 2 to 3 ft. 2.50 Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3' 2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6' 18 to 24 in	3 to 4 ft	1.75	1.50	1.40
18 to 24 in. 2.00 2 to 3 ft. 2.50 Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3' 2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6' 18 to 24 in	animanianima kukulla at			
2 to 3 ft. 2.50 Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3' 2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6' 18 to 24 in		0.00		
Sgl. Blush, Dbl. White, Dbl. Pink, Fulgens, Sgl. Red, Sgl. Pink, Sgl. White.  suffulta. 3' 2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6' 18 to 24 in				
Sgl. Red, Sgl. Pink, Sgl. White.         suffulta. 3'         2 to 3 ft.       2.00 1.50         virginiana (lucida). Virginia Rose. 6'         18 to 24 in.       .75 .65 .60         2 to 3 ft.       1.00 .80 .75         3 to 4 ft.       1.25 1.00 .90         watsoniana. Watson Rose. 6'         3 to 4 ft.       1.50 1.35 1.25         wichuraiana. Wichurai Rose. 2'         2 year       1.00 .75 .65         3 year       1.25 .90 .75         wichuraiana hybrids. 2'         2 year       1.75 1.50 1.25         Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.         willmottiae. Willmott Rose. 10'         2 to 3 ft.       1.50 1.25				
suffulta. 3'       2 to 3 ft.       2.00 1.50         virginiana (lucida). Virginia Rose. 6'       18 to 24 in.       .75 .65 .60         2 to 3 ft.       1.00 .80 .75         3 to 4 ft.       1.25 1.00 .90         watsoniana. Watson Rose. 6'       3 to 4 ft.       1.50 1.35 1.25         wichuraiana. Wichurai Rose. 2'       2 year	Sgl. Blush, Dbl. White, Dbl.	Pink,	Fulgen	ıs,
2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6'  18 to 24 in	Sgi. Red, Sgi. Pink, Sgi. Whi	te.		
2 to 3 ft. 2.00 1.50  virginiana (lucida). Virginia Rose. 6'  18 to 24 in				
virginiana (lucida). Virginia Rose. 6'         18 to 24 in.       .75 .65 .60         2 to 3 ft.       1.00 .80 .75         3 to 4 ft.       1.25 1.00 .90         watsoniana. Watson Rose. 6'         3 to 4 ft.       1.50 1.35 1.25         wichuraiana. Wichurai Rose. 2'         2 year       1.00 .75 .65         3 year       1.25 .90 .75         wichuraiana hybrids. 2'         2 year       1.75 1.50 1.25         Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.         willmott Rose. 10'         2 to 3 ft.       1.50 1.25				
18 to 24 in	2 to 3 ft	2.00	1.50	
18 to 24 in	winginiana (lastida) III I I	-4		
2 to 3 ft. 1.00 .80 .75 3 to 4 ft. 1.25 1.00 .90  watsoniana. Watson Rose. 6' 3 to 4 ft. 1.50 1.35 1.25  wichuraiana. Wichurai Rose. 2' 2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25	virginiana (lucida). Virginia Rose.	_	0.18	
3 to 4 ft.       1.25 1.00 .90         watsoniana. Watson Rose. 6'         3 to 4 ft.       1.50 1.35 1.25         wichuraiana. Wichurai Rose. 2'         2 year       1.00 .75 .65         3 year       1.25 .90 .75         wichuraiana hybrids. 2'         2 year       1.75 1.50 1.25         Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.         willmottae. Willmott Rose. 10'         2 to 3 ft.       1.50 1.25				
watsoniana. Watson Rose. 6' 3 to 4 ft. 1.50 1.35 1.25  wichuraiana. Wichurai Rose. 2' 2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25				
wichuraiana. Wichurai Rose. 2'  2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25	3 10 4 11	1.25	1.00	.90
wichuraiana. Wichurai Rose. 2'  2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25	watsoniana Watson Door of			
wichuraiana. Wichurai Rose. 2'  2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2'  2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25		1.50	1.05	1.05
2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25	0 to 1tt	1.50	1.35	1.25
2 year 1.00 .75 .65 3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25	wichuraiana. Wichurai Rose. 2'			
3 year 1.25 .90 .75  wichuraiana hybrids. 2' 2 year 1.75 1.50 1.25  Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft. 1.50 1.25		1.00	75	65
wichuraiana hybrids. 2'  2 year				
2 year		1.20	.00	.10
Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft 1.50 1.25				
Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft 1.50 1.25	2 year	1.75	1.50	1.25
ite, Manda's Triumph, South Orange Perfection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft 1.50 1.25	Jersey Beauty, Sweetheart, Un	iversa	l Favor	r-
fection, Evergreen Gem.  willmottiae. Willmott Rose. 10' 2 to 3 ft	ite, Manda's Triumph, South	Oran	ge Per	r-
2 to 3 ft 1.50 1.25	fection, Evergreen Gem.			
2 to 3 ft 1.50 1.25				
2 to 3 ft				
3 to 4 ft	2 to 3 ft	1.50	1.25	
	3 to 4 ft	2.00	1.50	

1-4 5-24 25 & up Each Each Each

## ROSES

RO	2F2		
Hybrid Tea. 2 year No. 1.	1.50		
Briarcliff	Mme. Joseph Pe	rraud	
Chas. K. Douglas	Mme. Jules Bou		
Condesa de Sastago	Mrs. Pierre S. I	DuPont	
Etoile de Holland	Pink Dawn		
Grenoble	Pres. Hoover		
Joanna Hill	Pres. Macia		
K. A. Victoria	Radiance		
Lady Ashtown	Rev. F. Page Ro	berts	
Miss Rowena Thom			
Climbing Roses. 2 year N	o. 1 1.35	1.10	
American Beauty	Mad. Gregoire S	Staechel	in
American Pillar	Mary Wallace		
Aviateur Bleriot		limber	
Dr. W. Van Fleet	Primrose		
Dorothy Perkins	Scorcher		
Excelsa	Silver Moon		
Gardenia	Star of Persia		
Hiawatha	White Dorothy P	erkins	
Polyantha hybrids. 2 year	No. 1 1.50		
	Ideal		
Gloria Mundi	Katherine Zeime	et	
Golden Salmon	Lafayette		
Rosa			
woodsi. Wood's Rose.	ō'		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
xanthina Allard. 10'			
2 to 3 ft	<b>2.5</b> 0	2.00	
3 to 4 ft			
Rubus nemarosus. Caucasia			
2 year	2010011.91	.65	.60
3 year		.85	.75
odoratus. Fragrant Thir			
2 to 3 ft		.70	.60
3 to 4 ft		.85	.75
parvifolius. Western Th		.00	
2 to 3 ft			
phoenicolasius. Wine $R$			
3 to 4 ft			
3 10 4 11			

	1-4 Each	5-24 Each	25 & up Each
Salix alba chermesina. Redstem White	Willow	30'	
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	4.00	3.50	
a. vitellina. Yellowstem White Will	ow. 30°	,	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.50	3.00	2.50
1¼ to 1½ in	4.00	3.50	3.00
1½ to 1¾ in	5.00	4.00	3.50
134 to 2 in	6.00	5.00	
a. vitellina pendula.			
Weepinggold White Willow. 40'			
	2.75		
	3.50		
	4.00		
amygdaloides. Peachleaf Willow. 3	0'		
	1.50	1.25	
	2.00	1.50	
	2.50	2.00	
	3.00	2.50	
6 to 8 ft	3.50	3.00	
babylonica crispa. Ringleaf Weepin	g Will	rw. 3	0'
	3.00		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
babylonica solomoni. (see sepulcra	lis)		
blanda. Wisconsin Weeping Willow.	40'		
		2.25	
8 to 10 ft	3.50	3.00	
caprea. Goat Willow. 20'			
5 to 6 ft	1.75	1.60	1.50
6 to 8 ft	2.00	1.85	
discolor. Pussy Willow. 20'			
4 4 - 5 01	1.50	1.40	1.35
		1.60	1.50
0.4.0.04		1.85	1.75
0 1 10 11		2.25	1.10
doniana. Dons Willow. 9'			
4 to 5 ft	.50	1.25	
5 to 6 ft		1.50	

	1-4 Each		25 & up Each
Salix			
eleagnos. (incana). Rosemary Wille			
3 to 4 ft. shrub form	1.25	.85	.80
4 to 5 ft. shrub form	1.50	1.25	1.10
5 to 6 ft. shrub form	2.00	1.60	
elegantissima. Thurlow Weeping Wi	llow.	50 <b>'</b>	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	4.50	4.00	
1½ to 1¾ in	6.00		
13/4 to 2 in	7.50	6.00	
fragilis. Brittle Willow. 50'			
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 8 ft	3.50		
fragilis repandens. 10'			
5 to 6 ft	2.50	2.00	
glaucophylloides. Blueleaf Willow	15'		
5 to 6 ft			
incana. (see eleagnos)			
irrorata. Bluestem Willow. 12'  3 to 4 ft	1.05	0.5	90
4 to 5 ft	1.25 $1.50$	.85 1.25	.80 1.10
5 to 6 ft			
6 to 8 ft	$\frac{2.50}{3.00}$	1.75 $2.50$	1.50
	3.00	2.50	
jessoensis. Yeddo Willow. 6'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.25	1.75	
lucida. Shining Willow. 18'			
5 to 6 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
mandshurica. 30'			
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
matsudana. Hankow Willow. 35'			
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1¾ in	5.00	4.00	
134 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.50	

	1-4		25 & up
Salix	Each	Each	Each
matsudana tortuosa.			
Contorted Hankow Willow. 20'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
2 to 2½ in	7.50		
mutabilis. 6'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
myricoides rigida. 9'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
nigricans cotinifolia. 12'			
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
	0.00	2.00	
niobe. Niobe Weeping Willow. 30' 6 to 8 ft.	0.75	9.50	
6 to 8 ft	2.75 3.00	$\frac{2.50}{2.75}$	
1½ to 1¾ in	5.00	4.50	
1 <sup>3</sup> / <sub>4</sub> to 2 in	6.00	5.00	
2 to 2½ in	7.50	7.00	
	1.00	1.00	
patula. 20'	0.00	1.50	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
pentandra. Laurel Willow. 30'			
6 to 8 ft		2.25	2.00
8 to 10 ft			2.50
11/4 to 11/2 in	3.50	3.25	
purpurea. Purpleosier Willow. 12'			
5 to 6 ft			1.50
6 to 8 ft	2.50	2.25	2.00
purpurea gracilis. Slender Purpleosi	er Wil	lore. 1	5 <b>'</b>
5 to 6 ft		2.00	
6 to 8 ft	2.75	2.50	
purpurea nana. Dwarf Purpleosier	Willo	(0) 5	
2 to 3 ft		1.00	.75
3 to 4 ft			1.00
4 to 5 ft			1.25

	1-4 Each	5-24 Each	25 & up Each
Salix	Bach	Euch	LIGUI
regalis. Royal Willow. 30'		·	
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
sepulcralis. Solomon Weeping Will	low. 50'	•	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	4.00	3.75	3.50
1½ to 1¾ in	5.50	5.00	4.75
1¾ to 2 in	6.50	6.00	
2 to 2½ in	7.50	*	
2½ to 3 in	12.50		
sieboldiana. Siebold Willow. 30'		,	
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.00	2.75	
smithiana. Smith Willow. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
tomini. 20'			
4 to 5 ft	2.50		
5 to 6 ft	3.00		
vitellina. (see alba vitellina)			
wentworthi. 50'			
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1½ to 1¾ in	5.00	4.00	3.50
134 to 2 in	6.00	5.00	
2 to 2½ in	<b>7.5</b> 0	6.50	
Construction of the constr	401		
Sambucus canadensis. American Elder.		0.5	40
	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft		1.60	
canadensis acutiloba. Cutleaf Elder		0.0	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
	10'		
	2.50		
	3.00		
5 to 6 ft	3.50		

120 HEINET KOHAINE & SOIN		
Sambucus 1-4 Each		25 & up Each
coerulea. Blueberry Elder. 15'	Lacn	Lach
4 to 5 ft 2.50		
5 to 6 ft		
nigra. European Elder. 15'	1.05	1 10
4 to 5 ft	1.25	1.10
5 to 6 ft	1.50	
nigra aurea. Golden European Elder. 15		60
2 to 3 ft	.65	.60
3 to 4 ft	.85	.80
4 to 5 ft	1.25	
nigra albo-variegata.		
Whiteblotch European Elder. 10'		
3 to 4 ft	1.25	
4 to 5 ft		
pubens. Scarlet Elder. 8'		
3 to 4 ft 1.25		
4 to 5 ft		
racemosa. European Red Elder. 8'		
3 to 4 ft		
4 to 5 ft		
5 to 6 ft		
Sargogogo hookoriana Himalana Ganasa	ot	
Sarcococca hookeriana. Himalaya Sarcococca.		
Sarcococca hookeriana. Himalaya Sarcococca.  3 yr. from 4" pots	6' 1.25	
3 yr. from 4" pots 1.50		
3 yr. from 4" pots		
3 yr. from 4" pots		
3 yr. from 4" pots       1.50         Sassafras albidum. Common Sussafras. 50'       5 to 6 ft.       5.00         6 to 8 ft.       6.00		
3 yr. from 4" pots       1.50         Sassafras albidum. Common Sussafras. 50'       5 to 6 ft.       5.00         6 to 8 ft.       6.00         8 to 10 ft.       7.50         10 to 12 ft.       10.00		
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.		
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20'		
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75		
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa.		
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00		
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa.	1.25	
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sassafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00 4 to 5 ft. 2.50	1.50 2.00	
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00 4 to 5 ft. 2.50  Shepherdia argentea. Silver Buffaloberry. 15	1.25 1.50 2.00	
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00 4 to 5 ft. 2.50  Shepherdia argentea. Silver Buffaloberry. 15 3 to 4 ft. 2.50	1.25 1.50 2.00	
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00 4 to 5 ft. 2.50 Shepherdia argentea. Silver Buffaloberry. 15 3 to 4 ft. 2.50 4 to 5 ft. 3.00	1.50 2.00 2.00 2.50	
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sassafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00 4 to 5 ft. 2.50  Shepherdia argentea. Silver Buffaloberry. 15 3 to 4 ft. 2.50 4 to 5 ft. 3.00 5 to 6 ft. 3.50	1.25 1.50 2.00	
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sassafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00 4 to 5 ft. 2.50  Shepherdia argentea. Silver Buffaloberry. 15 3 to 4 ft. 2.50 4 to 5 ft. 3.00 5 to 6 ft. 3.50 6 to 8 ft. 5.00	1.50 2.00 2.00 2.50	
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sussafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00 4 to 5 ft. 2.50  Shepherdia argentea. Silver Buffaloberry. 15 3 to 4 ft. 2.50 4 to 5 ft. 3.00 5 to 6 ft. 3.50 6 to 8 ft. 5.00  Smilax rotundifolia. Common Greenbrier.	1.25 1.50 2.00 2.00 2.50 3.00	
3 yr. from 4" pots 1.50  Sassafras albidum. Common Sassafras. 50' 5 to 6 ft. 5.00 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 10.00  Schizophragma hydrangeoides.  Japanese Hydrangea-vine. 20' from pots 2.75  Securinega suffruticosa. 3 to 4 ft. 2.00 4 to 5 ft. 2.50  Shepherdia argentea. Silver Buffaloberry. 15 3 to 4 ft. 2.50 4 to 5 ft. 3.00 5 to 6 ft. 3.50 6 to 8 ft. 5.00	1.50 2.00 2.00 2.50	.75 .90

Solanum dulcamara. Bitter Nightshade. 6'	
2 year	65 .60
Sophora japonica. Chinese Pagodatree. 25'	
2 to 3 ftB&B 7.50	7.00
3 to 4 ft	
4 to 5 ftB&B 12.50	
5 to 6 ftB&B 16.50	)
6 to 8 ftB&B 20.00	)
viciifolia. Vetchleaf Sophora. 8'	
2 to 3 ftB&B 10.00	7.50
3 to 4 ftB&B 12.50	10.00
Sorbaria aitchisoni. Kashmir False Spiraea.	<b>8'</b>
2 to 3 ft	.65 .60
3 to 4 ft	.85 .80
4 to 5 ft	1.25 1.10
5 to 6 ft	
arborea glabrata. Smooth Tree False S	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft 1.50	
5 to 6 ft	1.75
sorbifolia. Ural False Spiraea. 6'	05 00
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	1.75 1.50
2 to 3 ft	.65 .60
3 to 4 ft	
4 to 5 ft 1.50	
Sorbus americana. American Mountain Ash	
5 to 6 ft 4.50	
6 to 8 ft 5.00	
aucuparia. European Mountain Ash. 50'	
6 to 8 ft 4.00	3.75
8 to 10 ft 5.00	4.50
1¼ to 1½ in 6.50	6.00
1½ to 1¾ in 9.00	
1¾ to 2 in 12.50	
2 to 2½ in 15.00	
2½ to 3 in	
3 to 3½ in 27.50	
3½ to 4 in 35.00	30.00

Sorbus 1-4 5-5	24 25 & up
aucuparia columnaris. $Columnar~Mt.~Ash.~40'$	ch Each
2 to 2½ in	
aucuparia fastigiata. Pyramidal Mt. Ash. 40'	
6 to 8 ft	
8 to 10 ft	
1½ to 1½ in	
1½ to 1¾ in	
aucuparia pendula. Weeping Mt. Ash. 10'	
3 yr., 5 to 6 ft. stem 15.00	
commixta. Korean Mountain Ash. 25'	
6 to 8 ft 5.00 4.0	10
8 to 10 ft	
134 to 2 in	
9 / 01/	
01/ 4- 0 !	
242 to 3 in	)0
6 to 8 ft 5.00	
8 to 10 ft 7.50	
2 to 2½ in	
quercifolia. (see thuringiaca)	
spuria. 15'	
8 to 10 ft 6.00	
1½ to 1½ in 7.50	
134 to 2 in	
2 to 2½ in	
thuringiaca. (quercifolia). Oakleaf Mt. Ash.	0 = 1
6 to 8 ft 6.00	<i>99</i>
8 to 10 ft 7.50	
1½ to 1¾ in	
134 to 2 in	
2 to 2½ in 15.00	
2½ to 3 in 20.00	
torminalis. Checkertree Mt. Ash. 50'	
6 to 8 ft	0
0 1 10 01	0 -
134 to 2 in	
2 to 2½ in	
2½ to 3 in	
10.00	O
Spirea arguta. Garland Spirea. 6'	
2 to 3 ft	5 .60
3 to 4 ft	
4 to 5 ft 1.50 1.2	
E 4 - 0 04	
5 to 6 it	30 <b>1.35</b>

Spiraea	1-4		25 & up
billiardi. Billiard Spiraea. 6'	Each	Each	Each
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
bumalda. Bumalda Spiraea. 3'	1.00	1.20	1.10
	.75	.65	
24 to 30 in	1.00	.75	
	1.00	.10	
bumalda Anthony Waterer.			
Anthony Waterer Spiraea. 3'	-		
15 to 18 in	.65	.55	.50
18 to 24 in	.85	.70	.65
24 to 30 in	1.00	.90	.80
bumalda walluffi. 3'	. 0.5	. 17.0	0.5
18 to 24 in	.85	:70	.65
24 to 30 in	1.00	.90	.80
cantonensis. Reeves Spiraea. 8' 2 to 3 ft	0.5	CE	00
3 to 4 ft	.85	.65	.60
	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
cantonensis lanceata. Double Reeves	_		60
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
chamaedryfolia. ulmifolia. Elmleaf 2 to 3 ft	_	a. <b>6'</b>	
douglasi. Douglas Spiraea. 8'	1.25		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.10
froebeli. Froebel Spiraea. 4'	2.00	1.00	
2 to 3 ft	1.00	.70	.65
3 to 4 ft	1.25	1.00	.85
japonica. Japanese Spiraea. 6'	1.20	1.00	.00
* *	.75	.65	
	.85	.70	
japonica fortunei. Fortune Spiraea.	4'	,,,	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
japonica ovalifolia. Ovalleaf Japanes			
	1.00	.80	.75
	1.25	.90	.80
japonica ruberrima. Red Japanese			
•	.85	.70	
3 to 4 ft	1.00	.80	

	1-4	5-24	25 & up
Spiraea	Each	Each	
latifolia. (bethlehemensis).			
Broadleaf Meadowsweet Spiraea	. 6'		
_		CE	60
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
margaritae. Margarita Spiraea. 5'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
nipponica rotundifolia. Big Nippo			) <b>'</b>
3 to 4 ft	1.25	.85	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
prunifolia. Bridal Wreath Spiraea.	8'		
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.50	1.40	
pubescens. 6'			
3 to 4 ft	1.50		
salicifolia. Willowleaf Spiraea. 5'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	
superba. Striped Spiraea, 4'  18 to 24 in	75	e =	CO
2 to 3 ft	.75 1.00	.65 .80	.60 .75
	1.00	.00	.10
syringiflora. Lilac Spiraea. 3'			
18 to 24 in	1.50		
2 to 3 ft	1.75	1.50	
thunbergi. Thunberg Spiraea. 5'			
18 to <b>2</b> 4 in	.75	.55	.50
2 to 3 ft	1.00	.75	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.25	
tomentosa. Hardhack. 4'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
	1.20	.00	.00

	1-4 Each		25 & up Each
Spiraea			
trichocarpa. Korean Spiraea. 4'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50		
van houttei. Vanhoutte Spiraea. 10	,		
2 to 3 ft	.75	.55	.50
3 to 4 ft	.85	.70	.65
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	
veitchi. Veitch Spiraea. 12'			
3 to 4 ft	1.50		
wilsoni. Wilson Spiraea. 6'			
3 to 4 ft	1.50		
Staphylea bumalda. Bumalda Bladdern	ut. 8'		
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.50	1.25	
colohica Calalia Dindianna 10			
colchica. Colchis Bladdernut. 12'	1 75	1.65	1 50
	1.75	1.65	1.50
4 to 5 ft	2.00	1.85	1.75
5 to 6 ft	2.50	2.25	
pinnata. European Bladdernut. 12'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
trifolia. American Bladdernut. 12'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
Stephanandra incisa (flexuosa).			
Cutleaf Stephanandra. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90

Stewartia ovata. (pentagyna). Mountain Stewartia. 15' 3 to 4 ft
3 to 4 ft
4 to 5 ft
ovata grandiflora. Showy Mountain Stewartia. 15'
serrata. 30'
3 to 4 ftB&B 12.50
4 to 5 ftB&B 15.00
Change in order 7 C 1 U col
Styrax japonica. Japanese Snowbell. 20'
3 to 4 ft
4 to 5 ft
5 to 6 ftB&B 15.00 12.50 6 to 8 ftB&B 20.00 17.50
6 to 8 ftB&B 20.00 17.50 8 to 10 ftB&B 25.00
0 to 10 1t
obassia. Fragrant Snowbell. 20'
3 to 4 ft
4 to 5 ft
6 to 8 ft
Symphoricarpus albus. (racemosus). Snowberry. 6'
2 to 3 ft
3 to 4 ft
4 to 5 ft
chenaulti. Chenault Coralberry. 5'
2 to 3 ft
3 to 4 ft
mollis. Spreading Snowberry. 6'
2 to 3 ft
3 to 4 ft
occidentalis. Western Snowberry. 5'
2 to 3 ft
3 to 4 ft
o. heyeri. Thinleaf Western Snowberry. 5'
2 to 3 ft 1.00

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos	Each	Each	Lacu
orbiculatus (vulgaris). Indiancu	rrant Core	alberry	<b>5</b> '
2 to 3 ft	75	.55	.50
3 to 4 ft		.65	.60
orbiculatus leucocarpus. White	Indiancu	rrant	5 <b>'</b>
2 to 3 ft		.85	.75
3 to 4 ft			.90
4 to 5 ft			1.25
racemosus. (see albus)			
racemosas. (see albus)			
*Symplocos paniculata. Sapphirebern	ry Sweetle	eaf. 20'	,
2 to 3 ft	<b>2.</b> 00	1.50	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.50	4.00	
6 to 8 ft	6.00	5.00	
Syringa amurensis japonica. Japan	ese Tree	Lilac.	20'
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.60	1.50
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft		3.25	3.00
8 to 10 ft	5.00	4.50	4.00
chinensis. syn. rothomagensis.		ilac. 1	0'
2 to 3 ft		.80	.70
3 to 4 ft		1.00	.90
4 to 5 ft		1.35	1.25
5 to 6 ft		1.60	1.50
6 to 8 ft	2.25	2.00	1.75
chinensis alba. White Chinese L	ilac. 10'		
2 to 3 ft	1.00	.80	.70
3 to 4 ft		1.00	.90
4 to 5 ft		1.35	1.25
5 to 6 ft		1.60	1.50
6 to 8 ft	2.25	2.00	1.75
chinensis metensis. 10'			
2 to 3 ft	. 1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.60	1.50
6 to 8 ft	2.25	2.00	1.75

	1-4		25 & up
Syringa	Each	Each	Each
chinensis saugeana. Purple Chinese	Lilac.	10'	
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.60	1.50
6 to 8 ft	2.25	2.00	1.75
emodi. Himalayan Lilac. 8'			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
5 to 6 ft	3.00		
henryi eximea. 8' 4 to 5 ft	2.00		
	3.00 3.50		
5 to 6 ft	3.50		
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.00	3.50	
japonica. (see amurensis japonica)			
japonica. (see amurensis japonica) josiflexa Guinevere. 20'			6
	4.00		
josiflexa Guinevere. 20'	<b>4.</b> 00 <b>5.</b> 00		:
josiflexa Guinevere. 20' 3 to 4 ft			:
josiflexa Guinevere. 20'  3 to 4 ft	5.00		
josiflexa Guinevere. 20'  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.	5.00	.80	.70
josiflexa Guinevere. 20'  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  josikaea. Hungarian Lilac. 10'	<b>5.00 6.00</b>	.80 1.00	.70 .90
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft.	5.00 6.00		
josiflexa Guinevere. 20'  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  josikaea. Hungarian Lilac. 10'  2 to 3 ft.	5.00 6.00 1.00 1.25	1.00	.90
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	5.00 6.00 1.00 1.25 1.50	1.00 1.35	.90
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft.	5.00 6.00 1.00 1.25 1.50 2.00	1.00 1.35 1.60	.90
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	5.00 6.00 1.00 1.25 1.50 2.00	1.00 1.35 1.60	.90
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft.  josikea pallida. 10' 4 to 5 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25	1.00 1.35 1.60	.90
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 8 ft.  josikea pallida. 10'	5.00 6.00 1.00 1.25 1.50 2.00 2.25	1.00 1.35 1.60 2.00	.90 1.25
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft.  josikea pallida. 10' 4 to 5 ft.  microphylla. Littleleaf Lilac. 10'	5.00 6.00 1.00 1.25 1.50 2.00 2.25	1.00 1.35 1.60	.90 1.25
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft.  josikea pallida. 10' 4 to 5 ft.  microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25 4.00	1.00 1.35 1.60 2.00	.90 1.25
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 8 ft.  josikea pallida. 10' 4 to 5 ft.  microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25 4.00	1.00 1.35 1.60 2.00	.90 1.25
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft.  josikea pallida. 10' 4 to 5 ft.  microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25 4.00 1.50 2.00 2.50	1.00 1.35 1.60 2.00 1.25 1.50 2.00	.90 1.25
josiflexa Guinevere. 20'  3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  josikea pallida. 10' 4 to 5 ft.  microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25 4.00 2.50 3.00	1.00 1.35 1.60 2.00 1.25 1.50 2.00 2.50	.90 1.25

	1-4 Each		25 & up Each
Syringa			
oblata dilatata. Korean Early Lilo			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
pekinensis. Peking Lilac. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
6 to 8 ft. specB&B	15.00		
8 to 10 ft. specB&B 2	20.00		
persica. Persian Lilac. 10'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.75	1.50	1.25
	10 <b>'</b>		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.65	1.50
prestoniae. Preston Lilac. 20'		2.00	-100
2 to 3 ft	4.00		
3 to 4 ft	5.00		
4 to 5 ft	6.00		
5 to 6 ft	7.50		
Handel — magenta			
Paulina — fuchsine pink			
Isabella — fuchsine pink			
<b>Nerissa</b> — pink			
<b>Hecla</b> — fuchsia purple			
pubescens. Hairy Lilac. 6'			
3 to 4 ft	3.00		
reflexa. Nodding Lilac. 12'	<b>0.</b> 00		
5 to 6 ft	5.00		
velutina. Manchurian Lilac. 10'	5.00		
	2.50	9.00	
4 to 5 ft	2.50 3.00	$\frac{2.00}{2.50}$	
	3.00	2.50	
villosa. Late Lilac. 8'	1.00	0.0	70
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.65	

	1-4 Each	5-24 2 Each	25 & up Each
Syringa	Насп	Hach	Lacii
vulgaris. Common Purple Lilac. 1	5 <b>'</b>		
2 to 3 ft	1.00	.70	.65
3 to 4 ft	1.25	.90	.80
4 to 5 ft			
	1.75	1.50	1.25
3 00 0 20	2.00	1.75	
4 to 5 ft. clumpsB&B			
5 to 6 ft. clumpsB&B	12.50		
vulgaris alba. Common White Lila	c. 15'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.75	1.35	
4 to 5 ft	2.25	1.75	
5 to 6 ft		2.50	
4 to 5 ft. clumpsB&B		4.00	
5 to 6 ft. clumps B&B			
2 22 22 22 22 22 22 22 22 22 22 22 22 2	12.50		
vulgaris. Named Varieties. 15'			
These hybrid lilacs are gro	wn on	their	own
roots in bush form. Can also			
tree form in first two sizes			
2 to 3 ft	1.75	1.25	
3 to 4 ft			1.10
	2.00	1.50	1.40
4 to 5 ft	3.00	2.75	2.50
5 to 6 ft	4.00	3.75	3.50
6 to 8 ft	5.00	4.50	4.00
Belle de Nancy — Double Rose			
2-3' 3-4' 4-5' 5-6' 6-8'			
Chas. Joly — Dark Purplish Re	d		
2-3' 3-4' 4-5' 5-6' 6-8'			
Frau Dammann - Single White			
2-3' 3-4' 4-5' 5-6' 6-8'			
2-3 3-4 4-9 9-0 0-8			
La Tour d'Auvergne — Double :	Purple		
2-3' 3-4' 4-5' 5-6' 6-8'	_		
Ludwig Spacth Single Ded			
Ludwig Spaeth — Single Red 2-3' 3-4' 4-5' 5-6'			
2-3 3-4 4-9 9-6			
Mad. Abel Chatenay - Double	White		
2-3' 3-4' 4-5' 5-6' 6-8'			
		-	
Mad. Casimer Perier — Double	Creamy	White	3
2-3' 3-4' 4-5' 5-6' 6-8'			
Mad. Lemoine — Large Double	White		
2-3' 3-4' 4-5' 5-6' 6-8'			

PAINESVILLE, OHIO		, , ,
Syringa vulgaris. Named Varieties 1.4 Each		25 & up Each
Marie Le Graye — Single White		
2-3' 3-4' 4-5' 5-6' 6-8'		
Pres. Grevy — Double Blue		
2-3' 3-4' 4-5' 5-6' 6-8'		
Princess Alexandra - Single White		
2-3' 3-4' 4-5' 5-6' 6-8'		
We have a limited quantity of the	ne newe	r va-
rieties of Lemoine's hybrid named		
we offer at the following prices.		
rieties will be forwarded on reque		
2 to 3 ft		
3 to 4 ft		
4 to 5 ft 3.50		
5 to 6 ft 5.00		
6 to 8 ft 7.50		
yunnanensis. Yunnan Lilac. 10'		
4 to 5 ft		
5 to 6 ft 4.00		
6 to 8 ft 5.00		
0 00 0 200.		
Tamarix africana. African Tamarix. 15'	.85	.80
0 00 1 100	1.25	1.10
2 00 0 20011111111111111111111111111111	1.60	1.10
5 to 6 ft	1.00	1.55
gallica. French Tamarix. 10'	0.5	.80
3 to 4 ft		1.10
4 to 5 ft	1.25	1.10
gallica indica. India Tamarix. 10'	0.5	
3 to 4 ft		
4 to 5 ft 1.50	1.25	
odessana. Odessa Tamarix. 6'	0.5	0.0
	.85	
4 to 5 ft		1.10
5 to 6 ft	1.60	1.35
pentandra. Fivestamen Tamarix. 12'		
3 to 4 ft 1.25		.80
4 to 5 ft	1.25	1.10
tetandra. Fourstamen Tamarix. 10'		
3 to 4 ft		.80
4 to 5 ft		1.10
Taxodium distichum. Common Baldcypress.		
5 to 6 ftB&B 12.50		
6 to 8 ftB&B 15.00		
8 to 10 ftB&B 20.00	)	
10 to 12 ftB&B 30.00	)	

		1-4 Each	5-24 Each	25 & up Each
Taxus baccata. English Yew.	50°			
18 in		5.00		
2 ft				
		0.00		
baccata. erecta. Broom Yes				
2 ft		6.00		
2½ ft		7.50		
3 ft	.B&B	10.00	8.00	
baccata fastigiata. Irish Y	ew. 10'	•		
18 in	.B&B	10.00	9.00	
baccata repandens. Spreadi	ng End	ilish Ye	rv. 2'	
18 to 24 in. spd			6.50	
24 to 30 in. spd			8.00	
30 to 36 in. spd				
baccata washingtoni. Wash			, ,	
15 in	_		6.00	
18 in				
2 ft				
canadensis. Canada Yew.				
18 to 24 in. spd		6.00		
24 to 30 in. spd				
30 to 36 in. spd				
canadensis stricta. Dwarf				
18 to 24 in				
		7.50		
cuspidata. Japanese Yew. 1			= 00	
15 to 18 in. spd			5.00	4.50
18 to 24 in. spd				6.00
2 to 2½ ft. spd			8.00	7.50
2½ to 3 ft. spd				
3 to 3½ ft. spd			18.00	15.00
3½ to 4 ft. spd				
Heavy clipped specime			broac	l, 3 to
5 ft. high, quoted on r				
cuspidata aurescens. Goldti			ew. 20'.	
18 in				
2 ft				
2½ ft				
cuspidata densa. $Cushion$ .			3'	
18 to 24 in	.B&B	10.00		
24 to 30 in	.B&B	12.50		
30 to 36 in	.B&B	15.00		

Taxus		1-4 Each		25 & up Each
cuspidata nana. Dwarf Jap	anese			Lacii
15 to 18 in		7.50	7.00	6.00
18 to 24 in	.B&B	10.00	8.00	7.50
24 to 30 in	.B&B	12.50	11.00	10.00
30 to 36 in	B&B	18.00	15.00	
36 to 42 in	.B&B	25.00		
cuspidata nana compacta.	6 <b>'</b>			
18 to 24 in		10.00	8.00	7.50
24 to 30 in	.B&B	12.50	11.00	10.00
30 to 36 in	.B&B	18.00	15.00	
cuspidata capitata. Upright	_			
2 ft			6.75	6.25
2½ ft			10.00	8.00
3 ft			13.50	11.00
3½ ft			17.50	15.00
4 ft			25.00	22.50
4½ ft			30.00	27.50
5 ft			35.00	32.50
5½ ft			40.00	
6 ft			45.00	
6½ ft			50.00	
7 ft			55.00	
cuspidata thayeri. Thayer's				
18 to 24 in. spd			7.00	
24 to 30 in. spd	.B&B	10.00	9.00	
cuspidata Vermuelen. 10'				
18 to 24 in				
24 to 30 in	.B&B	10.00		
hunnewelliana. Hunnewell	Yew.			
18 to 24 in				
24 to 30 in	.B&B	10.00		
30 to 36 in	.B&B	12.50		
Jeffrey's Pyramidal. 10'				
18 in	.B&B	7.50		
2 ft	.B&B	10.00		
2½ ft	.B&B	12.50		
media. Anglojap Yew. 12'				
18 to 24 in	.B&B	7.50	7.00	
24 to 30 in	.B&B	10.00	9.00	
media andersoni. Anderson	Yew.			
18 to 24 in	.B&B	7.50		
24 to 30 in	.B&B	10.00		
30 to 36 in	.B&B	12.50		

	1-4 Each		25 & up
Taxus	Each	Mach	Bach
media browni. Brown's Yew. 10'			
18 to 24 inB&B	7.50	7.00	6.50
24 to 30 inB&B	10.00	9.00	
media hatfieldi. Hatfield Yew. 20	,		
18 to 24 in		6.00	5.50
24 to 30 in		8.00	7.50
30 to 36 in		10.00	,,,,
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	6.00	5.00	4.50
24 to 30 in		7.00	6.50
30 to 36 in			9.00
36 to 42 in			0.00
42 to 48 in			
media kelseyi. Kelsey Yew. 10'  18 to 24 in	7.50		
24 to 30 in			
30 to 36 in			
media wellesleyana. Wellesley Yer  18 to 24 in			
24 to 30 in			
30 to 36 in			
00 to 00 m	12.00		
Thuja occidentalis. Eastern Arborvitae	40"		
3 ftB&B	•	4.50	4.00
4 ft		6.00	
4 ft. heavy spcB&B			
5 ftB&B		8.00	7.50
5 ft. heavy specB&B			
6 ftB&B	12.50	10.00	9.50
6 ft. heavy specB&B	15.00		
7 ftB&B	15.00	13.50	
8 ftB&B			
For larger sizes to 18 ft., add \$5.00 per foot			
occidentalis aurea douglasi.			
Douglas Golden Arborvitae. 15	,		
3 ftB&B	4.00	3.50	
4 ftB&B		5.00	
5 ftB&B		6.50	
6 ftB&B	10.00	7.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each		25 & up Each
Thuja			
occidentalis columbia. Silvertip A	lrborvi	tae. 40'	
3 ftB&B		5.00	
4 ftB&B			
5 ftB&B			
6 ftB&B			
7 ftB&B			
8 ftB&B			
occidentalis compacta. Compact			
15 inB&B		2.75	
18 inB&B			
24 in			
30 in			5.00
36 in		6.50	
occidentalis Parson's Compacta.			
36 inB&B		6.50	
42 in		7.50	
48 inB&B		10.00	
54 in			
occidentalis cristata. Crested Arb		. 15'	
3 ftB&B			
4 ftB&B	7.50		
occidentalis elegantissima.			
Geo. Peabody Arborvitae. 15'	= 00	4 #0	
2 ftB&B		4.50	
3 ftB&B 4 ft. B&B		6.00	
		8.50	
200 11111111111111111111111111111111111		10.00	
6 ft. B&B 7 ft. B&B	15.00		12.50
			o.t
For larger sizes to 10 ft., add	ι φο.υυ	per 10	Oi.
occidentalis ellwangeriana.			
Ellwanger Arborvitae. 6' 2 ftB&B	3.75	3.50	
2½ ft B&B		4.00	
3 ftB&B		5.00	
3½ ftB&B		6.00	
4 ft		7.50	
4½ ftB&B		10.00	
occidentalis ericoides. Heath Arb			
2 ftB&B		4.00	
2½ ftB&B	5.00	4.50	
3 ftB&B	6.00	5.50	

	1-4 Each	5-24 2 Each	25 & up Each
Thuja	Pach	Bach	23000
occidentalis globosa. Globe Arborvi	tae. 3'		
18 inB&B	4.00	3.50	3.25
24 inB&B	5.50	5.00	4.50
30 inB&B	6.00	5.50	5.00
36 inB&B	7.50	6.00	5.50
42 inB&B	10.00	7.50	
occidentalis hoveyi. Hovey Golden	Arbo	rvitae.	8'
18 inB&B	4.00	3.50	3.00
2 ftB&B	5.00	4.75	4.50
2½ ftB&B	6.00	5.50	5.00
3 ftB&B	7.00	6.00	5.50
3½ ftB&B	8.50	7.50	7.00
4 ftB&B		9.00	
4½ ftB&B	12.50	11.00	
occidentalis lutea. (see occ. elegar	ntissim	a)	
occidentalis nigra.			
Wintergreen Pyramidal Arborvi		ō <b>'</b>	
2 ftB&B	4.50	4.25	4.00
3 ftB&B	6.00	5.50	5.00
4 ftB&B	7.50	7.00	6.50
5 ftB&B		9.00	8.00
6 ftB&B		12.50	
7 ftB&B		18.00	
For larger sizes to 10 ft., add		per fo	ot.
occidentalis pumila. Little Gem			
18 in. spreadB&B	4.50	4.00	3.50
24 in. spreadB&B	5.00	4.75	4.50
Co Line Special Control Contro	6.00	5.50	5.00
36 in. spreadB&B	7.50	6.00	
occidentalis pygmaea. Pygmy Arb			
15 inB&B	4.00		2.75
18 inB&B		4.00	
24 inB&B		5.00	
occidentalis pyramidalis. Pyramid			
2 ftB&B		4.00	3.50
3 ftB&B			4.50
4 ftB&B		6.50	6.00
5 ftB&B		8.50	7.50
6 ftB&B			11.50
7 ftB&B		15.00	
8 ftB&B		20.00	. 4
For larger sizes to 18 ft., add	\$5.00	per foo	JU

	1-4 Each	5-24 2 Each	5 & up Each
Thuja			
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvitae.			
2 ftB&B	5.00	4.00	
0 10	6.00	5.00	
4 ftB&B	7.50	6.50	
0 10	10.00	9.00	
6 ftB&B			
For larger sizes to 9 ft., add \$	5.00 p	er foot.	•
occidentalis reevesi. Reeves Arbora	vitae.	10'	
2½ ftB&B	4.50		
3 ftB&B	5.00	4.50	
4 ftB&B	7.50	6.00	
occidentalis reidi. Reid Arborvitae.	8 <b>'</b>		
2 ftB&B	5.00	4.75	4.50
2½ ftB&B	6.00	5.50	5.00
3 ft B&B	7.50	6.00	5.50
	10.00	7.50	6.50
4 ftB&B	12.50	10.00	9.00
4½ ftB&B	15.00	13.50	12.50
5 ftB&B	20.00	15.00	
occidentalis riversi. Rivers Arborv	itae.	12'	
	6.00		
4 ftB&B	7.50		
5 ftB&B	10.00		
occidentalis rosenthali. Rosenthal		vitae. 1	o <b>'</b>
	6.00	5.00	4.50
3 ft	7.50	6.00	5.50
4 ft		8.50	7.50
5 ftB&B	12.50	10.00	
6 ftB&B		12.50	
7 ftB&B			
occidentalis spiralis. Spiral Arbora	vitae.	<i>25</i> ′	
2 ft		4.00	3.50
3 ft			4.50
4 ft			6.00
5 ft			8.00
6 ft			11.50
7 ft	18.00	16.00	15.00
For larger sizes to 20 ft., add			ot.
Tor larger bizes to 20 100, date		•	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Thuja		1-4 Each	5-24 Each	25 & up Each
occidentalis umbraculifera.			rborvita	
15 to 18 in. spd	B&B	3.50	3.00	2.75
18 to 24 in. spd			3.50	3.25
24 to 30 in. spd				4.50
2½ to 3 ft. spd	B&B	6.00	5.50	5.00
3 to 3½ ft. spd	B&B	7.50	7.00	
occidentalis vervaeneana. V	ervaei	ie Arb	orvitae.	12'
3 ft	B&B	6.00	5.00	
4 ft	B&B	7.50	6.50	
5 ft	B&B	10.00		
6 ft	B&B	12.50		
7 ft	B&B	15.00		
8 ft	B&B	20.00		
occidentalis wareana. Ware	Arbor	vitae.	<i>15</i> <b>′</b>	
18 in	B&B	3.50	2.75	2.50
2 ft	B&B	4.00	3.75	3.50
2½ ft	.B&B	6.00	5.50	5.00
3 ft	B&B	7.50	7.00	6.75
3½ ft	B&B	8.50	8.00	7.50
4 ft	B&B	12.50	10.00	9.00
4½ ft	B&B	15.00	12.50	
For larger sizes to 7 ft.,	add \$	5.00 p	er foot.	
occidentalis wareana lutesc				
Ware Gold Arborvitae. 1				
18 in			4.50	
2 ft		7.50	6.00	
2½ ft		10.00	7.50	
3 ft		12.50	10.00	
occidentalis woodwardi. Wo				<i>6</i> ′
18 in	$RX_TR$			
2.1.1		4.00	3.50	
24 in	.B&B	5.50	3.50 5.00	
36 in	.B&B .B&B	5.50 7.50		
36 in. Oriental Arborvit	.B&B .B&B ae. 25	5.50 7.50	5.00	
36 in.  orientalis. Oriental Arborvit  3 ft.	.B&B .B&B ae. 25	5.50 7.50 5.00	5.00	
36 in.  orientalis. Oriental Arborvit  3 ft.  4 ft.	.B&B .B&B ae. 25 .B&B .B&B	5.50 7.50 7.50 7.50	5.00 4.50 6.50	
36 in.  orientalis. Oriental Arborvit 3 ft. 4 ft. 5 ft.	. B&B . B&B . ae. 25 . B&B . B&B	5.50 7.50 7.50 7.50 10.00	5.00 4.50 6.50 8.50	
36 in.  orientalis. Oriental Arborvit 3 ft. 4 ft. 5 ft. 6 ft.	.B&B .B&B .ae. 25 .B&B .B&B .B&B	5.50 7.50 7.50 7.50 10.00 12.50	5.00 4.50 6.50	
36 in.  orientalis. Oriental Arborvit  3 ft. 4 ft. 5 ft. 6 ft. 7 ft.	.B&B .B&B .ae. 25 .B&B .B&B .B&B .B&B	5.50 7.50 7.50 7.50 10.00 12.50 15.00	5.00 4.50 6.50 8.50	
36 in.  orientalis. Oriental Arborvit  3 ft.  4 ft.  5 ft.  6 ft.  7 ft.  8 ft.	B&B  ae. 25  B&B  B&B  B&B  B&B  B&B  B&B  B&B	5.50 7.50 7.50 7.50 10.00 12.50 15.00 20.00	5.00 4.50 6.50 8.50 10.00	
36 in.  orientalis. Oriental Arborvit 3 ft. 4 ft. 5 ft. 6 ft. 7 ft. 8 ft. orientalis conspicua. Goldsp	B&B ae. 25 B&B B&B B&B B&B B&B B&B	5.50 7.50 7.50 7.50 10.00 12.50 15.00 20.00 borvito	5.00 4.50 6.50 8.50 10.00	
36 in.  orientalis. Oriental Arborvit  3 ft. 4 ft. 5 ft. 6 ft. 7 ft. 8 ft. orientalis conspicua. Goldsp 2 ft.	B&B  B&B  B&B  B&B  B&B  B&B  B&B  B&B	5.50 7.50 5.00 7.50 10.00 12.50 15.00 20.00 borvite 5.00	5.00  4.50 6.50 8.50 10.00  ae. 20' 4.50	
36 in.  orientalis. Oriental Arborvit  3 ft. 4 ft. 5 ft. 6 ft. 7 ft. 8 ft.  orientalis conspicua. Goldsp 2 ft. 3 ft.	B&B  B&B  B&B  B&B  B&B  B&B  B&B  B&B	5.50 7.50 7.50 7.50 10.00 12.50 15.00 20.00 borvite 5.00 6.00	5.00 4.50 6.50 8.50 10.00	
36 in.  orientalis. Oriental Arborvit  3 ft. 4 ft. 5 ft. 6 ft. 7 ft. 8 ft. orientalis conspicua. Goldsp 2 ft.	B&B  ae. 25  B&B  B&B  B&B  B&B  B&B  B&B  B&B  B	5.50 7.50 7.50 7.50 10.00 12.50 15.00 20.00 borvito 5.00 6.00 7.50	5.00  4.50 6.50 8.50 10.00  ae. 20' 4.50	

	1-4 Each		25 & up Each
Thuja	2300		
orientalis elegantissima.			
Yellow Column Arborvitae. 10'		4 = 0	
2 ft	5.00	4.50	
3 ft	6.00		
4 ft	7.50		
5 ft	10.00		
orientalis nana aurea.			
Berkman's Golden Arborvitae.			
18 in	4.00	4.00	
2 200	4.50	4.00	
2½ ft	6.00	5.50	
orientalis sieboldi. Siebold Arborvi			
2 ftB&B	6.00	5.50	
3 ft		7.00	
4 ftB&B	10.00	9.00	
plicata. Giant Arborvitae. 20'	F 00	4.50	
2 ftB&B	5.00		
3 ft			
4 ft		10.00	
5 ft			15'
plicata atrovirens. Darkgreen Gian 2 ft		4.50	. 10
	6.50	1.00	
plicata fastigiata. Pyramidal Giant		rvitae	20'
3 ft			5.50
4 ft			7.50
5 ft			
6 ft			
7 ft			
For larger sizes to 12 ft., add		per foc	ot.
standishi. Japanese Arborvitae. 50'			
3 ftB&B	7.50		
Tilia americana. American Linden. 75'			
6 to 8 ft	3.00		
8 to 10 ft	3.50		
1¼ to 1½ in	4.50		
1½ to 1¾ in	5.50		
174 00 = 1320	8.50		
2 00 2,2 2220	12.50		
2,2 00 0 2220	20.00		
3 3 1 = ===	30.00		
3½ to 4 in	40.00		

			1-4 Each	
Tilia			Eacn	Each Each
america	na :	fastig	riata.	
			merican Linden. 75'	
cordata.	Lit	tleleaj	f European Linden. 70'	
6	to	8	ft 7.50	
11/4	to	$1\frac{1}{2}$	in 12.50	
11/2	to	13/4	in 15.00	
euchlora	. C	rimea	n Linden. 75'	
2	to	$2\frac{1}{2}$	in25.00	
21/2	to	3	in 30.00	
3	to	$3\frac{1}{2}$	in 40.00	
31/2	to	4	in 50.00	
4	to	4½	in 65.00	
europae	a. ,	Europ	pean Linden. 75'	
8	to	10	ft 10.00	
11/2	to	$1\frac{3}{4}$	in 15.00	
13/4	to	2	in 18.00	
2	to	$2^{1/2}$	in 25.00	
21/2	to	3	in 30.00	
3	to	$3\frac{1}{2}$	in 35.00	
$3\frac{1}{2}$	to	4	in 45.00	
4	to	5	in 60.00	
henryan	a.	Henr	y Linden. 60'	
8	to	10	ft 12.50	
11/4	to	1½	in 15.00	
oliveri.	Oli	ver L	inden. 50'	
8	to	10	ft 12.50	
platyphy	yllo	s. Bi	igleaf Linden. 75'	
13/4	to	2		
	to		in 15.00	
		3		
			in 30.00	
31/2	to	4	in 40.00	
4	to	5	in 50.00	
	_		ramidalis.	
•			gleaf Linden. 50'	
3	to	$3\frac{1}{2}$	in 35.00	

	4 5-24 25 & up
tomentosa. Silver Linden. 40'	eh Each Each
1½ to 1½ in	0
1½ to 1¾ in	0
1 <sup>3</sup> / <sub>4</sub> to 2 in	0
vulgaris. (see europea).	
Tripterygium regeli. Regels Threewingnut.	5 <b>'</b>
2 to 3 ft	
3 to 4 ft	
	1.00
Tsuga canadensis. Canada Hemlock. 75'  2 ft	0 5.50 5.00
2 1t	
3 ft	
4 ft	
4 ft. extra broad B&B 22.5	
5 ft	
5 ft. extra broad B&B 27.5	
6 ftB&B 27.5	
7 ft	
8 ftB&B 40.0	0 35.00
For larger sizes to 18 ft. add \$7.50	per foot.
caroliniana. Carolina Hemlock. 50'	
caroliniana. Carolina Hemlock. 50' 2 ft	0 8.00 7.50
2 ftB&B 10.0	0 10.00 9.50
2 ft	0 10.00 9.50 0
2 ft	0 10.00 9.50 0 0
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50	0 10.00 9.50 0 0
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4'	0 10.00 9.50 0 0 per foot.
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2	0 10.00 9.50 0 0 per foot.
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50'	0 10.00 9.50 0 0 per foot. 5 1.75
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 11/4 to 11/2 in. 6.0	0 10.00 9.50 0 0 per foot. 5 1.75 0 5.50
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 11/4 to 11/2 in. 6.0 11/2 to 13/4 in. 8.0	0 10.00 9.50 0 0 per foot. 5 1.75 0 5.50
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 1½ to 1½ in. 6.0 1½ to 1¾ in. 8.0  americana. American Elm. 80'	0 10.00 9.50 0 0 per foot. 5 1.75 0 5.50 0 7.00
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 11/4 to 11/2 in. 6.0 11/2 to 13/4 in. 8.0  americana. American Elm. 80' 6 to 8 ft. 3.0	0 10.00 9.50 0 0 0 per foot. 5 1.75 0 5.50 0 7.00 0 2.50 2.00
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 11/4 to 11/2 in. 6.0 11/2 to 13/4 in. 8.0  americana. American Elm. 80' 6 to 8 ft. 3.0 8 to 10 ft. 3.5	0 10.00 9.50 0 0 per foot. 5 1.75 0 5.50 0 7.00 0 2.50 2.00 0 3.00 2.75
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 1½ to 1½ in. 6.0 1½ to 1¾ in. 8.0  americana. American Elm. 80' 6 to 8 ft. 3.0 8 to 10 ft. 3.5 1¼ to 1½ in. 5.0	0 10.00 9.50 0 0 0 per foot. 5 1.75 0 5.50 0 7.00 0 2.50 2.00 0 3.00 2.75 0 4.50 4.25
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 11/4 to 11/2 in. 6.0 11/2 to 13/4 in. 8.0  americana. American Elm. 80' 6 to 8 ft. 3.0 8 to 10 ft. 3.5 11/4 to 11/2 in. 5.0 11/2 to 1 3/4 in. 5.0	0 10.00 9.50 0 0 0 per foot. 5 1.75 0 5.50 0 7.00 0 2.50 2.00 0 3.00 2.75 0 4.50 4.25 0 6.50 6.00
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 1½ to 1½ in. 6.0 1½ to 1¾ in. 8.0  americana. American Elm. 80' 6 to 8 ft. 3.0 8 to 10 ft. 3.5 1¼ to 1½ in. 5.0 1½ to 1¾ in. 7.5 1¾ to 2 in. 10.0	0 10.00 9.50 0 0 0 per foot. 5 1.75 0 5.50 0 7.00 0 2.50 2.00 0 3.00 2.75 0 4.50 4.25 0 6.50 6.00 0 8.00 7.50
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 1½ to 1½ in. 6.0 1½ to 1¾ in. 8.0  americana. American Elm. 80' 6 to 8 ft. 3.0 8 to 10 ft. 3.5 1¼ to 1½ in. 5.0 1½ to 1¾ in. 7.5 1¼ to 1½ in. 7.5 1¾ to 2 in. 10.0 2 to 2½ in. 12.5	0 10.00 9.50 0 0 per foot. 5 1.75 0 5.50 0 7.00 0 2.50 2.00 0 3.00 2.75 0 4.50 4.25 0 6.50 6.00 0 8.00 7.50 0 11.00 10.00
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 1½ to 1½ in. 6.0 1½ to 1¾ in. 8.0  americana. American Elm. 80' 6 to 8 ft. 3.0 8 to 10 ft. 3.5 1¼ to 1½ in. 5.0 1½ to 1¾ in. 7.5 1¾ to 2 in. 10.0 2 to 2½ in. 12.5 2½ to 3 in. 20.0	0 10.00 9.50 0 0 per foot. 5 1.75 0 5.50 0 7.00 0 2.50 2.00 0 3.00 2.75 0 4.50 4.25 0 6.50 6.00 0 8.00 7.50 0 11.00 10.00 0 16.00 15.00
2 ft. B&B 10.0 3 ft. B&B 12.5 4 ft. B&B 15.0 5 ft. B&B 20.0 For larger sizes to 10 ft., add \$7.50  Ulex europeaus. Common Gorse. 4' 18 to 24 in., 4 in. pots 2.2  Ulmus alatus. Wahoo Elm. 50' 1½ to 1½ in. 6.0 1½ to 1¾ in. 8.0  americana. American Elm. 80' 6 to 8 ft. 3.0 8 to 10 ft. 3.5 1¼ to 1½ in. 5.0 1½ to 1¾ in. 7.5 1¼ to 1½ in. 7.5 1¾ to 2 in. 10.0 2 to 2½ in. 12.5	0 10.00 9.50 0 0 0 per foot. 5 1.75 0 5.50 0 7.00 0 2.50 2.00 0 3.00 2.75 0 4.50 4.25 0 6.50 6.00 0 8.00 7.50 0 11.00 10.00 0 16.00 15.00

					1-4 Each	5-24 Each	25 & up Each
Ulmus							
american	ia (	colum	naris.	Columnar .	Americ	an Eln	n. 60'
6	to	8	ft		4.00	3.50	3.00
8	to	10	ft		5.00	4.50	4.00
11/4	to	11/2	in		6.50	5.50	
11/2	to	$1\frac{3}{4}$	in		8.00	7.00	
13/4	to	2	in		12.50	10.00	
2	to	$2\frac{1}{2}$	in		15.00	14.00	
21/2	to	3	in		25.00	20.00	
3	to	$3\frac{1}{2}$	in		30.00	25.00	
americar	ıa	molin	ne. Mol	line Elm. 8	0 <b>'</b>		
6	to	8	<b>f</b> t		2.75	2.25	2.00
8	to	10	ft		4.00	3.50	3.25
11/4	to	$1\frac{1}{2}$	in		6.00	5.50	5.00
11/2	to	$1\frac{3}{4}$	in		8.00	7.00	6.50
13/4	to	2	in		12.50	10.00	9.00
2	to	$2\frac{1}{2}$	in		15.00	14.00	13.50
$2\frac{1}{2}$	to	3	in		25.00	20.00	18.00
3	to	$3\frac{1}{2}$	in		30.00	25.00	
americai	na	urni.	Vase .	Elm. 60'			
6	to	8	ft		2.75	2.25	2.00
8	to	10	ft		4.00	3.50	3.25
11/4	to	$1\frac{1}{2}$	in		6.00	5.50	5.00
11/2	to	$1\frac{3}{4}$			8.00	7.00	
13/4	to	2			12.50	10.00	
2	to	2½			15.00	14.00	
2½	to	3			25.00	20.00	
3	to	$3\frac{1}{2}$	in		30.00	25.00	
campest	ris.	(see	proce	ra).			
carpinifo	olia	corr	nubiens	sis. Cornish		75 <b>'</b>	
8	to						
11/2	to	$1\frac{3}{4}$	in				
13/4	to	2	in				
2	to	$2\frac{1}{2}$	in		20.00	•	
carpinif	olia	sarı	niensis	. Wheatley		75 <b>'</b>	
6	to	8	ft				
11/4	to					9.00	
11/2	to		in			11.00	
13/4	to	2				14.00	
2	to		in				
2½	to	3				27.50	
41/2	to	5	in		65.00	60.00	)

***	1-4 Each	5-24 25 & up Each Each
Ulmus		
fulva. Slippery Elm.		
	15.00	
	20.00	
2½ to 3 in		20.00
glabra. Scotch Elm. 7	'5 <b>'</b>	
1¼ to 1½ in	<b>6.</b> 00	5.50 5.00
1½ to 1¾ in	<b>9.</b> 00	8.00 7.50
	13.50	12.50 11.00
2 to 2½ in	17.50	15.00 14.00
	<b>25.</b> 00	20.00 18.00
3 to 3½ in		25.00
glabra camperdowni.	Camperdown Elm.	20'
6 ft. stem	10.00	9.00
glabra nana. Globe E	llm.	
6 to 8 ft. stand	ards 20.00	
8 to 10 ft. standa		
hollowdish Islammani	771 Til Nrl	
hollandica klemmeri.		
1¾ to 2 in	15.00	
1¾ to 2 in		
1¾ to 2 in		
13/4 to 2 in 2 to 21/2 in  hollandica latifolia. 11/4 to 11/2 in		7.00 6.50
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in 1½ to 1¾ in		9.00 8.50
1¾ to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in 1½ to 1¾ in 1¾ to 2 in		9.00 8.50 13.50 12.50
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 1¾ in  1¾ to 2 in  2 to 2½ in		9.00 8.50 13.50 12.50 15.00
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 1¾ in  1¾ to 2 in  2 to 2½ in  2½ to 3 in		9.00 8.50 13.50 12.50
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 1¾ in  1¾ to 2 in  2 to 2½ in  2½ to 3 in		9.00 8.50 13.50 12.50 15.00
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 1¾ in  1¾ to 2 in  2 to 2½ in  2½ to 3 in  3 to 3½ in		9.00 8.50 13.50 12.50 15.00
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 1¾ in  1¾ to 2 in  2 to 2½ in  2 to 2½ in  3 to 3½ in  hollandica vegeta. H		9.00 8.50 13.50 12.50 15.00
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 1¾ in  1¾ to 2 in  2 to 2½ in  2 to 2½ in  3 to 3½ in  hollandica vegeta. H  8 to 10 ft	15.00 20.00  Belgian Elm. 75' 8.00 10.00 15.00 20.00 30.00 35.00  untington Elm. 75'	9.00 8.50 13.50 12.50 15.00 25.00
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 1¾ in  1¾ to 2 in  2 to 2½ in  2 to 2½ in  3 to 3½ in  hollandica vegeta. H  8 to 10 ft  1¼ to 1½ in	### 15.00  ### 20.00  ### 20.00  ### 3.00  ### 15.00  ### 15.00  ### 20.00  ### 30.00  ### 35.00  #### 35.00  #### 4.75'  #### 6.00	9.00 8.50 13.50 12.50 15.00 25.00
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 134 in  2 to 2½ in  2 to 2½ in  3 to 3½ in  hollandica vegeta. H  8 to 10 ft  1¼ to 1½ in  1¼ to 1½ in  1½ to 1¾ in		9.00 8.50 13.50 12.50 15.00 25.00 5.50 7.00 6.50
134 to 2 in 2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 1¾ in  2 to 2½ in  2 to 2½ in  3 to 3½ in  hollandica vegeta. H  8 to 10 ft  1¼ to 1½ in  1¼ to 1½ in  1½ to 1¾ in  1½ to 1¾ in  1¾ to 2 in	15.00 20.00  Belgian Elm. 75' 8.00 10.00 15.00 20.00 30.00 35.00  untington Elm. 75' 6.00 8.00 10.00	9.00 8.50 13.50 12.50 15.00 25.00 5.50 7.00 6.50 9.00 8.50
134 to 2 in  2 to 2½ in  hollandica latifolia.  1¼ to 1½ in  1½ to 134 in  2 to 2½ in  2 to 2½ in  2½ to 3 in  3 to 3½ in  hollandica vegeta. H  8 to 10 ft  1¼ to 1½ in  1½ to 1¾ in  1½ to 1¾ in  2 to 2½ in  2 to 2½ in	### 15.00 ### 20.00  ### 20.00  ### 20.00  ### 3.00 ### 15.00  ### 20.00 ### 30.00 ### 35.00  #### 6.00 ### 8.00 ### 10.00 ### 10.00 ### 15.00	9.00 8.50 13.50 12.50 15.00 25.00 5.50 7.00 6.50 9.00 8.50 13.50 12.00
134 to 2 in  2 to 2½ in  hollandica latifolia.  1½ to 1½ in  1½ to 1¾ in  1¾ to 2 in  2 to 2½ in  2½ to 3 in  3 to 3½ in  hollandica vegeta. H  8 to 10 ft  1¼ to 1½ in  1¼ to 1½ in  1¼ to 1½ in  2 to 2½ in  2½ to 3 in  2 to 2½ in  2½ to 3 in  1¾ to 1½ in  1¼ to 1½ in  1¾ to 2 in  2 to 2½ in  2½ to 3 in	### 15.00  ### 20.00  ### 20.00  ### 20.00  ### 3.00  ### 15.00  ### 20.00  ### 30.00  ### 35.00  #### 6.00  ### 8.00  ### 10.00  ### 15.00  ### 20.00	9.00     8.50       13.50     12.50       15.00     25.00       5.50     7.00     6.50       9.00     8.50       13.50     12.00       15.00     14.00

Ulmus   10   10   10   10   10   10   10   1	1-4 Each	5-24 25 & up Each Each
japonica. Japan	ese Elm. 70'	The state of the s
	in	
13/4 to 2	in 12.50	
2 to 2½	in 17.50	
2½ to 3		
parvifolia. Chin	ese Elm. 30'	
6 to 8 ft.	4.00	3.00 2.50
8 to 10 ft.	<b>5.00</b>	4.00 3.50
10 to 12 ft.	8.50	7.00 6.00
12 to 14 ft.	15.00	12.50
procera. (camr	estris). English Elm. 75	,
6 to 8	ft	3.50 <b>3</b> .25
8 to 10	ft	5.25 5.00
11/4 to 11/2	in 8.00	7.00 6.50
1½ to 1¾	in 10.00	9.00 8.50
13/4 to 2	in 15.00	13.50 12.00
2 to 21/2	in 17.50	15.00 14.00
2½ to 3	in	20.00 18.00
3 to 31/2	in 30.00	25.00
3½ to 4	in 40.00	
4 to 41/2	in 50.00	
m manumantal	is. Monument English Elm	75'
6 to 8	ft	5.50
8 to 10	ft 7.50	7.00
$\frac{3}{2}$ to $\frac{10}{2}$		22.50
2 to 24 2½ to 3	in	22.00
	in	
4½ to 5	in 65.00	60.00
472 10 0	111	00.00
p. purpurea. Pr	urpleleaf English Elm. 70'	
8 to 10	ft 7.50	
11/4 to 11/	½ in 10.00	
1½ to 13	4 in 12.50	
pumila. Siberia	n Elm 75°	
6 to 8	ft	1.75 1.65
8 to 10	ft 3.50	2.50 2.25
10 to 12	ft 4.00	3.00 2.75
1½ to 13		5.00
134 to 2	in 8.00	7.00
2 to 21		10.00
$\frac{2^{1/2}}{2^{1/2}}$ to $\frac{3}{3}$	in 20.00	15.00
272 00 0		

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
cassinoides. Witherod Viburnum. 1	2'		
2 to 3 ft	1.00	.90	.80
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50		
dentatum. Arrowwood Viburnum.	12'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
dilatatum. Linden Viburnum. 10'			
2 to 3 ft	1.50		
3 to 4 ft	2.00		
4 to 5 ft	2.50		
d wanthagarnum			
d. xanthocarpum.  Yellowberry Linden Viburnum.	10'		
· · · · · · · · · · · · · · · · · · ·	5.00		
1 00 0 10	0.00		
fragrans. Fragrant Viburnum. 10'			
2 to 3 ftB&B	6.00	5.00	
3 to 4 ftB&B	7.50	6.00	
	10.00	7.50	
5 to 6 ftB&B	12.50	10.00	
hupehense. Hupeh Viburnum. 6'			
2 to 3 ft	2.50	2.00	
3 to 4 ft			
0 10 1 10	0.00		
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.50	)
lantana rugosum. Wrinkleleaf Wa			
3 to 4 ft		.85	
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	2.25	2.00	)

	1-4 Each	5-24 Each	25 & up Each
Viburnum	234011	Bacil	Each
lentago. Nannyberry. 20'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft.	2.00	1.60	1.10
6 to 8 ft.	2.00 $2.25$	2.00	
0 10 8 11	2.23	2.00	1.75
nudum. Possumhaw Viburnum. 15'			
2 to 3 ft	1.00	.90	.80
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.00
5 to 6 ft	2.50	2.00	
	2.00	2.00	
opulus. European Cranberrybush.	12'		
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.25	2.00	
8 to 10 ft	3.00	2.50	
opulus nanum. Dwarf Cranberry B			
8 to 10 in		1.10	1.00
10 to 12 in	1.50	1.35	1.25
opulus sterile. Common Snowball.	10'		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
	1.75	1.65	1.50
5 to 6 ft	2.25	2.00	1.75
opulus xanthocarpum.			
Yellowfruit Cranberrybush. 10'			
2 to 3 ft	2.50	2.25	
3 to 4 ft	3.00	2.75	
4 to 5 ft	3.50		

Viburnum	1-4 Each	5-24 Each	25 & up Each
prunifolium. Blackhaw Viburnum.			4 50
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.25	2.00
4 to 5 ft	3.50	3.00	2.75
5 to 6 ft	4.00	3.50	3.25
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
,			
pubescens. Downy Viburnum. 6'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
p. canbyi. Canby Downy Viburnum	n. 10'		
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	1.00	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
			2.00
rhytidophyllum. Leatherleaf Vibura		,	
2 to 3 ftB&B		5.50	
3 to 4 ft	7.50	0.00	
0 to 1 tt	1.00		
rufidulum. Rusty Blackhaw Viburn	um 15	,	
3 to 4 ft	3.00		
4 to 5 ft	4.00		
2 33 2 20000000000000000000000000000000	2.00		
sargenti. Sargent Cranberrybush. 1	0'		
3 to 4 ft		2.00	
4 to 5 ft		2.50	
1 00 0 10	5.00	2.00	
sieboldi. Siebold Viburnum. 10'			
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.75	
8 to 10 ft	3.50	3.25	

	1-4 Each	5-24 25 Each I	
Viburnum			
setigerum. Tea Viburnum. 12'			
2 to 3 ft	2.50		
tomentosum. Doublefile Viburnum.	8 <b>"</b>		
2 to 3 ft	1.00	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00		
t. sterile. (plicatum). Japanese Sn		8'	
2 to 3 ft	1.75	1.50	
3 to 4 ft	2.00		
trilobum. (americanum). American	Cranbe	rrybush	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
trilobum compactum. 6'			
18 to 24 in	2.25	2.00	
2 to 3 ft	2.75	2.50	
3 to 4 ft	3.50	3.00	
veitchi. Veitch Viburnum 6'	0.00	1 75	
3 to 4 ft	2.00	1.75	
wrighti. Wright Viburnum 8'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
Vinca minor. (see Herbaceous Materia	1).		
Triangle Charleton I'			
Vitex agnuscastus. Lilac Chastetree 4'	1.00	.80	.75
2 to 3 ft		1.10	.95
	1.00	1.10	.00
a. alba. White Chastetree. 4'	4 00	0.0	Dept. and
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	
a. latifolia (macrophylla). Hardy L	ilac Ch	ustetree.	. 4"
2 to 3 ft	1.00	.90	
3 to 4 ft	1.35	1.10	
negundo. Negundo Chastetree. 4'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
J 10 T 11			

	1-4 Each	5-24 Each	25 & up Each
Vitex	Bacii	Each	Laci
negundo incisa. Cutleaf Chastetree.	. 4'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
Vitis aestivalis. Summer Grape. 40'			
2 year	.75	.65	.60
3 year	1.00	.80	.75
amurensis. Amur Grape. 40'			
3 year	.75		
coignetiae. Gloryvine. 40'			
3 year	1.25	1.00	.90
4 year	1.50	1.25	1.00
labrusca. Fox Grape. 40'	-	0.5	
2 year	.75	.65	.60
3 year	1.00	.80	.75
riparia. Riverbank Grape. 40'	77.5	0.5	
2 year	.75	.65	
3 year	1.00	.80	
rotundifolia. Muscadine Grape. 40' 3 year	.75	.65	.60
4 year	1.00	.80	.75
vulpina. Frost Grape. 40'	1.00	.00	.10
2 year	.75	.65	.60
3 year	1.00	.80	.75
4 year	1.25	1.00	.90
		1.00	.00
	10'	0.5	00
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
florida. (rosea). Oldfashioned Weig 2 to 3 ft	eta. 8 .85	.65	CO
3 to 4 ft			
4 to 5 ft	1.25	.85	.80
5 to 6 ft	1.50	1.25	1.10
hendersoni. Henderson Weigela. 18	2.00	1.60	1.35
3 to 4 ft	1.25	0.5	
4 to 5 ft		.85	
horiensis rubra. 10'	1.50	1.25	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25		
4 to 5 ft		.85	.80
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft	2.00	1.60	1.35
0 10 0 11	2.25	2.00	1.75

Weigela	1-4	5-24 Each	25 & up Each
japonica. Japanese Weigela. 8'	Each	Each	Facil
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
rosea. (see florida).			
vaniceki. Red Weigela. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
wagneri Abel Carriere.			
Abel Carriere Wagner Weigela.	10'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
w. Boule Rose. 8'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
w. Candida. Snow Weigela. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.50
w. Desboisi. Desbois Weigela. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
w. Eva Rathke. Eva Rathke Weige			
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.75	1.50
w. Groenewegeni. Groenewegeni We		8'	0.0
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
	Weige		00
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	-1
w. nana variegata. Dwarf Variegat			
2 to 3 ft	1.25	.85 1.25	.80
3 to 4 ft	1.50		
4 to 5 ft	2.00	1.75	1.50

Wainele	1-4 Each	5-24 2 Each	5 & up Each
Weigela			
w. sieboldi argenteomarginata.  Siebold Silveredge Weigela. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	.00
5 to 6 ft	2.00	1.75	
w. Styriaca. 8'	2.00		
3 to 4 ft	1.25	.85	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
w. vanhouttei. Vanhoutte Weigela.	8'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
Wistaria floribunda hybrids.  2 year  Issai — purple  Kyushaku — lavender  Murasaki Noda — purple	4.00		
Naga Noda — lavender			
Penn Valley — deep purpl	le		
Rosea Alabama — pink			
Royal Purple — purple			
Rubra — red			
floribunda macrobotrys (multijuga	).		
Longcluster Japanese Wistaria.	<i>30</i> ′		
2 year	1.25	1.10	1.00
3 year	1.50	1.35	1.25
4 year	2.00	1.75	
frutescens. American Wistaria. 30' 2 year	1.50	1.25	1.00
sinensis. Chinese Wistaria. 40'	1.50	1.20	1.00
2 year	1.00	.85	.75
3 year	1.25		1.00
3 year grafted flowering			_,,,
plants	3.50		
Standards, 4 ft. stem,			
30 in. headB&I	3 12.50	)	

	1-4 Each	5-24 2 Each	5 & up Each
Wistaria	Басп	Басц	Paci
sinensis alba. White Chinese Wistan	ria. 40'	,	
2 year	1.00	.85	
3 year grafted flowering			
plants	3.50		
Zanthorhiza simplicissima. Yellowroot.			
12 to 15 in. clumps	1.50	1.25	1.00
15 to 18 in. clumps	1.75	1.50	1.25
18 to 24 in. clumps	2.00	1.75	1.50
10 to 24 m. clumps	2.00	1.10	1.00
Zanthoxylum americanum. Prickly Ash	h. 15'		
3 to 4 ft	1.50	1.25	
	2.00	1.50	
4 to 5 ft			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
schinifolium. Peppertree Prickly As	h. 12'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
simulans. Flatspine Prickly Ash. 2	25'		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
5 to 6 ft	4.50		
Zelkova serrata. Japanese Zelkova. 5	0'		
10 to 12 ft.			

## HERBACEOUS AND ALPINE MATERIAL

All kinds marked with an asterisk (\*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

5-24 25 & no

*Acaena buchanani. Bluish gray, Aug. 1"\$	Each	Each C 25
*sanguisorbae. Bright green foliage, 2"	.35	\$ .25 .30
*Achillea ageratifolia aizoon. White, May,		
June, 8"	.30	.25
Angel's Breath. White, summer, 18".	.50	
filipendulina. Yellow, June, July, 3'	.30	.25
*millefolium Cerise Queen. Rose, July, 2'	.25	.20
*nana. White, June, July, 6"	.25	.20
*nitida. White, June, July, 1'	.25	.20
*ptarmica The Pearl. White, July, 2'	.25	.20
*ptarmica Boule de Neige. White, June,		
July, 2'	.25	.20
*ptarmica Perry White. June, July, 2'	.25	.20
*tomentosa. Yellow, June, 1'	.25	.20
Aconitum autumnale. Blue, July, August, 4'	.40	
fischeri. Blue, September, 3'	.35	.30
fischeri wilsoni. Violet blue, Sept. 5'	.40	
napellus. Blue, July, Aug. 4'	.45	
napellus Spark's. Violet blue, July,		
August, 5'	.35	.30
*Actinea herbacea. Yellow, May, 6"	.30	
*Actaea alba. White, May, June, 3-4'	.25	.20
rubra. Red, May, June, 3-4'	.25	.20
Adenophora chinensis. Blue, fall, 3'	.25	
potanini. Light blue, July, August, 3'	.25	
*Adiantum pedatum. Maiden Hair Fern	.30	.22
Adonis amurensis. Yellow, March, 18"	.75	
For less than five, add five cents per plant to the 5		ate.

*Aethionema cordifolium. Rosy lilac, June, 6" .35 .30 grandiflorum. Pink, June, 12" .35 .30 *kotschyi. Rose, July, 4" .35 .30 *persicum. Pink, June, July, 9" .35 .30 *pulchellum. Pink, June, 8" .35 .30 *pulchellum. Pink, June, 8" .35 .30 *schistosum. Rose, June, 4" .35 .30 *schistosum. Rose, June, 4" .35 .30 *genevensis. Bright blue, May, 6" .30 .25 *genevensis rosea. Pink, May, 6" .30 .25 *reptans. Blue, May, 6" .25 .20 *reptans alba. White, May, 6" .30 .25 *reptans alba. White, May, 6" .30 .25 *stellatum. Violet, June, July, 9" .30 schoenoprasum. Rose purple, June, July, 2' .30 .25 *thibetica. Lilac mauve, June, July, 8" .30 .25 *thibetica. Lilac mauve, June, July, 8" .30 .25 *Thinged Allegheny. July, August, 5' .25 .20 *Double. Chaters' strain, separate colors .25 .20 *Single. Mixed colors, July, August, 5' .25 .20 *Single. Mixed colors, July, August, 5' .25 .20 *Single. Mixed colors, July, August, 5' .25 .20 *Single. Separate colors, July, August, 5' .25 .20 *Mysum argenteum. Yellow, July, Aug. 6" .25 .20 *montanum. Yellow, June, July, 1" .25 .20 *montanum. Yellow, June, July, 1" .25 .20 *montanum. Yellow, June, July, 1" .25 .20 *saxatile compactum. Yellow, May, 1' .25 .20 *saxatile sulphureum. Yellow, May, 1' .30 .25 *spinosum. Pink and white, June, 3" .35 .30 *Amsonia tabernaemontana. Blue, May, June, 3' .25 .20 *myosotidiflora. Bright blue, May, 1' .35 .30			25 & up Each
*Aethionema cordifolium. Rosy lilac, June, 6" .35 .30     grandiflorum. Pink, June, 12" .35 .30     *kotschyi. Rose, July, 4" .35 .30     *persicum. Pink, June, July, 9" .35 .30     *pulchellum. Pink, June, 8" .35 .30     *schistosum. Rose, June, 4" .35 .30     *schistosum. Rose, June, 4" .35 .30  *Ajuga brockbanki. Purple, June, 6" .25 .20     *genevensis. Bright blue, May, 6" .30 .25     *genevensis rosea. Pink, May, 6" .30 .25     *reptans. Blue, May, 6" .25 .20     *reptans alba. White, May, 6" .30 .25     *reptans alba. White, May, 6" .30 .25     *stellatum. Rose purple, June, July, 9" .30 .25     stellatum. Rose, June, July, 18" .30 .25     *thibetica. Lilac mauve, June, July, 8" .30 .25  Althea rosea. Hollyhock     *Double. Separate colors, July, Aug. 5' .25 .20     *Double. Chaters' strain, separate colors .25 .20     Fringed Allegheny. July, August, 5' .25 .20     Single. Mixed colors, July, August, 5' .25 .20     Single. Separate colors, July, Aug. 5' .25 .20     Single. Separate colors, July, Aug. 6" .25 .20     *Alyssum argenteum. Yellow, July, Aug. 6" .25 .20     *montanum. Yellow, June, July, 1" .25 .20     *montanum. Yellow, June, July, 1" .25 .20     *mostratum. Yellow, June, July, 1" .25 .20     *saxatile compactum. Yellow, May, 1' .25 .20     *saxatile sulphureum. Yellow, May, 1' .30 .25     *spinosum. Pink and white, June, 3" .35 .30  *Amsonia tabernaemontana. Blue, May, June, 3' .25 .20 Anchusa barrelieri. Blue, May, 2' .30 .30	*Aegopodium podograria variegatum. Varie-	Lucii	Buon
*Aethionema cordifolium. Rosy lilac, June, 6" .35 .30 grandiflorum. Pink, June, 12" .35 .30 *kotschyi. Rose, July, 4" .35 .30 *persicum. Pink, June, July, 9" .35 .30 *pulchellum. Pink, June, 8" .35 .30 *schistosum. Rose, June, 4" .35 .30 *schistosum. Rose, June, 4" .35 .30 *schistosum. Rose, June, 6" .25 .20 *genevensis. Bright blue, May, 6" .30 .25 *genevensis rosea. Pink, May, 6" .30 .25 *reptans. Blue, May, 6" .25 .20 *reptans alba. White, May, 6" .30 .25 *reptans. Blue, May, 6" .30 .25 *stellatum. Violet, June, July, 9" .30 schoenoprasum. Rose purple, June, July, 2' .30 .25 *thibetica. Lilac mauve, June, July, 8" .30 .25 *thibetica. Lilac mauve, June, July, 8" .30 .25 *Thibetica. Lilac mauve, June, July, 8" .30 .25 *Double. Separate colors, July, Aug. 5' .25 .20 *Double. Chaters' strain, separate colors .25 .20 Fringed Allegheny. July, August, 5' .25 .20 Single. Mixed colors, July, August, 5' .25 .20 Single. Separate colors, July, Aug. 5' .25 .20 *Mixed colors, July, Aug. 5' .25 .20 *montanum. Yellow, June, July, 1' .25 .20 *montanum. Yellow, June, July, 1' .25 .20 *montanum. Yellow, June, July, 12" .25 .20 *saxatile compactum. Yellow, May, 1' .25 .20 *saxatile sulphureum. Yellow, May, 1' .30 .25 *spinosum. Pink and white, June, 3" .35 .30 *Amsonia tabernaemontana. Blue, May, June, 3' .25 .20 Anchusa barrelieri. Blue, May, 2' .30 .25		25	.20
*kotschyi. Rose, July, 4"	guica lollage, 1	.20	.20
*kotschyi. Rose, July, 4"	*Aethionema cordifolium. Rosy-lilac, June, 6"	.35	.30
*kotschyi. Rose, July, 4"		.35	.30
*persicum. Pink, June, July, 9"		.35	.30
*Schistosum. Rose, June, 4"		.35	.30
*Ajuga brockbanki. Purple, June, 6"	*pulchellum. Pink, June, 8"	.35	.30
*Ajuga brockbanki. Purple, June, 6"	*schistosum. Rose, June, 4"	.35	.30
*genevensis Bright blue, May, 6"3025 *genevensis rosea. Pink, May, 6"3025 *reptans. Blue, May, 6"2520 *reptans alba. White, May, 6"2520  Allium  *pulchellum. Violet, June, July, 9"30 schoenoprasum. Rose purple, June, July, 2'3025 *thibetica. Lilac mauve, June, July, 8"3025 *thibetica. Lilac mauve, June, July, 8"3025  Althea rosea. Hollyhock  *Double. Separate colors, July, Aug. 5'2520 *Double. Chaters' strain, separate colors25 Fringed Allegheny. July, August, 5'2520 Single. Mixed colors, July, August, 5'2520 Single. Separate colors, July, Aug. 5'2520 *Alyssum argenteum. Yellow, July, Aug. 6"2520 *Alyssum argenteum. Yellow, July, 1"2520 *creticum. Yellow, June, July, 1"2520 *montanum. Yellow, June, July, 1"2520 *montanum. Yellow, June, July, 1"2520 *saxatile compactum. Yellow, May, 1'2520 *saxatile sulphureum. Yellow, May, 1'3025 *spinosum. Pink and white, June, 3"3530  *Amsonia tabernaemontana. Blue, May, June, 3'2520 Anchusa barrelieri. Blue, May, 2'3025			
*genevensis rosea. Pink, May, 6"			
*reptans. Blue, May, 6"			
*reptans alba. White, May, 6"			
**Allysum argenteum. Yellow, July, Aug. 5' .25 .20  **Allysum argenteum. Yellow, July, Aug. 5' .25 .20  **Tostratum. Yellow, June, July, Aug. 6" .25 .20  **Tostratum. Yellow, June, July, Aug. 5' .25 .20  **Alssamargenteum. Yellow, July, Aug. 6" .25 .20  **Tostratum. Yellow, June, July, Aug. 6" .25 .20  **Alysum argenteum. Yellow, July, Aug. 6" .25 .20  **Tostratum. Yellow, June, July, 1'25 .20  **Tostratum. Yellow, June, July, 12"25 .20  **axatile compactum. Yellow, May, 1'25 .20  **saxatile sulphureum. Yellow, May, 1'25 .20  **Amsonia tabernaemontana. Blue, May, June, 3'25 .20  *Anchusa barrelieri. Blue, May, 2'30 .25  *Anchusa barrelieri. Blue, May, 2'30 .25			
*pulchellum. Violet, June, July, 9"	*reptans alba. White, May, 6"	.25	.20
*pulchellum. Violet, June, July, 9"	Allium		
schoenoprasum. Rose purple, June, July, 2'		20	
July, 2'       .30       .25         stellatum. Rose, June, July, 18"       .30       .25         *thibetica. Lilac mauve, June, July, 8"       .30       .25         Althea rosea. Hollyhock       *Double. Separate colors, July, Aug. 5'       .25       .20         *Double. Chaters' strain, separate colors       .25       .20         Fringed Allegheny. July, August, 5'       .25       .20         Single. Mixed colors, July, August, 5'       .25       .20         Single. Separate colors, July, Aug. 5'       .25       .20         *Alyssum argenteum. Yellow, July, Aug. 6"       .25       .20         *creticum. Yellow, June, July, 1'       .25       .20         *montanum. Yellow, June, July, 8"       .30       .25         *rostratum. Yellow, June, July, 12"       .25       .20         *saxatile compactum. Yellow, May, 1'       .25       .20         *saxatile sulphureum. Yellow, May, 1'       .30       .25         *spinosum. Pink and white, June, 3"       .35       .30         *Amsonia tabernaemontana. Blue, May,		.50	
**stellatum. Rose, June, July, 18"		20	95
*thibetica. Lilac mauve, June, July, 8" .30 .25  Althea rosea. Hollyhock  *Double. Separate colors, July, Aug. 5' .25 .20  *Double. Chaters' strain, separate colors .25 .20  Fringed Allegheny. July, August, 5' .25 .20  Single. Mixed colors, July, August, 5' .25 .20  Single. Separate colors, July, Aug. 5' .25 .20  Single. Separate colors, July, Aug. 6" .25 .20  *Alyssum argenteum. Yellow, July, Aug. 6" .25 .20  *creticum. Yellow, June, July, 1'25 .20  *montanum. Yellow, June, July, 8"30 .25  *rostratum. Yellow, June, July, 12"25 .20  saxatile compactum. Yellow, May, 1'25 .20  *saxatile sulphureum. Yellow, May, 1'30 .25  *spinosum. Pink and white, June, 3"35 .30  *Amsonia tabernaemontana. Blue, May,  June, 3'25 .20  Anchusa barrelieri. Blue, May, 2'30  italica Dropmorei. Blue, June, 4-5'30 .25			
*Althea rosea. Hollyhock  *Double. Separate colors, July, Aug. 5' .25 .20  *Double. Chaters' strain, separate colors .25 .20  Fringed Allegheny. July, August, 5' .25 .20  Single. Mixed colors, July, August, 5' .25 .20  Single. Separate colors, July, Aug. 5' .25 .20  *Alyssum argenteum. Yellow, July, Aug. 6" .25 .20  *creticum. Yellow, June, July, 1' .25 .20  *montanum. Yellow, June, July, 8" .30 .25  *rostratum. Yellow, June, July, 12" .25 .20  saxatile compactum. Yellow, May, 1' .25 .20  *saxatile sulphureum. Yellow, May, 1' .30 .25  *spinosum. Pink and white, June, 3" .35 .30  *Amsonia tabernaemontana. Blue, May,  June, 3' .25 .20  Anchusa barrelieri. Blue, May, 2' .30  italica Dropmorei. Blue, June, 4-5' .30 .25			
*Double. Separate colors, July, Aug. 5′ .25 .20 *Double. Chaters' strain, separate colors .25 .20 Fringed Allegheny. July, August, 5′ .25 .20 Single. Mixed colors, July, August, 5′ .25 .20 Single. Separate colors, July, Aug. 5′ .25 .20 *Single. Separate colors, July, Aug. 6″ .25 .20 *Alyssum argenteum. Yellow, July, Aug. 6″ .25 .20 *creticum. Yellow, June, July, 1′25 .20 *montanum. Yellow, June, July, 8″30 .25 *rostratum. Yellow, June, July, 12″25 .20 saxatile compactum. Yellow, May, 1′25 .20 *saxatile sulphureum. Yellow, May, 1′25 .20 *saxatile sulphureum. Yellow, May, 1′30 .25 *spinosum. Pink and white, June, 3″35 .30  *Amsonia tabernaemontana. Blue, May, June, 3′25 .20 Anchusa barrelieri. Blue, May, 2′30 italica Dropmorei. Blue, June, 4-5′30 .25	imbelica. Emac mauve, June, July, 8	.50	.20
*Double. Chaters' strain, separate colors 25 20 Fringed Allegheny. July, August, 5' 25 20 Single. Mixed colors, July, August, 5' 25 20 Single. Separate colors, July, Aug. 5' 25 20  *Alyssum argenteum. Yellow, July, Aug. 6" 25 20  *creticum. Yellow, June, July, 1' 25 20  *montanum. Yellow, June, July, 8" 30 25  *rostratum. Yellow, June, July, 12" 25 20 saxatile compactum. Yellow, May, 1' 25 20 *saxatile sulphureum. Yellow, May, 1' 30 25 *spinosum. Pink and white, June, 3" 35 30  *Amsonia tabernaemontana. Blue, May, June, 3' 25 20  Anchusa barrelieri. Blue, May, 2' 30 italica Dropmorei. Blue, June, 4-5' 30 25	Althea rosea. Hollyhock		
Fringed Allegheny. July, August, 5′25 .20 Single. Mixed colors, July, August, 5′25 .20 Single. Separate colors, July, Aug. 5′25 .20  *Alyssum argenteum. Yellow, July, Aug. 6″25 .20  *creticum. Yellow, June, July, 1′25 .20  *montanum. Yellow, June, July, 8″30 .25  *rostratum. Yellow, June, July, 12″25 .20  saxatile compactum. Yellow, May, 1′25 .20  *saxatile sulphureum. Yellow, May, 1′30 .25  *spinosum. Pink and white, June, 3″35 .30  *Amsonia tabernaemontana. Blue, May,  June, 3′25 .20  Anchusa barrelieri. Blue, May, 2′30  italica Dropmorei. Blue, June, 4-5′30 .25		.25	.20
Single. Mixed colors, July, August, 5′25 .20 Single. Separate colors, July, Aug. 5′25 .20  *Alyssum argenteum. Yellow, July, Aug. 6″ .25 .20  *creticum. Yellow, June, July, 1′25 .20  *montanum. Yellow, June, July, 8″ .30 .25  *rostratum. Yellow, June, July, 12″ .25 .20  saxatile compactum. Yellow, May, 1′ .25 .20  *saxatile sulphureum. Yellow, May, 1′ .30 .25  *spinosum. Pink and white, June, 3″ .35 .30  *Amsonia tabernaemontana. Blue, May,  June, 3′ .25 .20  Anchusa barrelieri. Blue, May, 2′ .30  italica Dropmorei. Blue, June, 4-5′ .30 .25	*Double. Chaters' strain, separate colors	.25	.20
*Alyssum argenteum. Yellow, July, Aug. 6" .25 .20  *creticum. Yellow, June, July, 1'25 .20  *montanum. Yellow, June, July, 8"30 .25  *rostratum. Yellow, June, July, 12"25 .20  saxatile compactum. Yellow, May, 1'25 .20  *saxatile sulphureum. Yellow, May, 1'3025  *spinosum. Pink and white, June, 3"35 .30  *Amsonia tabernaemontana. Blue, May, June, 3'2520  Anchusa barrelieri. Blue, May, 2'30  italica Dropmorei. Blue, June, 4-5'3025		.25	.20
*Alyssum argenteum. Yellow, July, Aug. 6" .25 .20     *creticum. Yellow, June, July, 1'25 .20     *montanum. Yellow, June, July, 8"30 .25     *rostratum. Yellow, June, July, 12"25 .20     saxatile compactum. Yellow, May, 1'25 .20     *saxatile sulphureum. Yellow, May, 1'3025     *spinosum. Pink and white, June, 3"3530  *Amsonia tabernaemontana. Blue, May,     June, 3'2520  Anchusa barrelieri. Blue, May, 2'30     italica Dropmorei. Blue, June, 4-5'3025	Single. Mixed colors, July, August, 5'	.25	.20
*creticum. Yellow, June, July, 1'	Single. Separate colors, July, Aug. 5'	.25	.20
*creticum. Yellow, June, July, 1'	** T-1	0.5	0.0
*montanum. Yellow, June, July, 8"			
*rostratum. Yellow, June, July, 12"			
*saxatile compactum. Yellow, May, 1' .25 .20 *saxatile sulphureum. Yellow, May, 1' .30 .25 *spinosum. Pink and white, June, 3" .35 .30  *Amsonia tabernaemontana. Blue, May, June, 3' .25 .20  Anchusa barrelieri. Blue, May, 2' .30 italica Dropmorei. Blue, June, 4-5' .30 .25			
*saxatile sulphureum. Yellow, May, 1' .30 .25 *spinosum. Pink and white, June, 3" .35 .30  *Amsonia tabernaemontana. Blue, May, June, 3' .25 .20  Anchusa barrelieri. Blue, May, 2' .30 italica Dropmorei. Blue, June, 4-5' .30 .25			
*spinosum. Pink and white, June, 3"			
*Amsonia tabernaemontana. Blue, May, June, 3' .25 .20  Anchusa barrelieri. Blue, May, 2' .30 italica Dropmorei. Blue, June, 4-5' .30 .25			
June, 3'	spinosum. Tink and winte, June, J	.00	.00
June, 3'	*Amsonia tabernaemontana. Blue, May.		
Anchusa barrelieri. Blue, May, 2'		.25	.20
italica Dropmorei. Blue, June, 4-5'30 .25			
	, , , , , , , , , , , , , , , , , , , ,		
*myosotidiflora. Bright blue, May, 1'35 .30			
	'myosofidiflora. Bright blue, May, 1'	.35	.30

		25 & up Each
Anemone hupehensis. Mauve, AugSept. 1'	.35	.30
*japonica alba. White, fall, 3'	.35	.30
*japonica Alice. Rose pink, fall, 3'	.35	.30
japonica Louise Uhink. White, fall, 3'	.35	
japonica Marie Manchard. White, fall, 3'	.35	
japonica Queen Charlotte. Rose, fall, 3'	.35	.30
japonica Richard Ahrends. Shell pink,		
fall, 2'	.35	.30
japonica rubra. Red, fall, 2'	.35	.30
japonica September Charm. Silvery		
pink, fall, 2'	.35	
japonica September Sprite. Pink, fall, 2'	.35	.30
*japonica Whirlwind. Pure white, fall, 3'	.35	.30
*pennsylvanica. White, July, 18"	.35	
*pulsatilla. Blue, April, 15"	.35	.30
*pulsatilla alba. White, April, 1'	.50	
*pulsatilla rubra. Dark red, April, 12"	.40	.35
*Antennaria dioica. White, May, 6"	.25	.20
*Anthemis montana. White, July, 10"	.25	.20
Moonlight. Pale yellow, summer, 2'	.35	.30
nobilis. White, summer, 1'	.25	.20
tinctoria. Yellow, July, August, 3'	.25	.20
tinctoria E. C. Buxton. White, yellow		
eye, July, August, 3'	.30	.25
tinctoria kelwayi. Yellow, July, Aug. 3'	.25	.20
tinctoria kelwayi. White, July, 3'	.25	.20
2.12		
Anthericum liliago. White, May, June, 3'	.40	
Anthyllis vulneraria dilleni. Red, summer, 1'	.35	
*Aquilegia alpina. Blue, May, June, 1'	.25	.20
*coerulea. Blue, May, June, 1½'	.30	.25
*canadensis. Scarlet, May, June, 2'	.25	.20
chrysantha. 'Yellow, June, July, 3'	.30	.25

Aquilegia	5-24 Each	Each Each
chrysantha alba. White, June, July, 3'	.30	.25
Crimson Star. Crimson, May, June, 2'	.35	.30
*flabellata nana-alba. White, June, 10"	.25	.20
*hybrida. Mrs. Scott Elliott. Various,	.20	.20
June, 2'	.25	.20
longissima. Yellow, June, 2'	.40	.35
rosea. Long spurred pink, June, 2'	.30	.25
*skinneri. Red and yellow, May, 2'	.25	.20
*vulgaris. Purple, May, June, 2'	.25	.20
vulgaris nivea. White, May, 2'	.25	.20
*Arabis albida. White, May, 6"	.30	.25
*alpina. White, April, May, 6"	.30	.25
*alpina fl. pl. Dbl. white, April, May, 6"	.35	.30
*alpina Rosabella. Pink, April, May, 6"	.35	.30
*alpina rosea. Pink, April, May, 6"	.30	.25
*aubretioides. Pink, May, 8"		.25
*cockilis. White, April, May, 6"	.30	.25
*procurrens. White, May, 1'	.30	.25
***		
*Arenaria balearica. White, July, Aug. 3"	.30	.25
*grandiflora. White, May, 4"	.30	.25
*montana. White, June, 4"	.30	.25
*verna. White, June, July, 3"	.30	.25
Anianama tainhallama Damala 24	0.0	0.5
Arisaema triphyllum. Purple, May, 1'	.30	.25
*Armeria alpina. Pink, summer, 6"	20	
*Bee's Ruby. Red, summer, 10"		
*cephalotes rubra. Deep pink, May, June,	.35	
6"	.35	
*laucheana. Crimson, May, June, 8"		.25
*maritima. Pink, May, June, 6"		.25
*maritima alba. White, May, June, 6" *robusta. Crimson, May, June, 10"		.25
Tobustus Crimson, may, June, 10	.50	.20
Artemesia absinthium. Wormwood, 4'	25	.20
dracunculus. White, August, 2'		.30

	5-24 Each	25 & up Each
Artemesia		
frigida. Silver foliage, 18"	.35	.30
lactiflora. White, August, 4'	.25	.20
pontica. Gray foliage, 12"	.25	.20
purshiana. Gray foliage, 3'	.25	.20
Silver King. White foliage, 3'	.30	.25
*Arundo-donax. Giant reed, 12'	.40	.35
*Asarum canadense. Chocolate, May, 6"	.25	.20
Asclepias incarnata. Red, August, 4'	.30	.25
tuberosa. Orange, July, August, 2'	.25	.20
The crange, only, magazin, a	.20	.20
*Asperula cynanchica. Pink, summer, 10"	.35	
hexaphylla. White, June, 1'	.30	.25
*hirta. Pink, July, August, 6"	.35	.30
*longifolia. White, summer, 8"	.30	
*odorata. White, May, 8"	.30	.25
*scutellaria. White, June, July, 6"	.35	
Asphodeline lutea. Yellow, July, 3'	.35	
+Ampleodore C.P. Co. C. V. L. T.	0.0	95
*Asplenium felix faemina. Lady Fern	.30	.25
*Aster alpinus. Blue, June, July, 8"	.35	.30
*alpinus Goliath. Bluish purple, May,		
June, 8"	.30	
amellus Mrs. R. Wood. Rose, July, 18"	.30	
Abendrothe. Rose pink, Oct. 3'	.25	.20
Acme. Light lavender, Oct. 5'	.25	.20
Adorable. Pink, fall, 3'	.40	
Ballard's Crimson. Fall, 3'	.25	.20
Beechwood Challenger. Crimson, fall,		
18"	.30	
Blue Gem. Blue, September, 3'	.25	.20
Blue Gown. Blue, fall, 4'	.30	.25
Blue Lagoon. Blue, fall, 4'	.40	.35
Climax. Blue, September, October, 3'	.25	.20
dracunculoides. Light blue, July, 2' frikarti Wonder of Staefa. Lavender,	.30	.25
fall, 2'	.45	.40

Anton	Each	Each
Aster Harrington's Pink. Fall, 3'	.30	.25
laevis. Lavender, September, 4'	.25	.20
Mauve Cushion. Mauve, October, 12"	.25	.20
Mauve Queen. Mauve, September, 3'	.25	.20
Mrs. Raynor. Crimson, Sept. 3'	.25	
Mt. Everest. White, fall, 3'	.30	.25
novae-angliae. Purple, Sept., Oct., 4'	.25	.20
Novae-angliae roseus. Rose, Sept., 4'	.25	.20
Palmyra. Pink, fall, 3'	.35	.30
Queen Mary. Blue, Sept., 3'	.25	.20
Red Cloud. Deep pink, fall, 3'	.35	.30
Red Rover. Red, fall, 3'	.30	
Robt. Parker. Lavender, Sept., Oct., 5'	.25	.20
Royal Blue. Blue, fall, 4'	.30	
Skylands Queen. Light blue, fall, 3'	.25	
Sunset. Pink, Sept. 3'	.30	.25
tartaricus. Purple, Oct. and Nov., 6'	.25	.20
Violetta. Violet, Sept., 3'	.45	
Wartberg Star. Lilac blue, spring, 1'	.35	.30
White Climax. White, fall, 4'	.25	.20
dwarf varieties		
Countess of Dudley. Clear pink,		
Sept., 9"	.30	.25
Lavenda. Lavender blue, Sept. 6"	.30	.25
Lilac Time. Lilac, Sept. 1'	.30	.25
Marjorie. Rose pink, Sept. 1' Nancy. Flesh pink, Sept. 1'	.30	.25
	.30	.25
William Copil Communication	.00	.20
Actilho amendai Cones Dogga lilea Inda 9/	= 0	4.5
Astilbe arendsi Ceres. Rosy lilac, July, 2' arendsi Fanal. Red, July, 18"	.50 .50	.45
arendsi Gladstone. White, July, 18"	.50	
arendsi Granat. Crimson, June, 2'	.50	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.56	
arendsi Juno. Purplish pink, July, 3'.	.50	.45
arendsi Kreimhilde. Rose, June, July, 2'	.50	.45
arendsi Marguerite Van Rechteren. Red, tinged lilac, August, 4'	.50	.45
unged mae, magust, T	·UU	.40

Astilbe		25 & up Each
arendsi Moerheimi. White, July, 3' arendsi Philadelphia. Lavender rose,	.50	
July, 2'	.50	
arendsi Rhineland. Crimson, shaded sal-		
mon, June, 2'	.50	.45
arendsi Rose Pearl. Shell pink, July, 3'	.50	.45
arendsi Salland. Red, July, 5'	.50	.45
rosea Queen Alexandra. Deep pink, July, 3'	.50	.45
rosea Queen of Holland. Rose pink,	.50	.40
July, 3'	.50	.45
rubella Vesta. Lilac rose, July, 3'	.50	.45
Astrantia major. Silvery pink, May, 2'	.25	.20
*Aubretia deltoides. Purple, April, May, 4"	.25	.20
*deltoides bougainvillei. Dark blue,		
April, 5"	.30	.25
*deltoidea eyrei. Rosy lilac, April, 5"	.30	.25
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.30	.25
*deltoidea leichtlini. Pink, April, 5" *deltoidea purpurea. Purple, April, 5"	.30	.25
*hybrida. Various, April, May, 6"	.30	
Baptisia australis. Indigo, June, 4'	.30	.25
tinctoria. Yellow, June, 3'	.30	.25
Belamcanda chinensis. Orange, summer, 3'	.25	.20
*Bellis perennis alba. White, April, May, 3"	.25	.20
*perennis rosea. Pink, April, May, 3"	.25	.20
*rotundifolia caerulescens. Blue, May		.20
2"	.35	
	.30	
Bocconia cordata. Creamy white, Aug. 6'	.30	.25
Boltonia asteroides. White, Sept. 5'	.25	.20
latisquama. Lavender, Aug., 5'	.25	
latisquama nana. Lavender, Aug. 2'	.30	
Boykinia rotundifolia. White, June, 2'	.25	
salicifolium. Yellow, summer, 2'	.25	
*Calamintha alpina. Purple, summer, 6"		.30
*Calandrinia umbellata. Crimson, summer, 6"	.30	.25

	5-24 Each	25 & up Each
Calimeris incisa. Pink, summer, 2'	.25	.20
*Callirhoe involucrata. Red, all summer, 6"	.25	.20
*Caltha palustris. Yellow, April, May, 12"	.25	.20
Camassia leichtlini. Blue, May, 2'	.25	<b>.2</b> 0
quamash. Blue, May, 2'	.25	.20
*Campanula alliariaefolia. White, June, July,		
2'	.30	.25
*bononiensis. Blue, June, 2'	.25	.20
*carpatica. Blue, July, August, 9"	.35	.30
*carpatica alba. White, July, Aug. 9"	.35	.30
*cullinmore. Blue, summer, 9"	.35	.30
*garganica. Light blue, June, 6"	.35	.30
*garganica hirsuta. Blue, June, 4"	.40	
*glomerata. Purple, June, July, 2'glomerata acaulis. Purple, June, 6"	.35	.30
glomerata superba. Violet, June, July, 2'	.35	.30
*grosseki. Blue, summer, 2'	.35	.30
lactiflora. Light blue, August, 4'	.25	.20
latifolia alba. White, July, 3'	.35	.30
latifolia macrantha. Purplish blue,	.35	.30
July, 3'	.35	.30
medium. Mixed, June, July, 3'	.25	.20
medium. Separate colors, June, July, 3'	.30	.25
medium calycanthema. Mixed, July, 3'	.25	.20
medium calycanthema. Separate colors,	.40	.40
July, 3'	.25	.20
*muralis. Blue-purple, June, 6"	.35	.30
persicifolia. Blue, June, July, 2'	.30	.25
*persicifolia alba. White, June, 2'	.35	.30
persicifolia alba fl. pl. White, sum-	.00	.00
mer, 2'	.40	
persicifolia dbl. blue. Blue, summer, 2'	.40	
persicifolia Telham Beauty. Blue, sum-	*10	
mer, 2'	.35	.30
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.30	.25
pyramidalis alba. White, July, 4-5'	.30	.25
*raineri. Dark blue, July, 6"		.25

	5-24 Each	25 & up Each
Campanula	234011	2401
*raineri alba. White, July, 6"	.30	.25
*riverslea. Dark blue, July, 9"	.30	.25
*riverslea alba. White, July, 9"	.30	.25
*rotundifolia. Blue, June, July, 12"	.35	.30
*sarmatica. Pale blue, summer, 12"	.35	.30
*turbinata. Blue, June, July, 6"	.30	.25
*turbinata alba. White, June, July, 6"	.30	.25
*trachelium. Blue, July, 2-3'	.25	.20
*Carex morrowi. White-edged foliage, 1'	.40	
Cassia marilandica. Yellow, July, 3-4'	.25	.20
Catananche caerulea. Blue, June, July, 18"	.30	.25
Caulophyllum thalictroides	.30	.25
*Centaurea dealbata. Red, July, 1½'	.25	.20
macrocephala. Yellow, July, 3-4'	.25	.20
*montana. Blue, June, July, 2'	.30	.25
ruthenica. Straw color, July, 4'	.35	
Centranthus angustifolius. Rose, summer,		
18"	.30	
ruber. Red, summer, 3'	.30	.25
ruber albus. White, all summer, 3'	.30	.25
Cephalaria alpina. Yellow, July, 5'	.25	.20
tatarica. Cream, summer, 6'	.25	.20
A.C	0.5	0.0
*Cerastium biebersteini. White, June, 6"	.25	.20
*tomentosum. White, June, 6"	.25	.20
*Ceratostigma plumbaginoides. Blue, fall, 6"	.35	.30
*Chieranthus allioni. Orange, July, 1'	.30	.25
*Golden Bedder. June, 1'	.30	.25
Chelone glabra. White, rosy tinged, July, 2'		.25
lyoni. Deep rose, August, 2'		
Chrysanthemum anemone-flowered	.25	.20
Snow Queen — white.		
*arcticum. White, fall, 2'	.30	.25
*arcticum Astrid. Pink, fall, 18"	.30	.25
balsamita. Yellow, AugSept. 2'	.25	.20
coreanum. Blush, fall, 3'	.30	.25
	.25	.20
(white, yellow, pink, red, bronze)		

PAINESVILLE, OHIO		171
Chrysanthemum	5-24	25 & up Each
*erubescens. Pink, AugSept. 18"		Lacn
hardy button varieties		.22
Baby Marguerite — pink.	.50	.44
Irene — blush white.		
Mitzi — yellow.		
Mrs. H. Harrison — pink.		
Niza — delicate pink.		
Pygmy Gold — golden yellow.		
September Bronze — bronze.		
September Cloud — white.		
September Gold — gold.		
White Doty — white.		
White Gull — white.		
hardy large flowering, double, fall, 4'	.30	.22
Algonquin — yellow.		
Barbara Small — rose pink.		
Boston — orange.		
Brune Poitevine — deep velvety redd	ish b	ronze.
Caliph — oxblood red.		
Chippewa — aster purple.		
Cydonia — Orange, overlaid mahogar	ny br	onze.
Dainty Lady — pink.		
Early Wonder — soft pink.		
Eugene A. Wander — golden yellow.		
Ganna — lavender, light silver shadi	ng.	
Golden Cheer — golden yellow.		
Harvest Home — yellow.		
James Eadie — bronze yellow.		
Lavender Lady — clear lavender.		
Magnolia — soft pink with cream tint	•	
Margie — dark red.		
Mrs. Pierre S. DuPont III — peach, w	vith r	nauve
undertone.		
Mrs. Sam Rotan — large golden yellov	W.	
Murillo — pink.		
Oconto — white.		
Ohio Gold — yellow.		
Pacific Supreme — pink.		
Pink Radiance — soft pink.		
Polar Ice — white.		
R. Marion Hatton — canary yellow.		
Royal Gem — red.		
Ski Trail — white.		
Vesuve — red.		
TITL: 4 - TIT		

White Wonder — white.

Chrysanthemum, hardy, large-flowering.	5-24 Each	25 & up Each
Dazzler — Cardinal red, fall, 2'	.30	.25
Daybreak — Shell pink, fall, 2'	.30	
Dean Kay. Rose pink, SeptOct. 2'	.35	.30
Dean Ladd. Reddish bronze, Sept		
Oct. 2'	.45	
Emma Marie. Lemon yellow, fall, 2'	.30	.25
Glory of Seven Oaks. Yellow,	9.0	0.5
Sept. 2'	.30	.25
Judith Anderson. Yellow, fall, 18"	.30	.25
Pale Moon. Yellow, fall, 2'	.30	.25
Peggy Ann Hoover. Lilac pink, fall, 2'	.30	.25
Tassiva. White, Sept. 18"	.30	.25
Yellow Spoon. Yellow, Oct. 18"	.30	.25
, , , , , , , , , , , , , , , , , , , ,		
hardy large flowering. Single, fall, 4'	.30	.25
Country Girl — lavender.		
Gypsy Girl — crimson, shading ches		
Mrs. Calvin Coolidge — cardinal red.		
Mrs. W. E. Buckingham — salmon p	ink.	
Silver Moon — white.		
Korean hybrids. October, 2-2½'	.30	.22
Aphrodite — pale pink.		
Apollo — bronze, red and gold.		
Ceres — chamois yellow.		
Clara Curtis — salmon pink.		
Daphne — daphne pink.		
Diana — rose pink, blended lilac rose	•	
Indian Summer — double orange.		
Kristina — deep rose pink.		
Mars — amaranth red.		
Mercury — bronze red.		
Nancy Copeland — spectrum red.		

		25 & up
Chrysanthemum, Korean hybrids.	Eacn	Each
Sappho — pure yellow.		
Saturn — orange and bronze.		
Siegfried — rich yellow.		
The Moor — port wine red.		
Viking — burnt orange.		
maximum. White, all summer, 2'	.25	.20
maximum Alaska. White, July, Aug. 2'	.25	.20
maximum Chiffon. Double white, sum-		
mer, 18"	.30	
maximum Esther Reed. Double, white,		
summer, 18"	.45	.40
maximum Giant Single. White, sum-		
mer, 30"	.30	.25
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.30	.25
maximum White Swan. Double white,		
summer, 18"	.35	.30
*morifolium. Rose, fall, 18"	.40	.35
Cimicifuga racemosa. White, July, 5'	.30	.25
Clematis davidiana. Blue, August, 3'	.45	
davidiana hybrida. Light blue, Aug. 18"	.50	.40
integrifolia. Blue, July, 2'	.30	.25
recta. White, July, 3'	.35	.30
recta mandschurica. White, July, 4'	.40	.35
*Colchicum autumnale. Rosy lilac, Sept. 1'	.40	
autumnale roseum plenum. Rosy lilac,		
September, 1'	.50	
*Convallaria majalis. Clumps, white, May, 6"	.40	.35
Coptis trifolia. White, summer, 6"	.35	.30
Coreopsis auriculata. Orange, summer, 18"	.25	.20
auriculata nana. Orange, summer, 1'	.35	
grandiflora. Yellow, summer, 3'	.25	.20
lanceolata. Yellow, summer, 2'	.25	.20
*rosea. Rose, AugSept. 1'	.30	.25
verticillata. Yellow, July-Aug. 2'	.30	
*Coronilla cappadoccia. Yellow, June, 6"	.35	
*varia. Pink, summer, 18"	.25	.20
*Corydalis cheilanthifolia. Creamy white,		
July, 2'	.30	.25
*lutea. Yellow, July, 8"	.35	.30
*Cotula squalida. White, summer, 2"	.30	.25
*Crucianella stylosa. Crimson pink, July, 8"	.30	

		25 & up each
*Cynanchum acuminatifolium. White, summer, 18"	.35	.30
	.00	100
Cypripedium acaule. Rose-purple, May-	.50	
June, 1' Yellow, May, June, 1'	.50	
spectabile. Rose, June, 2'	.50	
	.00	
Delphinium belladonna. Sky blue, all sum-	20	.22
mer, 4'	<b>.3</b> 0	.22
bellamosum. Dark blue, all summer, 4'	.30	.22
*chinense. Blue, July, 2'	.30	.22
*chinense album. White, July, 2'	.30	.22
formosum. Indigo, July, 4'hybridum Blackmore and Langdon.	.50	.22
Various, July, 4'	.30	.25
hybridum Gold Medal. Shades of blue,	.50	.20
July, 4'	.30	.22
hybridum Wrexham's. Various, June, 5'	.35	.30
Pacific Hybrids. Various, summer, 4'	.40	.35
Pacific Hybrids. Separate colors, sum-	.40	.00
mer, 4'	.50	
Black Knight — dark violet	.00	
Blue Jay — blue		
Cameliard — soft lavender		
Galahad — white		
Guinevere — light pink lavender		
King Arthur — royal violet		
Lancelot — soft lavender		
siberica hybrids. Shades of blue, July, 3'	.30	.25
Dennstedtia punctilobula. Hay-scented Fern	.30	.25
Dianthus allwoodi. Pink, July, 1'	.30	.25
*alpinus. Rose, summer, 4"		.30
*arenarius. White, July, 10"		.25
*arvernensis. Pink, June, 4"		
barbatus. (Single Sweet William),		
mixed colors, June, July, 1'	.25	.20
barbatus atrococcineus. Crimson, June,		
1, 1,	.25	.20
*barbatus Dwarf Giants. Various, June,		
8"	.25	.20
barbatus fl. pl. (Double Sweet William),	0=	
mixed colors, June, July, 1'	.25	.20

Dianthus	5-24 each	25 & up each
barbatus Giant White. June, 1' barbatus nigricans. Dark velvety red,	.25	.20
June, 1'	.25	.20
barbatus Pink Beauty. Pink, June, 1'	.25	.20
barbatus Salamoni. Salmon, June, 1'	.25	.20
barbatus Sutton's Scarlet. Crimson.		
June, 1'	.25	.20
*caesius. Rose pink, June, July, 9"	.25	.20
*chinensis heddewigi. Mixed, June, July, 8"	.25	.20
*deltoides. Pink, June, 9"	.25	.20
*deltoides albus. White, June, 9"	.30	.25
*deltoides Brilliant. Red, June, 9"	.30	.25
giganteus. Red, July, 2'	.25	.20
*grisebachi. Purple, June, 1'	.25	.20
mer, 9"	.25	.20
knappi. Yellow, summer, 1'	.35	
*latifolius atrococcineus. Crimson, sum-		
mer, 1'	.25	.20
*plumarius. Mixed, summer, 8"	.25	.20
*plumarius fl. pl. Mixed, summer, 8'	.25	.20
*plumarius semperflorens. Pink, June, 9"	0.5	0.5
*Beatrix. Salmon pink, June, 18"	.25	.20
*Bristol Jewel. White and crimson, June,	.35	.30
18"	.35	
*Bristol Purity. White, June, 18"	.00	20
*Elizabeth Peters. Pink, June, July, 9"		.30
*Furst Bismarck. Rose, summer, 1'	.35	
*Gladys Cranfield. Pink, summer, 1'	.35	.30
*Granadin Minad	.30	
*Granadin Dad	.25	.20
*Wander Unescal D 1	.25 .40	.20
Her Majesty. Dbl. white, June-July, 9"	35	.30
Pheasant's Eye. Pink, white eye. June. 1'	.25	.20
"Hose Cushies Dist. T. on	.30	

		5 & up each
Dianthus.	eacn	Gacii
*Silver Mine. White, summer, 1'	.35	.30
*Souv. de Sales. Dbl. pink, June, 9"	.25	.20
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June-July, 9"	.25	.20
*seguieri. Carmine, summer, 1'	.25	
*subacaulis. Purple, June, July, 4"	.35	.30
*Wallace Red. Red, summer, 9"	.40	
*Dicentra eximea. Rose, all summer, 1'	.30	.25
spectabilis. Rose, May, June, 2'	.55	.50
Dictamnus albus. White, June, 2'	.55	.50
albus ruber. Red, June, 2'	.55	.50
caucasicus. Red, June, 3'	.55	.50
Digitalis ambigua. Yellow, June, July, 3'	.30	.25
gloxinaeflora. Mixed, June, July, 3'	.25	.20
lanata. Creamy, yellow, July 3'	.25	.20
lutea. Yellow, June, July, 18"	.35	.30
purpurea. Mixed, June, July, 3'	.25	.20
purpurea maculata. Spotted, June, July,	,	
18"	.25	.20
purpurea, rose. June, July, 3'	.25	.20
purpurea, white. June, July, 3'	.25	.20
Shirley Hybrids, mixed. June, July, 3'	.25	.20
*Dodecatheon meadia. Rose, May, 1'	.30	.25
*latilobum. White, May, June, 1'	.30	.25
Doronicum caucasicum. Yellow, April,		
May, 18"	.35	.30
plantagineum excelsum. Yellow, April	,	
May 3'	.35	
Dorycnium hirsutum. Pink, summer, 2'	.30	.25
	0.5	
*Draba aizoides. Yellow, March, 4"	.35	
*bruniifolia. Orange, April, May, 4"	.40	.30
*fladnizensis. White, April, May, 3"	.35	
*repens. Yellow, April, 6"	35	.30
*Dracocephalum botryoides. Rose, July, 6	" .30	
*nutans. Blue, August, 1'	30	.25
Ruyschianum japonicum. Blue, sum-		
mer, 2'		.25

	5-24 each	25 & up
Dryopteris spinulosum. Wood Ferm	.30	.25
thelypteris. Shield Fern	.30	.25
Echinacea purpurea. Purple, July-Aug. 3'	.25	.20
Echinops humilis. Blue, July, 2'	.30	.25
ritro. Deep steel blue, July, 3'	.30	.25
sphaerocephalus. Pale blue, July, 5'	.30	.25
*Edraianthus dinaricus. Lilac, July, 3"	.35	
Elymus glaucus. Blue Lime Grass, 3'	.25	.20
*Epigaea repens. Pink, April, May, 4"	.50	
Epilobium angustifolium. Rose, Aug. 4'	.30	
*Epimedium alpinum. Red, May, June, 1'	.50	.45
niveum. White, May, June, 1'	.50	.45
June, 1'	.50	.45
sulphureum. Yellow, May, 1'	.50	.10
Eremurus himalaicus. White, June, 6'	1.25	1.00
Erianthus ravennae. Plume Grass, 10'	.40	
*Erigeron elatior. Purple, July, 2'	.30	.25
*glabellus. Violet, June, July, 1'	.30	.25
glabratus roseus. Pink, June, 1'	.30	.25
macranthus. Violet, June, 2'	.30	.25
*speciosus. Rich purple, June, July, 2'	.30	.25
*Erinus alpinus albus. White, May, 4"	.35	.30
*alpinus roseus. Rosy purple, May, 4"	.35	.30
*Erodium corsicum. Pink, summer, 2"	.35	
Eryngium alpinum. Blue, July, 2'	.25	.20
amethystinum. Blue, summer, 18"	.35	.30
*planum. Blue, July, Aug. 3'	.25	.20
*Erysimum ochroleucum. Yellow, May, 1'	.25	.20
Eulalia gracillima. Japan Rush, 4-6'	.40	.35
japonica variegata. 4-6'		.35
zebrina. Zebra Grass, 4-6'	.40	.35
*Eupatorium ageroides. White, Aug. 3'	.25	.20
*coelestinum. Blue, SeptOct. 18"	.30	.25
purpureum. Purple, AugSept. 5'	.25	.20
Euphorbia corollata. White, July-Aug. 2'	.30	.25
*cyparissias. Yellow, May, 10"	.30	.25
*epithymoides. Yellow, May, June, 1' *myrsinites. Yellow, May, June, 6"	.30 .30	.25
myrsimies. Tenow, way, June, 0	.50	.20

	5-24 2 each	5 & up
Festuca glauca. Fescue Grass, June, 10"	.25	.20
Foeniculum atrosanguineum. Summer, 6'	.25	.20
*Fragaria indica. White, May, 6"	.25	.20
*Fuchsia magellanica. Red, summer, 3'	.40	
Funkia. (see Hosta).		
*Gaillardia grandiflora. Yellow and crim-		
son, all summer, 2'	.25	.20
Burgundy. Red, summer, 2'	.35	.30
Goblin. Yellow and red, summer, 1'	.25	.20
Mr. Sherbrook. Yellow, summer, 2'	.35	.30
*Galax aphylla. White, June, 10"	.30	.25
Galega officinalis. Blue, June, July, 3'	.25	.20
officinalis hartlandi. Bluish white,	.25	.20
July, 3'	.30	.25
*purpureum. Dark brown, Aug. 1'	.30	.25
*verum. Yellow, June, July, 6"	.30	.25
*Gentiana acaulis. Dark blue, Aug. 4"	.35	.30
andrewsi. Blue, August, 2'	.30	.25
*cruciata. Deep blue, June, July, 1'	.30	.25
*Purdomi. Blue, July, Aug. 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.35	
*Geranium endressi. Rose, summer, 18"	.50	
*Buxton's Blue. Blue, summer, 10"	.50	
*grandiflorum. Lilac, June, July, 15"	.40	.35
*grevilleanum. Mauve, June, July, 6"	.40	.35
*ibericum. Purple, May, June, 2'	.35	.30
*maculatum. Pink, May, June, 1'	.30	.25
*pratense alubum. White, July, Aug. 2'	.35 .35	.30
*sanguineum. Red, June, July, 2'	.00	.50
*Geum atrosanguineum. Dark red, sum-	.35	.30
mer, 1½' Lady Strathedon. Orange, summer, 15"	.35	.30
*montana. Yellow, July, 1'		
*Mrs. Bradshaw. Double red, summer, 1'	.35	.30
*Orange Queen. Orange, summer, 15"	.35	.30
*urbanum. Yellow, July, 15"	.25	.20
*Gillenia trifoliata. White, July, 4'	.25	.20
*Globularia cordifolia. Pale blue, June, 4"	.30	
*nana. Pale blue, June, 2"	.30	.25
*trichosantha. Blue, May, June, 6"	.30	.25

Gypsophila acutifolia. Pink, July, 2-3'	5-24 each .25	25 & up each .20
*cerastoides. White, summer, 4"	.35	
Flamingo. Pink, summer, 2'	.50	.00
paniculata. White, July, Aug. 2-3'	.25	.20
paniculata Bristol Fairy. Double white,	· 641 U	.20
summer, 3'	.45	.40
paniculata fl. pl. Double white, July,	. 10	• 10
August, 3'	.45	.40
*repens. Bluish white, all summer, 6"	.25	.20
*repens bodgeri. Dbl. white, summer, 2'	.40	.35
*repens rosea. Pink, summer, 6"	.40	.35
Rosy Veil. Pink, summer, 2'	.40	.35
Helenium autumnale. Yellow, AugSept. 5'	.30	.25
autumnale superbum. Yellow, Sept. 5'	.35	.30
bigelovi. Yellow, Sept. 4'	.30	.25
Gartensonne. Yellow, AugSept. 3'	.30	.25
hoopesi. Orange, June, July, 3'	.30	.25
*pumilum. Yellow, Aug. 15"	.30	
Riverton Beauty. Lemon, AugSept. 5'	.30	.25
Riverton Gem. Old Gold, SeptOct. 4'	.30	.25
rubrum. Brick red, Sept. 4'	.30	.25
*Helianthemum citrinum. Yellow, summer, 6"	.30	.25
*croceum. Saffron, June, July, 9"	.30	.25
*cupreum. Copper, June, July, 6"	.30	.25
*Fire Ball. Red, July, Aug. 12"	.30	.25
*mutabile. Flesh, May, June, 12"	.30	.25
*perfoliatum roseum. Salmon, sum-		
mer, 6"	.30	.25
*purpureum. Bright pink, June, 6"	.30	
*The Bride. White, June, July, 6"	.30	
Helianthus atrorubens. Yellow, fall, 6'	.25	.20
maximiliana. Yellow, Sept. 6'	.25	.20
Miss Mellish. Yellow, AugSept. 6'	.25	.20
mollis grandiflorus. Yellow, August,		
September, 4'	.25	.20
multiflorus fl. pl. Yellow, summer, 4'	.30	.25
orgyalis. Bright yellow, Sept. 6-8'	.25	.20
rigidus. Yellow, August, 3'	.25	.20
Wolly Dod. Deep yellow, Sept. 7'	.25	.20
Heliopsis excelsa. Double yellow, Aug. 3'	.25	.20
incomparabilis. Gold, summer, 30"	.30	.25
pitcheriana. Orange, July, Aug. 3'	.25	.20

	5-24 seach	25 & up each
*Helleborus niger. White, FebMar. 1'	1.00	
Hemerocallis Apricot. Apricot color, June, 2'	.25	.20
aurantiaca. Orange, June, July, 2½'	.25	.20
Dauntless. Yellowish orange, July, Aug.		
3′	.50	
Dr. Regal. Orange yellow, May, 18"	.30	.25
flava. Lemon yellow, June, 3'	.30	.25
florham. Golden yellow, June, 3'	.30	.25
fulva. Bronze, August, 3'	.25	.20
Gold Dust. Indian yellow, June, 2½'	.25	.20
gracilis. Yellow, June, 2'	.25	.20
Hyperion. Lemon, July, 4'	.55	.50
J. A. Crawford. Apricot yellow, July, 4'	.35	.30
kwanso fl. pl. Reddish orange, June, 2½'	.25	.20
luteola. Light orange, June, 2'	.25	.20
Leonian hybrids. Various, summer, 3'	.50	
Mikado. Red orange, June, July, 3'	.40	
May Queen. Orange, May, 4'	.25	
minor. Yellow, June, 2'	.25	.20
Ophir. Orange, July, 3'	.40	
Patricia. Pale yellow, July, 3'	.50	
Sovereign. Rich orange, June, 1½'	.25	.20
thunbergi. Lemon yellow, June, 2-3'	.25	.20
Vesta. Golden orange, July, 30"	.50	
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, August.		
Gypsy. Deep orange, July.		
Harvest Moon Orange, July.		
Lemona. Pale lemon yellow, August.		
Mrs. W. H. Wyman. Pale lemon, Augu	st.	
The Gem. Deep orange, June, July.		
*Hepatica triloba. Light blue, March, Apr. 4"	.25	.20
*Herniaria glabra. Green, summer, 4"	.25	
*Hesperis matronalis. Purple, June, July, 3'	.25	.20
*matronalis alba. White, June, July, 3'	.25	.20
Heuchera americana. Greenish white, 3'	.25	.20
*brizoides. Pink, June, July, 2'	.30	.25
*Fire King. Red, May, June, 15"	.35	
*Grenadier. Red, summer, 15"	.35	
*Perry's White. White, summer, 15"	.35	.30
*Pleu de Feu. Red, May, June, 2'	.35	.30
*Red Pimpernell. June, 1'	.35	

Heuchera		25 & up each
*rosamundi. Coral, summer, 18"	each	
*sanguinea. Coral red, June, 1'	.30	.25
*sanguinea hybrids. Various summer, 18"	.30	.25
*villosa. White, summer, 12"	.25	
Hibiscus Mallow Marvels. Mixed, July,		
August, 5'	.25	.20
Mallow Marvels. Separate colors,		
August, 5'	.35	.30
Mallow Marvels. Giant red, Aug. 5'	.35	.30
moscheutos. Rose, June, July, 5'	.25	.20
moscheutos crimson eye. White, red		2.0
eye, August, 5'	.25	.20
*Hieracium aurantiacum. Orange, summer, 6"	.25	.20
*alpinum. Yellow, May, June, 9"	.25	.20
Hosta caerulea. Blue, July, 1½'	.35	.30
fortunei. Pale lilac, July, 2'	.25	.20
lancifolia. Blue, July, 2'	.25	.20
sieboldiana. Silvery foliage	.35	.30
sub-cordata grandiflora. White, Aug.		
18"	.45	.40
undulata variegata. White foliage, 2'	.35	.30
*Houstonia serpyllifolia. Blue, April, 2"	.30	.25
Hyacinthus candicans. White, Aug. 3'	.25	.20
*Hypericum calycinum. Yellow, July-Aug. 1'	.30	
*Coris. Yellow, summer, 4"	.30	
*fragile. Yellow, July-Aug. 1'	.30	.25
moserianum. (see Shrubs).		0.5
*polyphyllum. Yellow, summer, 8"	.30	
*repens. Yellow, July, 4"	.30	
*rhodopaeum. Yellow, July, 4"	.30	
*Hyssopus officinalis. Purple, Aug. 18"	.30	
*Iberis gibraltarica. Delicate lilac, May, 11/2'	.30	
*jordani. Rose, May, June, 6"	.30	
*sempervirens. White, May, June, 8"	.35	
*sempervirens Climax. White, May, 6"	.35	.30
*sempervirens Little Cushion. White,		
May, June, 4"	.40	.35
*sempervirens Little Gem. White,	0.5	
April, 6"	.35	
*sempervirens Snowflake. White, May, 9	" .35	
*tenoreana. Purplish white, June, 6"	.30	)

*Incarvillea delavayi. Rosy purple, June,	5-24 2	5 & սր
July, 2'	$\frac{\text{each}}{.50}$	each
*Inula ensifolia. Yellow, July, Aug. 8"	.30	.25
*Iris cristata. Light blue, May, June, 6"	.30	.25
dichotoma. Purple, August, 1'	.25	.20
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, 6"		.25
fall blooming. Spring and fall, 1½-2'	.30	.25
Autumn King — blue-purple		
Autumn Queen — snow white		
Jean Siret — yellow		
Lt. Chavagnac — violet		
Olive White — cream		
Ultra — ultramarine-blue		
germanica. May, June, 1½-2'		
Afterglow. Soft lavender shading		
yellow	20	.15
Ambassadeur. Bronze, purple ma-		
roon falls	.20	.15
Anjelus. Pink, shaded lavender	.40	
Aphrodite. Lilac pink	.20	.15
Archiveque. Purple	.20	
Asia. Smoky blue	.20	.15
Blue Poter Dork blue word	.20	.15
Blue Peter. Dark blue purple	.30	
Bruno Bronzo rod purple fells	.40	
Bruno. Bronze, red purple falls Cecil Minturn. Pink	.20	.15
China Maid. Pink	.20	.15
China Rose. Orchid pink	.40	.35
Cluny. Lilac blue	.40	1.5
Crystal Beauty. Tall white	.30	.15
Depute Nomblot. Coppery red,	.50	
flushed bronze	.25	
Dorothea. Pearl gray	.20	.15
Dream. Light pink	.20	.10
E. B. Williamson. Coppery red	.40	. <b>3</b> 5
Elmohr. Purple	.40	.00
Elsa Sass. Lemon yellow	.40	
Fairy. White, bordered blue	.20	.15
Florentina. Pale blue	.20	.15
Florentina alba. White	.20	.15
Frieda Mohr. Pink bicolor	.30	. 10

	5-24 2 each	
Iris germanica.		
Gold Imperial. Golden yellow	.20	.15
Golden Majesty. Golden yellow	.35	
Golden Treasure. Cream	.35	
Grand Canyon. Plum and gold	.60	
Indian Chief. Velvety red	.30	
Labor. Electric blue	.25	
Leonidas. Lavender, mauve falls	.25	.20
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	.20	.15
Lord of June. Lavender blue, violet		
falls	.20	.15
Lucrezia Bori. Soft yellow	.60	
Mad. Henri Cayeau. Dark purple	.20	.15
Mary Barnet. Lavender blue	.20	.15
Mary Geddes. Pink, overlaid		
Pomeranian red	.40	
Midnight. Dark blue	.20	.15
Missouri. Deep blue	.50	
Moonlight. Silvery white	.20	.15
Moonlight Madonna. Light yellow	.75	
Morocco Rose. Pink	.50	
Opera. Violet red, purple falls	.25	.20
Pallida Dalmatica. Lavender	.25	.20
Pallida speciosa. Light blue	.20	.15
Pink Opal. Pink lilac	.50 .30	
Pluie d'Or. Yellow		.20
Prairie Gold. Yellow		.15
Prospero. Lavender and purple		.15
Robt. W. Wallace. Violet purple	.20	.15
Shekinah. Pale yellow, shading to	0.5	0.0
buff		.20
Snowking. Large white		
Souv. de Mad. Gaudichau. Deep	.20	
velvety purple	.20	.15
Taj Mahal. White		.15

*Iris germanica	5-24 25 each	
True Delight. Pure pink Victorine. White, mottled blue Wedgewood. Blue	.20	.15 .15
intermedia hybrids. May, 18"	.25	.20
kaempferi. Japanese Iris. July, 2-3' Awaji. Large white overlaid lavender Bandai-San. White standards and fal bordered lavender. Blue Bird. Single dark blue. Eumee. Double lavender blue. Florence. Amaranth purple. Fukushima. Reddish purple, veined v Gold Bound. White, yellow shadings. Iso-no-namie. Double soft blue. Kagaribi. Double pink lavender. Kumonoobi. Clear purple, white halo Mahogany. Double rich dark red. Oyodo. Double wine red. Patrocle. Single reddish violet. Purple Emperor. Large deep violet pu Purple & Gold. Violet purple, golden Pyramid. Double violet purple, veines Seacrest. Foam white. Tacoma Beauty. Pure white. Thais. Rich royal purple, white veins.	r blue. ls, white.  urple. throat. d white	.25
Warei-hotei. Lavender blue, light blu		
prismatica. Violet, May, June, 2'		.20
pseudacorus. Yellow, June, 3'	.25	.20
# . 15 Mm 4.5 Mm 4.5	.25	.20
pumila Cyanea. Crimson purple, April	.25	.20
6 <b>"</b>	.25	.20
*pumila Curiosa. Yellow, April, May, 9"	.30	.25

Iris	-	5 & up
*pumila Fairy. Pale blue, April, 6"	each .30	each .25
*pumila lutea. Pale yellow, April, 6"	.25	.20
*pumila Midget. Purplish red, April, 6"	.25	
*pumila Schneecuppe. White, April, 6"	.25	.20
*pumila Sambo. Violet, April, 9"	.25	.20
sibirica. Purplish blue, June, 3'	.25	.20
sibirica alba. White, June, 3'	.25	.20
sibirica Emperor. Clear blue, May, 2'	.25	.20
sibirica Snow Queen. White, May, 2'	.25	.20
spuria Dorothy Foster. Violet standards,		
lighter falls, June, 2'	.50	.40
*Stewart. Dwarf, yellow, April, 9"	.30	.25
*tectorum. Blue, June, 1'	.30	.25
*tectorum alba. White, June, 10"	.35	
*verna. Blue, May, June, 6"	.25	.20
versicolor. Blue, June, 2'	.25	.20
Isatis tinctoria. Yellow, May, June, 6'	.30	.25
*Jasione humilis. Blue, July, Aug. 6"	.30	.25
*perennis. Blue, June, July, 6"	.30	.25
*Jeffersonia diphylla. White, May, 8"	.40	
*Kniphofia pfitzeri. Coral, AugSept. 4'	.30	.25
Chromatella. Orange, summer, 3'	.50	
Red and Gold. July, 3'		
White Giant. White, summer, 3'		
*Laciuca perennis. Blue, June, 15"		.20
*Lamium maculatum. Purple red, summer, 8	" .50	.45
*maculatum album. White, summer, 8"	.50	
*Lathyrus latifolius. Pink to red, July, 6'	.30	.25
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.35	.30
officinalis alba. White, July, 2'	.30	.25
*nana. Lavender, Aug. 9"	.30	.25
*Leontopodium alpinum. Yellow, summer, 5'		.30
Liatris pycostachya. Purple, AugSept. 4	· .30	.25
punctata. Purple, Sept., 2'	40	
August Glory. Purple, Aug., 3'	.40	
September Glory. Purple, Sept., 3'	.40	
spicata. Purple, Aug. 3'	.25	.20
Ligularia clivorum. Yellow, AugSept. 3'	30	
Lilium auratum. White, gold band, summe	r,	
3'	1.00	)
batemanniae. Salmon red, July, 3'	45	5
canadense. Yellow to red, June-July,	3′ .25	.20
candidum. White, June, 3'	60	.50

Lilium	5-24 each	25 & up each
concolor. Scarlet, July, 1'	F.0	
elegans. Orange, July, 1'	.50	
hansoni. Orange, June, July, 4'	1.00	
henryi. Yellow, July, 2'	7.00	
pardalinum. Scarlet and yellow, 2'	.75	20
phillippinense formosanum. White, Jun	.55	.30
July, 2'	.50	
philadelphicum. Orange red, June, July	,00	
3'	.45	.40
regale. White, July, 4'	.40	.35
speciosum album. White, Aug. 2'	1.00	.00
speciosum rubrum. Pink carmine,	_,,,	
August, 2'	1.00	.90
superbum. Orange, July, Aug. 5'	.30	.25
*tenuifolium. Scarlet, June, 18"	.40	.35
iestaceum. Apricot, June, July, 5'	2.50	
tigrinum. Orange, spotted, Aug. 4'	.50	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.50	
umbellatum. Scarlet red, July, 2'	.45	.40
willmottiae. Orange, July, 4'	1.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.30	.25
gmelini. Purplish blue, Aug. 18"	.30	.25
*latifolium. Blue, July, Aug. 2'	.35	.30
*Linaria aequitriloba. Pale mauve, June, 1"	.35	.30
*alpina. Blue, summer, 6"	.35	.30
"alpina rosea. Rose, summer, 6"	.35	
cymbalaria. Lavender, summer, 4"	.30	.25
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.30	.25
*Linum austriacum. Blue, summer, 3'	.30	.25
"alpinum. Blue, June, 10"	.30	.25
*flavum. Yellow, June, July, 1'	.30	.25
*narbonnense. Blue, June, July, 2'	.30	.25
*perenne. Blue, June, July, 1½'	.30	.25
Liriope graminifolia. Violet, summer, 1'	.50	.45
muscari. Lilac, summer, 15"	.50	
Lithospermum purpureo-caeruleum. Blue		
May, 10"	.60	
I obolin gardinalia Carta Artico	.30	.25
siphilitica. Blue, Sept. 3'	.30	
,,	.50	.43

	5-24 each	25 & up each
Lupinus polyphyllus. Blue, June, July, 3'	.30	.25
polyphyllus albus. White, June, July, 3'	.30	.25
polyphyllus roseus. Pink, June, July, 3'	.30	.25
Russell hybrids. Various, June, July, 3'	.30	.25
*Lychnis alpina. Rose color, June, 1'	.30	.25
arkwrighti. Scarlet, summer, 15"	.30	.25
chalcedonica. Scarlet, July, 3'	.25	.20
coronaria. Crimson, July, 2'	.25	.20
coronaria alba. White, July, 2'	.25	.20
flos jovis. Pink, June, 18"	.25	.20
*haageana. Scarlet, June, July, 1'	.30	.25
*viscaria splendens fl pl. Red, June, 1'	.35	.30
Lysimachia clethroides. White, July, Aug. 3'	.30	.25
*nummularia. Yellow, June, July, 6"	.25	.20
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.30	.25
vulgaris. Yellow, July, Aug. 3'	.30	.25
Lythrum alatum. Magenta, July-Aug. 3'	.25	.20
salicaria roseum. Rose, July, 4'	.25	.20
superbum The Beacon. Rose, July, 3'	.35	.30
virgatum. Deep rose, July-Aug. 1½'	.25	.20
Malva alcea. Rosy purple, July-Aug. 3'	.25	.20
moschata: Rose, July, Aug. 2'	.25	.20
moschata alba. White, July, Aug. 2'	.25	.20
Marrubium vulgare. White, summer, 3'	.35	
Matricaria Golden Ball. Yellow, summer, 1'	.30	.25
*parthenoides. White, May, 1'	.30	.25
Silver Ball. Dbl. white, summer, 1'	.30	
	20	9.5
*Mazus reptans. Lilac, April, 4"	.30	.25
Melissa officinalis. White, Aug. 2"	.30	.25
Mentha crispa. Curly mint, 12"	.25	
piperita. Peppermint, purple, 2'	.25	.20
rotundifolia. Apple mint, 30"	.25	
spicata. Spearmint, 2'	.25	.20
*Mertensia virginica. Purplish blue, March,		
April, 2'	.30	.25
*Micromeria rupestris. White, fall, 10"	.30	.25
Mimulus luteus. Yellow, summer, 1'	.35	.30
	.00	.50
Mitchella repens. White shaded pink, March,	20	0.5
4"	.30	.25

	5-24 each	25 & up
Monarda didyma. Red, July, Aug., 3'	.30	
didyma alba. White, summer, 3'	.30	.25
didyma Cambridge. Scarlet, July, Aug.		
3'	.30	.25
didyma Salmonea. Salmon, July, Aug. 3'	.30	.25
didyma Sunset. Mahogany, July, Aug., 3'	.30	.25
didyma splendens. Scarlet, July, Aug. 3'	.30	.25
didyma violacea. Violet, July, Aug., 3'	.30	.25
fistulosa. Lilac, July, 3'	.25	.20
Mulgedium Bourgaei. Lilac, symmer, 5'	.30	.25
*Myosotis alpestris. Blue, April, May, 8"	.25	.20
*alpestris alba. White, May, June, 8"	.25	.20
*alpestris pink. May, June, 8"	.25	.20
*palustris. Blue, all summer, 6"	.25	.20
*palustris Pink Beauty. All summer, 6"	.30	.25
Narcissus poeticus. White, May, 1'	.15	.12
*Nepeta hederacea. Blue, May, 2"	.25	20
macrantha. Lavender, summer, 2'	.30	.25
*mussini. Blue, June, July, 1'	.30	.25
nuda. Violet, August, 3'	.35	
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, sum-		
mer, 1'	.35	.30
*Nierembergia rivularis. Creamy white, sum-		
mer, 4"	.35	.30
Oenothera fraseri. Yellow, summer, 1'	.35	0.5
fruiticosa youngi. Lemon, June, July, 2'	.30	.25
lamarckiana. Yellow, July, Aug. 4'	.30	.25
missouriensis. Yellow, July, Aug. 6" rosea. Rose summer, 15"		.25 .25
speciosa. White, July, Aug. 1½'		.30
Onoclea sensibilis. Sensitive Fern		.22
struthiopteris. Ostrich Fern	.30	.22
Onopordon bracteatum. Pink, July, 5'	.25	.20
Origanum vulgare. Pink, summer, 2'	.35	
*Orobus vernus. Rose purple, May, 1'	.35	

	5-24 each	25 & up each
Osmunda cinnamonea. Cinnamon Fern		
regalis. Royal Fern	.30	.22
Pachysandra terminalis. White, May, 3"		9.5
2 year from pots	.30	.25
Paeonia officinalis rosea. Rose pink	.60	.50
officinalis rubra. Red	.60	.50
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.75	
August Dessert. Velvety rose	1.00	
Beauty of France. Pale rose	.60	
Claire Dubois. Satiny pink	.65	
Dr. Vandertak. Crimson	.65	
Duc de Wellington. White	.60	.55
Duchess de Nemours. Creamy white	.60	.55
Edulis. Deep rose	.50	
Felix Crouse. Brilliant red	.80	
Festiva maxima. Finest early white		.75
Karl Rosenfield. Early red	.75	
Lady Alexandra Duff. Pale pink	1.00	
Longfellow. Red	1.00	
Marie Crousse. Salmon pink		
Marie Lemoine. Creamy white	.75	.60
Marquise of Lansdowne. Large, pink	.75	
Mons. Martin Cahuzac. Dark pur-		
ple garnet	1.25	
Mons. Jules Elie. Pink with darker		
guard petals		.75
Mrs. Van Leeuwen. Light crimson	.65	
Roem von Boskoop. Deep rose	.50	.45
Solange. White petals, golden		
brown center		
Souv. de Louis Bigot. Bengal rose		
Therese. Violet rose	1.50	
Triumph de Paris. Light pink, yel-		
low center		
Virginie. Lilac rose		
Walter Faxon. Pure pink		
Wm. Mesman. White	.60	.50
single Japanese. Named varieties	1.25	
Alba Grandiflora. White.		
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		

5-24 25 & up each each

Paeonia single Japanese		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to wh	ite.	
Shi-pen-kue. Nearest to blue in Peon		
*Papaver alpinum. Various, summer, 6"	.35	
*nudicaule. All colors, summer, 8"	.25	.20
*orientale bracteatum. Red, June, 2'	.25	.20
oriental. Orange scarlet, June, 2'	.25	.20
Beauty of Livermore. Crimson.		
June, 3'	.40	
Fairy. Pale pink, June, 2'	.35	.30
Giant Mulberry. Mulberry, June, 2'	.60	.50
Helen Elizabeth. Pink, June, 2'	.40	.35
Indian Chief. Mahogany, June, 2'	.50	.45
Lulu A. Neeley. Ox-blood red,		
June, 3'	.40	
May Sadler. Salmon, June, 2'	.40	
Mrs. Perry. Salmon pink, June, 3'	.40	.35
Olympia. Scarlet, June, 3'	.35	.30
Perry's White. White, June, 3'	.50	
Wurtembergia. Rose-red, June, 2'	.40	
pilosum. Brick red, June, 3'	.30	.25
Pardanthus. (see Belamcanda).		
*Pennisetum japonicum. Fountain Grass	.35	.30
Japonicam Touritain Grass.	.00	.00
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.25	.20
barbatus. Scarlet, July, 3'	.25	.20
barbatus coccineus. Scarlet, July, Aug. 4'	.25	.20
barbatus Pink Beauty. Pink, summer, 2'	.35	.30
digitalis. White, August, 3'	.30	.25
Garnet. Red, summer, 18"	.35	.30
glaber. Blue, summer, 2'	.25	
grandiflora. Blue, summer, 3'	.35	
hirsutus. Rosy purple, July, Aug. 2'	.35	
ovatus. Blue, July, Aug. 3'	.35	
*pygmaeus. Purplish blue, summer, 6"	.35	
unilateralis. Blue, June, 2'	.30	.25
Phalaris arundinacea variegata. Ribbon Grass	.25	.20

Phlox amoena. Pink, May, 4"	5-24 each .25	25 & up each .20
*divaricata. Lavender, May, June, 1'	.30	.25
*divaricata laphami. Violet, June, 1'	.35	
glaberrima. Pink, June, 18"	.35	.30
maculata. Purplish red, May, June, 4'	.25	.20
*ovata. Red, May, June, 1'	.25	
paniculata. 2-3'		
Africa. Carmine, red eye	.30	.25
Antonin Mercie. Lilac, white center	.25	.20
America. Rose pink	.25	.20
B. Compte. Rich French purple	.30	.25
Baron von Dedem. Salmon red	.25	.20
Border Queen. Dwarf pink	.30	.25
Caroline Vandenburg. Lavender blue	.30	
Champs Elysees. Rich purple		
crimson	.25	.20
Chas. Curtis. Red	.40	.30
Colonial. Light blue	.25	.20
Commander. Crimson	.25	.20
Count Zeppelin. White, red eye	.30	
Daily Sketch. Salmon pink, car-	0.0	0.5
mine eye	.30	.25
Enchantress. Salmon pink, dark eye	.25	.20
Elizabeth Arden. Pink	.40	9.0
Elizabeth Campbell. Salmon pink	.25	.20
Ethel Pritchard. Mauve	.25 .25	.20
Feuerbrand. Orange scarlet	.25	.20
Fiancee. White  George Stipp. Salmon, lighter eye	.30	.25
Gustave Lind. Deep salmon	.30	
Jules Sandeau. Large pink	.30	.25
Karl Foerster. Orange scarlet	.30	.20
Lavender Beauty. Lavender		.20
Louis Abbema. Dwarf white	.25	
Leo Shlageter. Bright scarlet	.35	
Lilian. Fine light pink	.30	
Mad. Paul Dutrie. Soft pink	.30	
Maid Marian. Soft lavender	.30	
Mary Louise. Pure waxy white	.30	
Mia Ruys. White	.30	
Mrs. Jenkins. Pure white	.25	
Mrs. Milly van Hoboken. Soft pink	.25	.20

Phlox paniculata		25 & up
Mrs. W. Van Bueningen. Salmon red	each .30	$\frac{\text{each}}{.25}$
Miss Lingard. White	.35	.30
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.30	.25
P. D. Williams. Apple blossom pink	.30	0
Peachblossom. Shell pink	.25	.20
Rheinlander. Salmon pink, claret		
eye	.30	.25
R. P. Struthers. Carmine, claret eye	.25	.20
Salmon Glow. Salmon pink	.30	
Special French. Soft pink	.25	.20
Spitfire. Salmon red	.35	.30
Splendour. Pink	.30	.25
Thor. Deep salmon pink	.25	.20
Von Hockberg. Velvety red	.30	.25
Widar. Light reddish violet, white		
eye	.25	.20
*pilosa. Lavender, May, 1'	.25	.20
*reptans. Lilac, May, 6-12"	.25	.20
*stellaria. Creeping, May, 4"	.25	.20
*subulata alba. White, April, May, 4"	.30	.25
*subulata atropurpurea. Purple, Apr. 4"	.30	.25
*subulata Blue Hills. Light blue, April, 4"	.30	
*subulata Camla. Pink, May, 4"	.50	95
*subulata Dixie Brilliant. Red, May, 4" *subulata Fairy. Blue, purple eye, April	.30	.25
411	.30	.25
*subulata G. F. Wilson. Lilac, May 6"	.30	.25
*subulata lilacina. Light blue, April	.50	.40
May, 4"	.30	.25
*subulata Little Dot. Lilac, April, 4"	.30	.25
*subulata nelsoni. White, May, 4"	.30	.25
*subulata Perfection. Rose, pink eye,	.00	.20
April, 4"	.30	.25
*subulata rosea. Pink, May, 4"	.30	.25
*subulata The Bride. White, pink eye,		,20
May, 5"	.30	.25
*subulata Vivid. Pink, red eye, April, 4"	.35	.30
Phygelius capensis. Red, AugSept. 3'	.50	
*Physalis francheti. Red pods, Oct. 2'	.25	.20
*Physostegia virginiana. Rose, Aug. 3'	.25	.20
virginiana alba. White, Aug. 3'	.25	.20
virginiana Vivid. Deep pink, Aug. 2'		.25
For less than five, add five cents per plant to the 5-		

*Phyteuma orbiculare. Purple, June, July, 2'	each	25 & up each
Platycoden grandiflorum. Blue, summer, 2'	.30	95
grandiflorum. Pink, summer, 2'	.40	.25
grandiflorum album. White, summer, 2'	.30	.25
*mariesi. Deep blue, summer, 1'	.30	.25
*mariesi album. White, summer, 1'	.30	.25
mariesi. Dbl. blue, summer, 18"	.40	.40
mariesi. Dbl. white, summer, 18"	.40	
*Plumbago larpentae. (see Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.25	.20
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.25	.20
*caeruleum album. White, June, July,	.20	.20
1½'	.25	
*reptans. Blue, May, June, 6"	.25	.20
richardsoni. Sky blue, May, June, 6"	.25	.20
*Polygonum compactum. White, AugSept.,		
1½'	.25	.20
cuspidatum. White, AugSept. 5'	.25	.20
oxyphyllum. Creamy white, Sept. 3'	.30	.25
reynoutria. Pink, Sept. 1'	.40	.35
spaethi. Pink, Sept. 6'	.50	.00
Polystichum acrostichoides. Christmas Fern	.30	.25
*Potentilla atrosanguinea. Red, summer, 18"	.30	.25
*argeniea. Yellow, summer, 18"	.25	.20
*crinita. Yellow, summer, 1'	.25	.20
*nepalensis. Showy red, May, June, 2'	.30	.35
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.30	.25
*pyrenaica. Yellow, summer, 18"	.25	.20
*tridentata. White, summer, 1'	.30	.25
*Primula acaulis. Yellow, May, 9"	.30	.25
*auricula alpina. Various, May, 6"	.35	.30
*beesiana. Purple, May, 18"	.35	.30
*bulleyana. Apricot, June, 18"	.35	.30
*bulleyana hybrids. Various, May, 18"	.35	.30
*cashmiriana. Light lilac, May, 8"	.35	.30
*denticulata. Purple, yellow eye, May, 6"	.35	.30
*denticulata alba. White, May, 6"	.40	.35
*elatior. Yellow, May, 8"	.45	
*elatior atrocoerulea. Dark blue, May, 8"	.45	
florindae. Yellow, May, 4'	.40	.35

	each	
*Primula		
*japonica atrosanguinea. Red, May,		
June, 1'	.35	.36
*j ponica pink. May, June, 1'	.35	.30
*polyanthus. White, or yellow, May, 10"	.30	.25
*veris. Yellow, April, May, 9"	.30	.25
*veris Giant Munstead. Various, May, 1'	.30	.25
*veris Gold Laced. Various, May, 9"	.35	.30
*veris lilacina fl. pl. Lilac, May, 4"	.50	
*Pulmonaria angustifolia. Blue, April, May, 8"	<b>.3</b> 5	.30
*saccharata. Pink, April, May, 8"	.35	.30
*Prunella grandiflora. Violet, summer, 8"	.35	
*incisa rubra. Red, summer, 6"	.35	
Pyrethrum James Kelway. Sgl. red, June, 1'	.35	
*Princess Margaret. Crested pink,	.00	
June, 1'	.35	
Rose Glory. Dbl. rose, June, 1'	.35	
roseum. Various, May, June, 1'	.30	.25
roseum double. Various, May, June, 2'	.35	.20
	.30	.25
roseum Resy Morn. Pink, June, 2' roseum single scarlet. Summer, 1'	.35	.20
uliginosum. White, Sept. 5'	25	.20
Ranunculus acris fl. pl. Yellow, June, 3'	.35	.30
*repens. Yellow, June, 4"	.25	.20
repens fl. pl. Yellow, June, 1'	.25	.20
Rosmarinus officinalis. Light blue, April, 4"	.35	.30
Rudbeckia Autumn Glory. Yellow, Aug		
Sept. 6'	.25	.20
hirta. Yellow, AugSept. 3'	.25	.20
laciniata. (Golden Glow). Yellow, Aug. 6	.25	.20
nitida. Single yellow, AugSept. 6'	.25	.20
Rayon d'Or. Yellow, Aug. 5'	.25	.20
speciosa. Yellow, July, Aug. 2'	.25	.20
subtomentosa. Lemon yellow, Aug		
Sept. 4'	.25	.20
*Ruta graveolens. Yellow, summer, 2½'	.30	<b>.2</b> 5
*Sagina subulata. White, July, Aug. 3"	.30	.25
Salvia argentea. Pinkish white, June, 3'		.20
azurea. Blue, Aug. 4'		.20
azurea grandiflora. Blue, Aug. 4'		.30
farinacea. Blue, July, 2-3'		.20
glutinosa. Yellow, June, July, 3'		.20

		25 & up
Salvia	eacn	each
officinalis. Blue, summer, 18" pitcheri. (See azurea grandiflora)	.25	.20
pratensis. Deep blue, June, 3'	.25	.20
pratensis alba. White, June, 3'	.35	
pratensis rubicunda. Rose, June, July, 3'	.35	
viscosa. Pink, July, 3'	.25	.20
	.30	.25
*Sanguinaria canadensis. White, April, 8"	.50	,20
*Santolina chamaecyparissus. Gray foliage, 1'	.30	.25
*Saponaria ocymoides. Pink, summer, 9"	.25	.20
officinalis rosea pl. Pink, summer, 18"	.25	.20
*Saxifraga aizoides. Yellow, Aug. 4"	.35	
*altissima. White, May, June, 2'	.35	
*caespitosa. Various, June, July, 6"	.35	
*cochlearis. White, May, June, 9"	.35	.30
*cordifolia. Rose pink, May, June, 1'	.35	.30
*cotyledon. White, May, June, 18"	.35	.30
*crassifolia. Rosy pink, April 1'	.35	.30
*decipiens. White, May, June, 4"	.35	.30
*haussmani. Yellow, May, June, 8"	.30	
*lantoscana. White, May, June, 1'	.35	.30
*lingulata rosea. Pink, April, 1'	.35	.30
*lingulata leichtlini. Rose, April, 1'	.35	.30
*longifolia. White, May, June, 2'	.35	
*marginata. White, May, June, 3'	.35	
*McNabiana. White, May, June, 12"	.35	.30
*purpurea. Rosy purple, April, 1'	.35	
*sarmentosa. White, summer, 2'	.30	.25
Scabiosa caucasica. Lavender, all sum-		
mer, 1'	.30	
*caucasica alba. White, summer, 1'	.35	
caucasica House's Hybrids. Various,		
summer, 1'	.35	
fischeri. Blue purple, summer, 2'	.25	.20
japonica. Lavender, AugSept. 18"	.25	.20
*Scutellaria alpina. Purple and white, sum-		
mer, 6"	.35	.30
*coelestina. Blue, summer, 1'	.30	.25

		25 & up each
*Scutellaria  *orientalis. Yellow, June, July, 8"	.35	
*Sedum acre. Yellow, June, July, 4"	.25	.20
*album. White, July, 4"	.25	.20
*altissimum. Yellow, July, Aug. 9"	.25	.20
*dasyphyllus. White, tinged pink, June, 2"	.35	
*douglasi. Yellow, July, 2"	.25	.20
*ewersi. Pink, AugSept. 6"	.30	.25
*glaucum. Blue foliage, 2"	.30	.25
*kamtschaticum. Yellow, July, 6"	.25	.20
*maximum. Pink, SeptOct. 18"	.25	.20
*murale. Pink, July, 1'	.25	.20
*obtusatum. Yellow, July, Aug. 3"	.25	.20
*sarmentosum. Yellow, July, 3"	.25	.20
*sexangulare. Yellow, June, July, 6"	.25	.20
*sieboldi. Pink, July, Aug. 1'	.35	.30
*spectabile. Pink, Aug. Sept. 1½'	.25	.20
spectabile Brilliant. Crimson, Sept. 1½'	.25	.20
*spurium album. White, July, Aug. 6"	.25	.20
*spurium splendens. Rosy crimson,	0.5	90
August, 6"	.25	.20
*stoloniferum. Pink, July, Aug. 6" *stoloniferum coccineum. Crimson,	.25	.20
August, 6"	.25	.20
*ternatum. White, May, June, 4"	.30	.25
, , , , , , , , , , , , , , , , , , , ,		
*Sempervivum arachnoideum. Red, June, 4"	.35	.30
*atroviolaceum. Reddish purple, 8"	.35	•••
*brauni. Bronze, July, 6"	.35	
*funcki. Brown, June, July, 6"	.35	.30
*glaucum. Pink, July, Aug. 6"	.35	
*globiferum. Yellow, June, 12"	.35	
*tectorum violaceum. Violet red, June, 4"	.35	
*Shortia galacifolia. White, June, 8"	.40	.35

Sidalcea Rose Queen. Rose pink, July,	5-24 25 each	
August, 4'	.30	.25
*Silene alpestris. White, May, June, 6"	.30	.25
*maritima. White, summer, 1'	.25	.20
*maritima rosea. Pink, summer, 1'	.25	.20
orientalis. Pink, July, 2'	.30	.25
*r^emeri. White, July, Aug. 1'	.30	
*saxifraga. White, summer, 6"	.35	
*schafta. Bright pink, July, 6"	.30	.25
Silphium perfoliatum. Yellow, July, 6'	.35	.30
bipilati portoraram removi, bary, o	.00	.00
*Sisyrinchium angustifolium. Blue, June,		
July, 6"	.30	.25
Smilacina racemosa. White, April, 2-3'	.30	.25
Solidago canadensis. Yellow, fall, 4-5'	.25	.20
rigida. Yellow, fall, 3-4'	.25	.20
shorti. Yellow, fall, 4'	.25	.20
Spigelia marilandica. Red, June, July, 2'	.50	
*Spirea aruncus. White, June, July, 3-5'	.30	.25
camtschatica. White, July, 6'	.30	.25
chinensis. Silvery pink, June, July, 2'	.30	.25
eximea. Pink, June, July, 2'	.30	.25
filipendula. Single, white, June, July, 1'	.30	.25
filipendula fl. pl. White, summer, 15"	.30	
lobata. Pink, July, 4'	.30	.25
palmata. Rosy crimson, June, July, 2'	.30	.25
ulmaria fl. pl. White, June, 3-4'	.30	.25
venusta magnifica. Deep pink, July, 3'	.35	.30
Stachys lanata. Purple, June, July, 18"	.30	.25
Statice. (see Limonium)		
*Stellaria holostea. White, May, June, 1½'		
Stokesia laevis. Lavender, AugSept. 1'	.25	.20
laevis alba. White, AugSept. 1'	.30	.25
laevis Blue Moon. Blue, AugSept. 1'	.35	.30
Tanacetum vulgare. Yellow, summer, 3'	.25	.20
Teucrium chamaedrys. Rose, Aug. 1'	.30	.25
orientale. Blue, Aug. 10"	.30	.25
Thalictrum adiantifolium. Yellow, June, 4'	.30	.25
aquilegifolium. White, June, 5'	.35	.30
aquilegifolium purpureum. Purple,		
June, 3'	.30	.25
dipterocarpum. Lilac, Aug., 3'		.35
For less than five, add five cents per plant to the		э.

	5-24 2	25 & up each
Thalictrum	eacn	еасп
glaucum. Golden-yellow, June, 4'	.30	.25
minus. Greenish yellow, June, July, 2'	.30	.25
Thermopsis caroliniana. Yellow, June, 6'	.35	.30
Thymus odoratissimus. Lilac, summer, 6"	.35	.30
*nitidus. Rose, June, July, 3"	.35	.30
*serpyllum. White, June, 4"	.35	.30
*serpyllum citriodorus. Purple, June,		
July, 3-5"	.35	.30
*serpyllum coccineus. Scarlet, June, 4"	.35	.30
*serpyllum lanuginosus. Rosy purple,		
June, July, 5"	.35	.30
*serpyllum roseus. Rose, summer, 8"	.35	.30
vulgaris. Lilac, June, July, 8"	.35	.30
*Tiarella cordifolia. Creamy white, June, 8"	.30	.25
Tradescantia virginiana. Blue, all summer, 2'	.30	.25
James Stratton. Deep blue, summer, 1'	.40	.35
Purple Dome. Purple, summer, 1'	.40	.35
Pauline. Cattleya mauve, summer, 1'	.40	.35
James C. Weguelin. Blue, summer, 1'	.35	<b>.3</b> 0
Trillium erectum. Purple, May, 1'	.25	.20
*grandiflorum. White, May, 1'	.25	<b>.2</b> 0
Tritoma. (see Kniphofia)		
*Trollius europeus. Citron yellow, July, Aug		
1′	.45	
europeus Orange Globe. Orange, sum-	= 0	
mer, 18"	.50	
*ledebouri. Orange, summer, 18"	.45	
*ledebouri Golden Queen. Orange, sum-	.45	
mer, 18"		
*Tunica saxifraga. Light pink, June, July, 6"		.30
*saxifraga alba. White, summer, 6"	.30	
*saxifraga rosea fl. pl. Pink, summer, 6"	.35	.30
Valeriana officinalis. Rose, June, July, 5'	.30	.25
Verbascum chaixi. White, summer, 3'	.25	
*Cotswold Gem. Amber, June, 4'	.35	.30
olympicum. Yellow, July, Aug. 5'		.20 .20
phoeniceum. Various, May, June, 3' willmottiae. White, summer, 5'	.25	.20
For less than five, add five cents per plant to the		
For less than rive, and rive cents per plant to the	3-24 1	uie.

	5-24 each	25 & up each
*Verbena canadensis. Purple, Aug. 18"		.25
hastata. Blue, AugSept. 3'	.30	.25
Vernonia noveboracensis. Purple, Aug.		
Sept. 5'	.30	.25
*Veronica allioni. Violet, June, 2"	.30	.25
*alpestris. Pale blue, June, 18"	.30	.25
amethystina Royal Blue. June, July, 12"	.35	.30
*Blue Spires. Blue, summer, 18"	.35	.30
caucasica. White, July, 6"	.30	.25
*chamaedrys. Blue, May, June, 18"	.30	.25
*elegantissima. Blue, July, Aug. 2'	.30	.25
*erica. Pink, summer, 10"	.30	.25
*filiformis. Blue, May, 2"	.30	.25
*incana. Pale blue, July, Aug. 11/2'	.25	.20
*longifolia subsessilis. Blue, AugSept. 2'	.40	.35
*orchidea. Blue, July, 18"	.30	.25
*pectinata rosea. Pink, May, June, 6"	.30	.25
*peduncularis. White, June, 6"	.30	.25
*pulchella. Blue, May, 1'	.30	.25
*repens. Pale blue, May, June, 2"	.30	.25
*rupestris. Blue, June, 6'	.30	.25
*rupestris alba. White, June, 4"	.30	.25
*rupestris nana. Dark blue, June, 2"	.30	.25
*rupestris pink. June, 4"	.30	.25
*spicata. Blue, July, Aug. 2'	.30	.25
*spicata alba. White, Aug. 18"	.30	
*spicata nana. Blue, June, 6"	.30	
*spuria. Blue, June, 18"	.30	.25
*teucrium prostrata. Blue, June, 1'	.30	.25
*True Blue. June, July, 12"	.30	.25
virginica. Pale blue, August, 4'	.30	.25
*Vesicaria utriculata. Yellow, April, May, 8"	.30	.25
Vinca minor. Blue, all summer, 6"	.25	.18
minor alba. White, all summer, 6"	.40	.35
minor Bowles. Blue, summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6"	.45	.40
*Viola alba. White, May, 6"	.25	.20
*cornuta Admiration. Purple, all sum.		
mer, 6"	.25	.20
*cornuta alba, type. White, all summer, 6"		.20
*cornuta Apricot. Apricot, summer, 6"		.25

		25 & up
*Viola	eacn	each
*cornuta Arkwright Beauty. Red, sum-		
mer, 6"	.35	
*cornuta atropurpurea type. Purple, 6"	.25	.20
*cornuta Blue Perfection. Blue, all		
summer, 6"	.25	.20
*cornuta Catherine Sharp. Blue, sum-		
mer, 6"	.35	.30
*cornuta Chantryland. Apricot, sum-		
mer, 6"	.35	
*cornuta florariensis. Pale blue, sum-		
mer, 6"	.35	
cornuta G. Wermig. Violet, all sum-		
e mer, 6"	.25	.20
*cornuta White Wermig. White, sum-		
mer, 8"	.30	.25
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.25	.20
*cornuta Mauve Queen. Mauve, all		4-
summer, 6"	.30	.25
*cornuta Papilio. Violet, all summer, 6"	.30	.25
*cornuta Primrose Dame. Yellow, sum-	0.5	
mer, 6"	.35	
*cornuta White Perfection. White, all	0.5	0.0
summer, 6"	.25	.20
*Double Russian. Blue, June, 4"	.40	.35
*gracilis. Deep violet, summer, 1' *Jersey Gem. Rich violet, summer, 6"	.35	.25
*odorata. Blue, April, May, 6"	.30	.20
*odorata Gov. Herrick. Blue, May, 6"	.25	.20
*odorata Princess of Wales. Violet, May,	.20	.20
	.25	.20
*odorata Rosina. Pink, May, 4"		.30
*odorata Royal Robe. Violet, summer, 8"	.30	.25
*pedata. Violet, May, June, 6"	.25	.20
*primulifolia. Pale blue, summer, 6"	.30	.25
*Rohrbach's Everblooming. Violet, 4"	.30	.25
*tricolor. Purple and yellow, summer, 6"	.30	.25
*wellsiana. Various, all summer, 6"	.30	.25
Yucca filamentosa. White, June, July, 7'	.00	.20
2 year	.25	.20
3 year	.35	.30
*glauca. White, June, July, 3'		
J	.50	

### FRUIT GARDEN MATERIAL

### We are able to supply all the leading varieties

			1-4 each	5-24 2 each	
Apples	Crab	5 to 7 ft	1.50	1.35	
	Standard,	5 to 7 ft	1.50	1.35	
Cherry	, Sour,	5 to 7 ft	2.25	2.00	
_	Sweet,	5 to 7 ft	3.00	2.75	
Peache	s,	5 to 7 ft	2.00	1.75	
Pears,	Dwarf,	5 to 6 ft	3.00		
	Standard,	5 to 7 ft	2.25	2.00	
Plums,		5 to 7 ft	2.25	2.00	
Quince	S,	4 to 5 ft	2.50		
Aspara	gus			.15	.12
Blackb	erries			.20	.18
Grapes	, 3 yr. str	ong	.50	.45	
Raspbe	rries			.20	.18
Rhubar	b			.25	.22
Strawb	erries			.30	.25

#### CONIFEROUS EVERGREENS

J. v. globosa J. v. keteleeri J. v. kosteri J. v. pendula Abies alba A. alba pyramidalis A. balsamea A. cephalonica A. concolor
A. c. violocea
A. firma A. homolepis Picea abies A. lasiocarpa arizonica A. nordmanniana A. pinsapo A. procera glauca A. veitchi Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. alumi
C. I. Triomphe de Boskoop
C. nootkatensis
C. n. pendula C. obtusa compacta o. nana pisifera C. p. aurea C. p. filifera C. p. filifera aurea
C. p. filifera aurea variegata
C. p. plumosa C. p. plumosa aurea
C. p. plumosa argentea
C. p. plumosa sulphurea
C. p. squarrosa Cryptomeria japonica lobbi Juniperus chinensis J. c. albovariegata J. c. columnaris J. c. globosa J. c. mas J. c. neaboriensis J. c. oblonga
J. c. pfitzeriana
J. c. sargenti
J. c. smithi P. nigra J. communis J. c. depressa
J. c. depressa aureo-spica
J. c. hibernica J. c. suecica J. c. suecica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. alpina J. h. glauca J. h. plumosa J. japonica J. j. aurea J. recurva J. rigida J. Sabina J. s. tamariscifolia J. s. von ehron J. scopulorum
J. sphaerica T. media J. squamata J. s. meyeri J. virginiana J. v. canaerti J. v. elegantissima J. v. glauca

J. v. plumosa J. v. schotti J. v. tripartita J. v. venusta P. a. aurea
P. a. clanbrasiliana
P. a. maxwelli P. a. parviformis
P. a. pendula
P. a. pygmaea
P. a. nana
P. a. remonti P. a. remonti
P. asperata
P. bicolor
P. engelmanni
P. glauca
P. g. aurea
P. g. conica
P. g. densata
P. mariana
P. m. doumeti P. m. doumeti
P. omorika
P. orientalis
P. polita
P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi
Pinus banksiana P. m. doumeti Pinus banksiana P. cembra
P. densiflora
P. flexilis P. jefferyi
P. koraiensis
P. mugo
P. m. mughus P. parviflora P. peuce
P. ponderosa
P. resinosa
P. rigida
P. atrobus P. strobus
P. sylvestris
P. thunbergi Pseudotsuga taxifolia Taxus baccata
T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni
T. canadensis
T. cuspidata
T. c. aurescens
T. c. densa
T. c. nana
T. c. nana
T. c. nana T. c. nana compacta
T. c. capitata
T. hunnewelliana
T. Jeffrey's pyramidal T. media
T. m. andersoni
T. m. browni
T. m. hatfieldi
T. m. hicksi
T m. kelseyi

## **Coniferous Evergreens Continued**

T. m. wellesleyana Thuja occidentalis T. o. aurea douglasi
T. o. columbia
T. o. compacta
T. o. cristata
T. (o. elegantissima

T. o. ellwangeriana
T. o. ericoides
T. o. globosa
T. o. hoveyi T. o. nigra T. o. pumila
T. o. pyramidalis
T. o. douglasi pyramidalis
T. o. reevesi

T. o. reidi

T. o. riversi
T. o. rosenthali
T. o. spiralis
T. o. umbraculifera

T. o. vervaeneana
T. o. wareana
T. o. woodwardi
T. orientalis

T. o. conspicua
T. o. elegantissima
T. o. nana aurea
T. o. sieboldi

T. plicata T. standishi

Tsuga canadensis

T. caroliniana

#### **BROAD - LEAVED EVERGREENS**

Arctostaphylos uva-ursi Azalea obtusa amoena

A. o. j. hinodegiri A. rosmarinifolia A. r. sekidera

Berberis sargentiana B. triacanthophora
B. verruculosa

Bruckenthalia spiculifolia Buxus microphylla koreana

B. sempervirens glauca
B. s. handsworthi
B. s. suffruticosa Calluna vulgaris

Caltuna vulgari
C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. compacta
C. v. rubra
C. v. searlei
C. v. searlei

Chamaedaphne calyculata

Daphne cneorum Erica carnea E. darleyensis E. vagans

Euonymus fortunei

E. f. argenteo-marginatus E. f. carrieri

E. f. colorata

E. f. kewensis

E. f. minima

E. f. radicansE. f. vegetusE. kiautschovicus

Ilex cornuta I. c. burfordi I. crenata

I. c. bullata I. c. latifolia

I. c. microphylla I. c. rotundifolia I. glabra

I. opaca Kalmia latifolia

Leucothoe catesbaei Lonicera nitida L. pileata

Mahonia aquifolium

M. repens

Pachistima canbyi Pieris floribunda P. japonica Pyracantha lalandi

P. coccinea P. yunnanensis

Rhododendron carolinianum

R. catawbiense R. maximum

A. glabra

Stranvaesia davidiana Viburnum rhytidophyllum

### **DECIDUOUS SHADE TREES**

Acer compestre
A. cappadocicum A. negundo

A. nigrum
A. platanoides
A. p. columnare
A. p. schwedleri

A. pseudoplatanus
A. rubrum
A. r. columnare

A. saccharinum

A. s. pyramidale
A. s. wieri
A. saccharum

Aesculus carnea

A. octandra Ailanthus altissima A. vilmoriniana Alnus cordata

A. glutinosa A. g. laciniata A. hirsuta

A. hippocastanum A. h. baumanni

A. incana A. japonica Aralia elata. Betula fontinalis

B. maximowicziana

## **Deciduous Shade Trees Continued**

B. lenta B. lutea B. maximowicziana B. nigra B. papyrifera
B. p. cordifolia
B. pendula
B. p. fastigiata
B. p. laciniata B. populifolia Carpinus betulus C. b. fastigata C. caroliniana
C. cordata
C. tschonoski Carya ovata Castanea crenata C. mollissima Catalpa ovata C. speciosa Cedrela sinensis Celtis occidentalis Cercidiphyllum japonicum Eucommia ulmoides Fagus grandiflora F. sylvatica
F. s. fastigiata
F. s. heterophylla F. s. pendula
F. s. purpurea
F. s. riversi
F. s. tricolor
F. Zlatia Fraxinus americana F. excelsion F. mandshurica
F. nigra
F. pennsylvanica
F. p. lanceolata
F. quadrengulata F. quadrangulata Ginkgo biloba G. b. fastigiata Gleditsia elegantissima G. japonica
G. triacanthos
G. t. inermis Gymnocladus dioica Juglans cineria J. nigra J. regia J. sieboldiana Larix decidua
L. laricina
L. leptolepis Liquidambar formosana L. styraciflua L. s. aurea Liriodendron chinense L. tulipifera L. t. fastigiatum Magnolia acuminata
M. denudata
M. fraseri
M. obovata
M. tripetala
M. warnelba Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. lavallei

P. orientalis Populus alba P. a. bolleana
P. a. nivea
P. berolinensis P. berolinensis
P. candicans
P. maximowiczi
P. nigra italica
P. nigra betulifolia
P. simoni
P. suaveolens
P. tremuloides
P. trichocarpa Prunus serotina Ptelia trifoliata Quercus alba Q. bicolor Q. borealis Q. cerris
Q. cecris
Q. coccinea
Q imbricaria
Q. lyrata
Q. macrocarpa
Q. palustris
Q. phellos Q. prinus
Q. prinus
Q. robur
Q. r. fastigiata
Q. rubra
Q. stellata
Q. texana
Q. variabilis
Q. velutina Robinia pseudoacacia R. p. bessoniana
R. p. decaisneana
Salix alba chermesina
S. a. vitellina
S. a. pendula
S. b. crispa S. blanda S. elegantissima S. fragilis S. mandshurica S. niobe S. pentandra S. sepulcralis S. sieboldiana S. wentworthi Sassafras albidum Sorbus aria latifolia S. aucuparia S. a. fastigiata S. thuringiaca S. torminalis Taxodium distichum Tilia americana T. cordata
T. cordata
T. euchlora
T. europea
T. heterophylla
T. oliveri
T. platyphyllos T. platyphyllos
T. p. pyramidalis
T. tomentosa Ulmus alatus U. americana U. a. columnaris

Platanus occidentalis

## **Deciduous Shade Trees Continued**

U. a. moline U. a. urni

U. carpinifolia sarniensis
U. c. cornubiensis
U. hollandica belgica
U. h. klemmeri
U. h. vegata

U. procera
U. p. monumentalis
U. p. purpurea

U. fulva

U. glabra
U. g. camperdowni
U. g. nana
U. japonica U. parvifolia
U. pumila
U. thomasi

Zelkova serrata

## DECIDUOUS SMALL TREES

Acer buergerianum

A. ginnala A. glabrum

A. griseum
A. japonicum aureum
A. nikoense
A. palmatum

A. p. atropurpureum
A. p. filicifolium
A. pennsylvanicum
A. platanoides globosum

A. sieboldianum
A. spicatum
A. tartaricum

Albizzia julibrissin rosea

Alnus pendula Aralia spinosa Asimina triloba

Broussonetia papyrifera Cercis canadensis

C. c. alba Cladrastis lutea Cornus florida

C. f. plena
C. f. rubra
C. f. welchi
C. kousa
C. k. chinensis
C. mas

C. officinalis

Cotinus coggygria Crataegus aprica

C. arkansana C. arnoldiana

C. cocciniodes
C. crusgalli
C. cuneata
C. hupehensis

C. intricata
C. lavallei
C. macracantha
C. mollis C. monogyna C. m. stricta

C. nitida
C. oxyacantha
C. o. plena
C. o. pauli

C. o. punicea
C. o. rosea plena

C. o. rosea piena
C. peregrina
C. persistens
C. phaenopyrum
C. pinnatifida major
C. pruinosa
C. prunifolia
C. punctata
C. succulenta

C. tomentosa

C. viridis

Diospyros virginiana Euptelea polyandra Franklinia alatamaha Halesia tetraptera H. monticola

Idesia polycarpa Kalopanax pictus K. p. maximowiczi Koelreuteria paniculata Laburnum alpinum

L. anagyroides L watereri

Maackia amurensis Maclura pomifera Magnolia kobus M. salicifolia M. soulangeana
M. s. nigra
M. s. lennei
M. virginiana

Malus angustifolia

M. arnoldiana M. adstringens

M. atrosanguinea
M. baccata
M. b. mandshurica
M. brevipes

M. coronaria

M. c. Charlotte M. dolga

M. Elisa Rathke
M. florentina
M. floribunda
M. fusca

M. glaucescens
M. halliana
M. h. parkmani
M. hopa

M. hupehensis M. h. rosea M. ioensis M. i. plena M. micromalus

M. niedzwetzkyana M. Oekonemurat Echtermeyer M. purpurea

M. p. aldenhamensis
M. p. eleyi
M. p. lemoinei
M. prunifelia rinki
M. robusta

M. r. erecta M. r. leucocarpa M. r. persicifolia

M. sargenti M. scheideckeri

#### **Deciduous Small Trees Continued**

M. sieboldi M. spectabilis M. s. alba plena M. sublobata M. toringoides
M. tschonoski
M. yunnanensis veitchi M. zumi

M. z. calocarpa Morus alba pendula Nyssa aquatica

N. sylvatica N. s. pendula

Oxydendrum arboreum Prunus americana P. a. Newport

P. armeniaca sibirica P. avium plena P. cerasifera pissardi

P. cistena

P. davidiana
P. d. alba
P. hortulana
P. incisa
P. maacki
P. maseri

P. moseri fl. pl. P. mume

P. mume fl. pl.

P. padus
P. pennsylvanicum
P. persica

P. p. alboplena
P. p. Clara Meyer
P. p. rubroplena
P. sargenti
P. serrulata

P. s. Amanogawa
P. s. Gioiko
P. s. Hata-zakura

P. s. Hara-zakura
P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura
P. s. Hisakura
P. s. Jas. H. Veitch

P. s. Jonioi
P. s. Kuramayami
P. s. Kwanzan
P. s. lannesiana

P. s. lannesiana
P. s. Miyako
P. s. Shirofugen
P. s. Shogetsu
P. s. sirotae
P. s. Sumizome
P. sieboldi syn. Naden
P. spinosa
P. spinosa

P. spinosa
P. s. purpurea
P. subhirtella
P. s. ascendens
P. s. autumnalis
P. s. pendula P. virginiana
P. yedoensis
P. y. taizanfukun

Pterostyrax corymbosa Pyrus calleryana

P. betulaefolia P. salicifolia P. serrulata Rhus chinensis Robinia fertilis R. globosa R. hispida R. holdti R. Margaretta Salix amygdaloides

S. caprea
S. matsudana
S. m. tortuosa
S. regalis Sophora japonica

S. viciifolia Sorbus americana S. commixta

S. spuria Styrax japonica

S. obassia

Syringa amurensis japonica

S. pekinensis

### **DECIDUOUS SHRUBS**

Abelia chinensis A. grandiflora A. schumanni

Acanthopanax sieboldianus

Aesculus parviflora

Alnus rugosa

A. viridis

Amelanchier alnifolia A. asiatica

A. canadensis A. laevis

A. grandiflora rubescens A. oblongifolia

A. ovalis
A. sanguinea
A. stolonifera

Amorpha brachycarpa

A. canescens A. fruticosa Aronia arbutifolia A. melanocarpa A. m. elata A. prunifolia

Artemisia abrotanum

Azalea calendulacea

A. canescens

A. kaempferi
A. lutea
A. mollis
A. mucronulata

A. nudiflora
A. viscosa
A. yedoensis
A. y. poukhanensis Baccharis halimifolia

Berberis beaniana B. candidula
B. circumserrata
B. horvathi
B. koreana

B. thunbergi
B. t. atropurpurea

B. t. minor B. t. pluriflora
B. t. erecta

Berchemia racemosa Bischoffia javanica Buddleia Charming B. alternifolia

B. davidi B d. superba B. d. veitchiana B. farquhari B. Ile de France B. intermedia B. lindleyana B. microphylla B. Orchid Beauty B. paniculata
B. Royal Purple
B. White Cloud
Callicarpa americana C. dichotoma
C. giraldiana
C. japonica Calycanthus floridus C. occidentalis Caragana arborescens C. a. lorbergi
C. boisi
C. decorticans
C. sophoraefolia Caryopteris incana Ceanothus americanus Cephalanthus occidentalis Cercis chinensis Chaenomeles japonica
C. j. alpina
C. l. baltzi
C. lagenaria
C. l. alba
C. l. cathayensis
C. l. Columbia
C. l. Falconet Charlet
C. l. kermesina semiplena
C. l. moerloosi
C. l. nivalis Chaenomeles japonica C. I. moeritosi
C. I. nivalis
C. I. pygmaea
C. I. rosea grandiflora
C I. rosea plena
C I. rubra
C I. semperflorens
C I. semperflorens C. l. umbilicata C. l. Vermilion Chionanthus virginicus C. retusus Clerodendron trichotomum Clethra alnifolia C. a. paniculata
C. barbinervis
C. tomentosa Colutea arborescens C. cilicica C. media Comptonia asplenifolia Cornus alba C. a. elegantissima
C. a. sibirica
C. a. spaethi C. alternifolia C. amomum C. baileyi C. paucinervis C. pubescens
C. racemosa
C. rugosa
C. sanguinea

(). s. viridissima () stolonifera

C. s. flaviramea Corylopsis sinensis Corylus americana C. avellana C. a. atropurpurea C. a. aurea C. colurna
C. heterophylla setchuenensis
C. rostrata Cotoneaster acutifolia C. a. villosula C. adpressa C. ambigua C. apiculata
C. dammeri
C. dielsiana
C. divaricata C. foveolata
C. francheti
C. himalaicus
C. horizontalis C. h. perpusilla
C. h. wilsoni
C. hupehensis
C. integerrima
C. lucida
C. melanocarpa C. melanocarpa C. microphylla C. moupinensis C. multiflora
C. nitens
C. obscura
C. racemiflora soongarica C. rotundifolia
C. rosea
C. s. floccosa
C. simonsi C. tenuipes C. zabeli Cudrania tricuspidata Cytisus elongatus C. nigricans
C. scoparius
C. s. andreanus
C. supinus Daphne mezereum D. m. alba Deutzia gracilis D. hypoglauca D. lemoinei
D. l. compacta
D. myriantha Boule Rose
D. ningpoense D. parviflora
D. rosea
D. rosea companulata
D. r. carminea D. r. venusta D. scabra
D. s. Pride of Rochester D. s. rosea plena D. s. watereri D. s. wellsi D. schneideriana laxiflora D. vilmorinae Diervilla sessilifolia D. lonicera

Dirca palustris Eleagnus angustifolia

E. commutata

E. multiflora E. umbellata
E. u. parvifolia
Elsholtzia stauntoni
Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus E. bungeanus E. europaeus E. e. fructu-coccineus E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia danieli E. hupehensis Exochorda racemosa E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia
F. i. primulina
F. i. spectabilis
F. ovata F. suspensa
F. s. atrocaulis
F. s. fortunei
F. s. sieboldi
F. viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa
G. sagittalis
G. tinctoria Hamamelis japonica H. j. rubra H. mollis H. vernalis
H. v. tomentella
H. virginiana Helwingia japonica Hibiscus syriacus H. variegatus
H. v. meehani
Hippophae rhamnoides
Hovenia dulcis Hydrangea arborescens H. a. grandiflora
H. cineria sterilis
H. m. Otaksa
H. m. Nikko Blue H. paniculata
H. p. grandiflora
H. p. praecox H. quercifolia
H. radiata
H. x. Thos. Hogg
Hypericum arnoldiana H. bucklei H. densiflorum H. frondosum H. kalmianum
H. lobocarpum
H. moserianum
H. patulum

H. p. henryi H. prolificum H. vanfleeti Ilex geniculata I. laevigata I. montana
I. serrata syn. sieboldi
I. verticillata
I. v. chrysocarpa Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. pleniflora Kolkwitzia amabilis Lagerstroemia indica rubra Leptodermis oblonga Lespedeza bicolor L. thunbergi L. japonica Ligustrum acuminatum L. a. macrocarpum L. amurense
L. ibolium
L. obtusifolium
L. o. nanum L. o. regelianum
L. ovalifolium
L. o. variegatum
L. vulgare
L. v. buxifolium
L. v. foliosum
L. v. leucocarpum
L. v. nanum L. v. nanum L. v. pyramidale Lindera benzoin Lonicera amoena L. a. arnoldiana
L. bella albida
L. bella atrorosea
L. billardi L. chrysantha
L. conjugialis
L. dioica
L. fragrantissima L. gracilipes L. orientalis longifolia L. kohneana L. korolkowi floribunda L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. Standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. lutea L. t. rosea L. t. sibirica L. t. virginalis

L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina L. mariana Magnolia sieboldi M. stellata M. s. rosea Myrica pennsylvanica M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronata Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus coronarius P. c. aureus P. c. multiflorus plenus P. c. multiflorus pien
P. c. nanus
P. cymosus Banniere
P. c. Norma
P. c. Voie Lactee
P. falconeri
P. gordonianus
P. grandiflorus
P. incanus P. incanus
P. inodorus
P. lemoinei Avalanche
P. l. erectus
P. l. erectus P. l. Dame Blanche
P. l. Pyramidale
P. lewisi
P. magdalenae P. nepalensis P. nepalensis
P. nivalis
P. polyanthus Favorite
P. p. Gerbe de Neige
P. p. Pavillon Blanc
P. purpureo mac. Ophelia
P. p. Sybille
P. sericanthus
P. splendens P. splendens
P. virginalis Albatre
P. v. Argentine
P. v. Boquet Blanc P. v. Glacier P. v. Virginal P. zeyheri Photinia villosa P. v. laevis Physocarpus intermedius P. i. parvifolius P. monogynus P. opulifolius P. o. luteus P. o. nanus Potentilla fruticosa P. Gold Drop Prinsepia sinensis Prunus besseyi P. dunbari P. glandulosa P. g. albiplena
P. g. sinensis
P. japonica
P. maritima

P. pumila P. tenella

P. tomentosa triloba P. t. plena P. v. demissa Rhamnus caroliniana R. cathartica R. dahurica R. frangula
R. f. asplenifolia
R. koraiensis R. purshiana R. spathulaefolia R. wilsoni Rhodotypos scandens Rhus aromatica R. copallina
R. glabra
R. trilobata
R. typhina
R. t. laciniata
Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti R. Kelseyi R. viscosa Rosa acicularis R. alba R. blanda R. carolina R. canina R. coriifolia froebeli R. cornifolia from R. damascena R. d. versicolor R. davurica R. ecae R. eglanteria R. e. hybrids R. foetida R. f. persiana R. fuiisanensis R. helenae R. helenae R. hugonis R. humilis hugonis R. laevigata R. marreti R. maximowicziana jacki R. moyesi R. multiflora
R. m. cathayensis
R. nitida
R. omiensis R. o. pteracantha R. palustris
R. pendulina
R. rouletti R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera R. spinosissima altaica R. s. hispida R. s. hybrids R. suffulta R. virginiana R. watsoniana

S. wilsoni

R. wichuraiana R. w. hybrids R. hybrid perpetuals
R. hybrid tea R. climbing
R. polyantha hybrids R. woodsi R. xanthina allard R. x. spontanea Rubus deliciosus R. nemorosus R. odoratus R. phoenicolasius Salix discolor S. doniana S. elaeagnos S. irrorata S. jessoensis S. lucida S. mutabilis S. myricoides rigida S. nigricans cotinifolia S. patula S. purpurea nana
S. purpurea
S. purpurea gracilis Sambucus canadensis S. c. acutiloba S. c. maxima S. coerulea S. nigra S. n. aurea S. n. albo-variegata S. pubens S. p. xanthocarpa S. racemosus Shepherdia argentea S. canadensis Smilax rotundifolia Sorbaria aitchisoni S. arborea glabrata S. sorbifolia S. tomentosa Spirea arguta S. billiardi S. bumalda S. b. Anthony Waterer S. b. walluffi S. cantoniensis S. c. lanceata S. chamaedryfolia ulmifolia S. douglasi S. froebeli S. japonica
S. japonica fortunei
S. j. ovalifolia
S. j. ruberrima
S. j. latifolia S. latifolia S. margaritae S. nipponica rotundifolia S. prunifolia S. pubescens S. salicifolia S. superba S. syringiflora S. thunbergi S. tomentosa S. trichocarpa

S. van houttei S. veitchi

Staphylea bumalda S. colchica S. pinnata S. trifolia Stephanandra incisa Stewartia ovata S. o. grandiflora S. serrata Symphoricarpos chenaulti S. albus S. mollis
S. occidentalis
S. o. heyeri S. orbiculatus Symplocos paniculata Syringa amurensis japonica S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. o. giraldi S. persica S. p. alba S. prestoniae S. pubescens S. reflexa S. velutina S. villosa S. vulgaris S. v. alba
S. v. hybrids
S. yunnanensis Tamarix africana T. gallica
T. g. indica
T. juniperina
T. odessana T. pentandra T. tetandra Ulex europeus Vaccinium corymbosum Viburnum acerifolium V. bitchuiense V. betulifolium V. burejaeticum
V. burkwoodi
V. carlesi
V. cassinoides V. dentatum V. dilitatum V. d. xanthocarpum V. fragrans V. hupenhense V. lantana
V. l. rugosum
V. lentago

V. molle

V. nudum V. opulus V. o. nanum

V. o. sterile V. o. xanthocarum

V. prunifolium
V. pubescens
V. p. canbyi
V. rufidulum
V. sargenti
V. sieboldi
V. setigerum
V. tomentosum
V. t. sterile
V. trilobum
V. veitchi
V. wrighti
Vitex agnus ca

Vitex agnus castus
V. a. c. alba
V. a. c. latifolia
V. negundo incisa Weigela floribunda

W. florida

W. f. nana variegata W. hendersoni

W. hortensis rubra

W. japonica

W. vaniceki
W. w. Abel Carriere
W. w. candida W. w. desboisi W. w. Eva Rathke

W. w. Groenewegeni W. w. Gustav Mallot

W. sieboldi argenteomarginata

W. w. styriaca W. w. vanhouttei

Zanthorhiza simplicissima Zanthoxylum americanum

Z. schinifolium Z. simulans

#### VINES

Actinidia arguta Akebia trifoliata A. quinata

Ampelopsis acontifolia

A. b. elegans
A. b. maximowiczi Aristolochia durior

A. tomentosa

Campsis grandiflora
C. radicans
C. r. Mme. Galen
C. r. speciosa

Celastrus gemmata C. orbiculatus

C. scandens Clematis apiifolia

C. chrysocoma sericea

C. crispa
C. fargesi
C. hybrids
C. ligusticifolia

C. montana rubens
C. m. undulata
C. m. wilsoni
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea

C. viorna C. virginiana C. vitalba
C. viticella Decumaria barbara

Hedera helix
H. h. Albany
H. h. baltica
H. h. Emerald Gem

H. h. gracilis H. h. Hahns H. h. lobata

Hydrangea petiolaris

Lonicera alseusmoides L. browni plantierensis

L. caprifolium L. fuchsoides

L. heckrotti L. henryi

L. hirsuta L. japonic japonica

L. japonica
L. j. chinensis
L. j. halleana
L. j. aurea reticulata
L. periclymenum belgica
L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana L. thibetica

Parthenocissus henryana

P. quinquefolia
P. q. engelmanni
P. q. saintpauli P. tricuspidata lowi P. t. veitchi Perpiloca graeca

P. sepium

Polygonum auberti Pueraria thunbergiana Schizophragma hydrangoides

Solanum dulcamara

Tripterygium regeli

Vinca minor V. m. alba m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. labrusca V. rotundifolia V. vulpina

vulpina Wistaria frutescens

W. floribunda macrobotrys
W. macrostachya
W. sinensis
W. s. alba

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

#### PLANTS FOR SPECIAL PURPOSES

In the following pages we understake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

#### WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING

Baccharis halimifolia Buddleia in variety Campsis grandiflora Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix pentandra Vitex agnus castus Vitex agnus castus latifolia

## Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Aronia arbutifolia

Aronia arbutifolia
Aronia prunifolia
\*Betula papyrifera
\*Betula populifolia
\*Betula lutea
Cornus in variety
\*Crataegus in variety
Euonymus in variety
\*Hynericum prolificum

\*Hypericum prolificum \*Juniperus virginiana \*Juniperus communis

\*Ligustrum in variety Lindera benzoin Lonicera in variety

Morus alba
\*Myrica pennsylvanica
Nyssa sylvatica

Parthenocissus quinquefolia P. tricuspidata vetichi \*Pinus in variety Photinia villosa Prunus besseyi

Prunus padus
Prunus pennsylvanicum
Prunus serotina

\*Rhamnus in variety

\*Rhus capallina \*Rhus glabra

\*Rhus typhina
Ribes in variety
Sambucus in variety Symphoricarpus in variety
Vaccinium corymbosum
Viburnum in variety

Vitis in variety \*Weigela hybrida in variety

# Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Hypericum henryi Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Juniperus suecica nana Cotoneaster rotundifolia Juniperus sabina tamariscifolia Daphne cneorum Lonicera spinosa alberti Daphne cneorum
Daphne mezereum
Euonymus fortunei minimus
Lonicera spinosa alberti
Lonicera syringantha
Lonicera thibetica

Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis glauca

## Woody Plants Enduring Shade

#### For Dry Soil

Ailanthus altissima Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum obtusifolium Ligustrum vulgare Rhus aromatica Ribes alpinum Rubus odoratus Symphoricarpus orbiculatus Vinca minor

#### For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus fortunei in variety
Fagus grandiflora
Hedera helix
Kalmia latifolia

Amelanchier in variety
Lindera benzoin
Carpinus in variety
Cercis canadensis
Ostrya virginica
Pachysandra terminalis
Rhododendron in variety
Tsuga canadensis
Viburnum acerifolium
Zanthorhiza simplicissima

## Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus altissima
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Euonymus fortunei
\*Lonicera halleana
\*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

\*Rhus typhina
Robinia pseudacacia
\*Rosa setigera
\*Rosa wichuraiana
\*Rubus odoratus
Salix caprea
Salix discolor
Salix elaeagnos
\*Symphoricarpus orbiculatus
Vinca minor
Vitis vulpina

## Plants for the Herb Garden

Achillea millefolum
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia absinthium
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum
Thymus vulgaris
Valeriana officinalis

#### SCHEDULE OF B & B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (\*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24"		 	\$ .75
2-3'		 	1.10
3-4'		 	1.50
4-5'		 ,	1.90
5-6'		 	2.25
			Diameter of Ball
6-8' Shrub 1" Trees	s {	 \$ 3.	00 16"
8-10' Shrub 11/4" Trees	-	 <b>4</b> .	25 18"
11/2" Tree	s ,	 5.	50 20"
13/4" Tree	s	 7.	50 22"
2" Tree	s	 <b>9.</b>	00 24"
21/2" Tree	s	 <b>13.</b>	50 30"
3" Tree	s	 22.	50 36"
31/2" Tree	s	 32.	50 42"
4" Tree	s	 45.	00 48"
41/2" Tree	s	 65.	00 54"
5" Tree	s	 90.	00 60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

# MEMORANDA

# MEMORANDA



